

HIGH STRENGTH RED THREADLOCKER - THREADLOCKER, RED HIGH STRENGTH,1.8ML TUBE

HIGH STRENGTH RED THREADLOCKER The Brownells High Strength Red Threadlocker is a premium adhesive designed for applications requiring a permanent bond on threaded fasteners. This high-strength threadlocker is ideal for securing bolts and screws that must remain fixed over time, effectively preventing loosening due to shock and vibration. It is particularly suitable for metal thread engagements where a robust hold is essential. Key Features: Permanent Bond: Provides a strong, enduring hold on threaded fasteners, ensuring components remain securely in place. Vibration Resistance: Effectively prevents loosening of metal thread engagements subjected to shock and vibration, maintaining assembly integrity. User-Friendly Application: Cures through the evaporation of water, simplifying the bonding process without the need for specialized equipment. Specifications: Container Sizes: Available in 1.8 ml and 10 ml tubes, accommodating both small-scale and more extensive applications. Color: Red, allowing for easy identification during application and inspection. Application Instructions: Surface Preparation: Ensure that parts are clean, dry, and free from oil or grease to promote optimal adhesion. Application: Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part. Assembly: Assemble parts and tighten as required. Curing: Allow the product to cure through the evaporation of water to build strength. Instructions for Use: Parts must be clean, dry and free from oil or grease. Brownells High Strength Red Threadlocker cures through evaporation of water in order to build strength. It can be applied wet to threads and tightened or used to coat threads and allowed to dry before installation. Once set, disassembling parts with the threadlocker applied is achievable with the application of heat and standard tools. It is recommended to clean threads thoroughly with a brush and reapply the threadlocker when reassembling parts. Curing Time and Performance Temperature Range: Fixture Time: 15 - 20 minutes @ 72° F / 22° C Full Cure Time: 24 Hours @ 72° F / 22° C Temperature Range: -60° F to 300° F / -51° C to 150° C Safety Considerations: This product may cause skin and eye irritation. It is not recommended for use with plastics or in oxygen-rich environments. Please refer to the Safety Data Sheet (SDS) for detailed safety information. Incorporating the Brownells High Strength Red Threadlocker into your assembly process ensures that critical components remain securely fastened, enhancing the reliability and longevity of your equipment.



Attributes

- Name: THREADLOCKER, RED HIGH STRENGTH,1.8ML TUBE
- Manufacturer: BROWNELLS
- Product no.: 430110338
- Mfr. No.: 14002BROWN
- Color: Red
- Size: 1.8 mL
- Delivery weight: 0.045kg
- UPC: 050806001350

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den Hochfesten Roten Gewindedichtstoff von Brownells](#)
- [English: Safety Instruction Guide for HIGH STRENGTH RED THREADLOCKER](#)

Sicherheitshinweise für den Hochfesten Roten Gewindedichtstoff von Brownells

Einführung

Willkommen zu den Sicherheitshinweisen für den Hochfesten Roten Gewindedichtstoff von Brownells. Dieser Leitfaden soll Ihnen helfen, das Produkt sicher und effektiv zu verwenden. Bitte lesen Sie die folgenden Informationen sorgfältig, um potenzielle Risiken zu verstehen und zu vermeiden.

Allgemeine Sicherheitsrichtlinien

- Der Hochfeste Rote Gewindedichtstoff ist ein chemisches Produkt und sollte mit Vorsicht behandelt werden.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und Haustieren.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck und gemäß den Anweisungen.
- Überprüfen Sie regelmäßig auf Rückrufinformationen über die EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Anwendung

- **Haut und Augenreizungen:** Tragen Sie bei der Anwendung Schutzhandschuhe und eine Schutzbrille, um Haut und Augenreizungen zu vermeiden.
- **Lüftung:** Verwenden Sie das Produkt in einem gut belüfteten Bereich, um die Exposition gegenüber Dämpfen zu minimieren.
- **Vermeidung von Kontakt mit Kunststoffen:** Verwenden Sie das Produkt nicht in Verbindung mit Kunststoffen oder in sauerstoffreichen Umgebungen.
- **Notfallmaßnahmen:** Bei Kontakt mit der Haut oder den Augen sofort mit viel Wasser abspülen und einen Arzt aufsuchen, wenn die Reizung anhält.

Anweisungen zur Installation und Verwendung

1. Oberflächenvorbereitung:

- Stellen Sie sicher, dass die Teile sauber, trocken und frei von Öl oder Fett sind, um eine optimale Haftung zu gewährleisten.

2. Anwendung:

- Tragen Sie den Gewindedichtstoff auf die Gewinde auf, wobei eine Länge von etwa 1,5 Mal dem Durchmesser des Teils abgedeckt wird.

3. Montage:

- Bauen Sie die Teile zusammen und ziehen Sie sie nach Bedarf an.

4. Aushärtung:

- Lassen Sie das Produkt durch die Verdampfung von Wasser aushärten, um Festigkeit zu gewinnen.

5. Wiederverwendung:

- Nach dem Aushärten können Teile, auf die der Gewindedichtstoff aufgetragen wurde, mit Wärme und Standardwerkzeugen wieder auseinandergebaut werden.
- Es wird empfohlen, die Gewinde gründlich mit einer Bürste zu reinigen und den Gewindedichtstoff beim Wiederausbauen der Teile erneut aufzutragen.

Entsorgungsanweisungen

- Entsorgen Sie leere oder abgelaufene Behälter gemäß den lokalen Vorschriften für Chemikalien.
- Werfen Sie das Produkt nicht in den Hausmüll oder in die Kanalisation.
- Informieren Sie sich über spezielle Entsorgungsstellen in Ihrer Nähe, die Chemikalien annehmen.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu diesem Produkt wenden Sie sich bitte an den Hersteller oder den Verkaufsort.

Bitte beachten Sie, dass diese Sicherheitshinweise nicht alle möglichen Risiken abdecken. Es liegt in Ihrer Verantwortung, sicherzustellen, dass Sie alle notwendigen Vorsichtsmaßnahmen treffen, um Ihre Sicherheit und die Sicherheit anderer zu gewährleisten.

Safety Instruction Guide for HIGH STRENGTH RED THREADLOCKER

Introduction

Thank you for choosing the Brownells High Strength Red Threadlocker. This guide provides essential safety instructions to ensure the safe use of this product. Please read all sections carefully before using the threadlocker to avoid any potential hazards.

General Safety Guidelines

- Ensure safe handling and use of the threadlocker in accordance with the EU General Product Safety Regulation (GPSR).
- Always use the product in wellventilated areas to minimize inhalation risks.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of the potential for skin and eye irritation; take necessary precautions.
- Regularly check for product recalls or safety updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Contact with Eyes and Skin:** Wear safety goggles and protective gloves to prevent irritation.
- **Use in a WellVentilated Area:** Ensure adequate ventilation to avoid inhaling fumes.
- **Do Not Use on Plastics:** This product is not recommended for use with plastic materials.
- **Avoid OxygenRich Environments:** Do not use this product in areas with high concentrations of oxygen.
- **First Aid Measures:** In case of skin contact, wash with soap and water. For eye contact, rinse thoroughly with water and seek medical attention if irritation persists.

Instructions for Installation and Usage

- **Surface Preparation:**
 - Ensure that parts are clean, dry, and free from oil or grease for optimal adhesion.
- **Application:**
 - Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part.
- **Assembly:**
 - Assemble the parts and tighten as required to secure the bond.
- **Curing:**
 - Allow the product to cure through the evaporation of water to build strength.
- **Disassembly:**
 - Once set, parts can be disassembled using heat and standard tools. It is recommended to clean threads thoroughly with a brush and reapply the threadlocker when reassembling parts.

Disposal Instructions

- Dispose of any unused product in accordance with local regulations.
- Do not pour down drains or dispose of in regular household waste.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional information regarding the product, please refer to the contact details provided on the product packaging or the manufacturer's website.

By following these safety instructions, you can ensure a secure and effective use of the Brownells High Strength Red Threadlocker while minimizing potential risks. Thank you for prioritizing safety in your assembly processes.