

RIFLE POLISHING SYSTEM - BROWNELLS 9MM 400 GRIT CHAMBER HONE

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Stones](#)

Cures Sticky Extraction For Fast, Reliable Cycling

Abrasive silicon carbide balls polish rough or scored chambers smooth and friction free in only minutes. Helps cure sticky extraction for faster, more reliable cycling. Use Flex Hone Oil Only. [View Flex-Hone PDF Here](#)



Attributes

- Name: [BROWNELLS 9MM 400 GRIT CHAMBER HONE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080001182
- Mfr. No.: 07584
- Make: -
- Style: -
- Delivery weight: 0.023kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 241mm
- UPC: 050806007567

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RIFLE POLISHING SYSTEM BROWNELLS 9MM 400 GRIT CHAMBER HONE Safety Instructions](#)
- [About Us](#)

RIFLE POLISHING SYSTEM BROWNELLS 9MM 400 GRIT CHAMBER HONE Safety Instructions

Introduction

Thank you for choosing the RIFLE POLISHING SYSTEM BROWNELLS 9MM 400 GRIT CHAMBER HONE. This product is designed to effectively polish rough or scored chambers for improved performance in your firearm. Please read and follow these safety instructions carefully to ensure safe and effective use.

General Safety Guidelines

- Always handle the product with care and store it in a safe place away from children.
- Ensure that the product is used only for its intended purpose as described in the instructions.
- Inspect the product for any damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding the use of firearm accessories.
- Report any unsafe products and accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with Flex Hone Oil, as other oils may not provide the necessary lubrication and could cause damage.
- Do not exceed the recommended operating time. Prolonged use may cause overheating and damage to the product or firearm.
- Wear appropriate personal protective equipment (PPE) such as safety goggles and gloves to protect against dust and debris.
- Keep the working area wellventilated to avoid inhaling airborne particles.
- Do not use the product if you are under the influence of alcohol or drugs.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and in a safe position.
- Clean the chamber area to remove any debris or contaminants before using the chamber hone.

2. Installation

- Attach the chamber hone to the appropriate drill or power tool, ensuring that it is securely fastened.
- Select the correct length shank based on your firearm type:
 - .223/5.56 8" (20cm) long shank
 - .38/.357/.44/.45 14" (35.5cm) long shank

3. Usage

- Apply a generous amount of Flex Hone Oil to the chamber hone before starting.
- Begin polishing the chamber by running the drill at a low speed to avoid overheating.
- Move the hone in and out of the chamber smoothly, ensuring even contact.
- Periodically check the progress and add more oil as needed.
- After polishing, clean the chamber thoroughly to remove any residue.

4. PostUsage

- Inspect the chamber for smoothness and ensure there are no remaining abrasive particles.
- Clean the chamber hone after use and store it in a safe place.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety or usage of the RIFLE POLISHING SYSTEM BROWNELLS 9MM 400 GRIT CHAMBER HONE, please reach out to the manufacturer or the relevant local authority.

Thank you for your attention to these safety instructions. Your safety and the performance of your firearm are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk