

SIGHT INSTALLATION KIT FOR GLOCK® - BROWNELLS SIGHT INSTALLATION KIT FOR GLOCK

[Gunsmith Tools](#) > [Handgun Tools](#) > [Sight Tools](#)

The Brownells Glock Sight Installation Kit is the perfect set of economical tools to install your new Glock sights. The kit contains the Brownells Front Sight Installation tool that fits the hex screw found on aftermarket front sights in standard and longslide Glocks. The Brownells Small Dovetail Sight Punch unique triangular punch face works well on the rear sight, and also fits in the Glock dovetail for final fitting.



Attributes

- Name: [BROWNELLS SIGHT INSTALLATION KIT FOR GLOCK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080001254
- Mfr. No.:
- Weapon type: Glock
- Delivery weight: 0.059kg
- UPC: 050806007826

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the Brownells Sight Installation Kit for Glock®](#)
- [About Us](#)

Safety Instruction Guide for the Brownells Sight Installation Kit for Glock®

Introduction

Thank you for choosing the Brownells Sight Installation Kit for Glock®. This guide provides important safety instructions and guidelines to ensure the safe and effective use of the product. Please read this document carefully before using the kit.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Keep the kit out of reach of children and vulnerable individuals.
- Inspect all tools and components for damage before use. Do not use damaged tools.
- Always wear appropriate safety gear, such as safety glasses, when using the tools.
- Work in a welllit area to avoid accidents.
- Follow all local laws and regulations regarding firearm modifications.

Specific Safety Precautions for Use

- Handle all firearms safely and responsibly. Always treat them as if they are loaded.
- Ensure the firearm is unloaded and pointed in a safe direction before beginning installation.
- Use caution when working with small parts to avoid injury or loss.
- Do not force tools into place; ensure proper alignment to avoid damage to the firearm or tools.
- Avoid distractions while using the tools to maintain focus and safety.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock is unloaded.
- Gather all necessary tools from the kit.

2. Installing Front Sight:

- Locate the hex screw on the aftermarket front sight.
- Use the Brownells Front Sight Installation tool to carefully loosen and remove the hex screw.
- Align the new front sight and secure it by tightening the hex screw with the installation tool.

3. Installing Rear Sight:

- Use the Brownells Small Dovetail Sight Punch to gently tap the rear sight into place.
- Ensure the triangular punch face is properly aligned with the dovetail for accurate fitting.
- Check the alignment of the rear sight before fully securing it.

4. Final Checks:

- Once both sights are installed, doublecheck their alignment.
- Ensure all screws are tightened securely, but do not overtighten to avoid damage.

Disposal Instructions

- Dispose of any damaged or worn tools responsibly.

- Follow local regulations for the disposal of tools and materials.
- Do not discard tools in regular household waste. Consider recycling options if available.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the contact information provided with your product packaging. You can also check the EU Safety Gate platform for updates on product recalls or safety alerts.

By following these safety instructions, you can ensure a safe and effective installation of your Glock sights. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk