ACRAGLAS® HARDENER & RESIN - ACRAGLAS RESIN, 28 OZ

Hardener and Resin to restock your Acraglas Kits. Both can be purchased together or individually in various container sizes. The word ACRAGLAS has proven, during the many years it has been used by shooters, to be a true and fair product description. For Acraglas, as its name implies, is an accurizing material designed for the exclusive purpose of making a rifle shoot more accurately. Granted, it is a superior bedding compound used and sold as such by dealers, stock manufacturers and gunsmiths - but the fact remains: its prime purpose is to accurize a rifle. THE AMERICAN RIFLEMAN To quote L.R.W. in the American Rifleman Dope Bag, "Acraglas will be found an excellent preparation to correct poor bedding and the revitalized rifle should respond with considerably better accuracy." "It's a boon for the lazy, too, because if you are inletting a stock blank you simply cut out too much wood all the way around, gob the wood well with Acraglas, put the metal in (properly treated with release agent coming with the kit) and set aside for about 24 hours. When the metal is removed, the result is perfect bedding for the action - good, strong, and reliable bedding it is, too." PROVEN IN THE FIELD As the manufacturers of Acraglas, we cannot help but be very proud, too, of the many individual shooters and teams who have won big bore regional and Perry matches with Acraglassed guns ... and of the hunters who have sent us "before and after" targets made when sighting in their game rifles after using Acraglas. The basic materials used in Acraglas are those developed for the aircraft industry. These we have adapted to gun work.



Attributes

Name: ACRAGLAS RESIN, 28 OZ
Manufacturer: BROWNELLS
Product no.: 081005029
Mfr. No.: FGA010128

Size: 28 oz.Type: AcraglasQuantity: 28

Delivery weight: 1.134kg
Shipping height: 762mm
Shipping width: 102mm
Shipping length: 102mm
UPC: 050806101197

Item details

Made in USA

Table of Contents

- Startpage
- English: ACRAGLAS® HARDENER & ESIN SAFETY INSTRUCTION GUIDE

ACRAGLAS® HARDENER & DESIN SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing ACRAGLAS® HARDENER & RESIN. This guide provides important safety information to ensure the safe use of this product. Please read and follow all instructions carefully to avoid hazards and ensure optimal results.

General Safety Guidelines

- Product Safety: ACRAGLAS® HARDENER & ESIN is designed for nonfood use. Ensure it is kept
 away from food items and consumed products.
- **Enhanced Recalls**: Stay informed about product recalls. If a recall occurs, follow the instructions provided for safe disposal or return.
- Online Shopping: Purchase this product only from authorized retailers that comply with EU safety regulations.
- Vulnerable Groups: Keep this product out of reach of children and individuals who may not understand the safety precautions.
- **EU Contact Point**: For any safety inquiries, refer to the contact information provided with your product packaging.
- Rapid Alerts: Stay updated on product safety through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Personal Protective Equipment (PPE): Always wear suitable PPE, including gloves and safety goggles, when handling ACRAGLAS® HARDENER & DESIN.
- **Ventilation**: Use the product in a wellventilated area to avoid inhalation of fumes.
- Skin Contact: Avoid direct skin contact. In case of contact, wash affected area with soap and water immediately.
- Inhalation: Do not inhale vapors. If you experience dizziness or respiratory discomfort, move to fresh air immediately.
- Ingestion: Do not ingest. If swallowed, seek medical attention immediately.
- **Storage**: Store in a cool, dry place away from direct sunlight and heat sources. Ensure the lid is tightly closed when not in use.

Instructions for Installation and Usage

1. Preparation:

- Clean the surfaces to be bonded or bedded to ensure they are free from dust, grease, and moisture.
- Gather all necessary materials and tools before starting.

2. Mixing:

- Follow the mixing ratio specified on the product label.
- Use a clean container to mix the hardener and resin thoroughly until a uniform consistency is achieved.

3. Application:

- Apply the mixed Acraglas to the desired area using a suitable applicator.
- Ensure even coverage for best results.

4. Setting:

- Place the metal components properly treated with a release agent into the mixture.
- Allow the Acraglas to cure undisturbed for at least 24 hours.

5. PostApplication:

- Once cured, carefully remove any excess Acraglas.
- Inspect the bedding for any imperfections and correct as needed.

Disposal Instructions

- Dispose of any unused or expired ACRAGLAS® HARDENER & ESIN in accordance with local regulations.
- Do not dispose of in household waste. Check for designated hazardous waste disposal facilities in your area.
- Ensure that any containers are emptied and cleaned before disposal.

Contact Information for Further Support

For any questions or concerns regarding the use of ACRAGLAS® HARDENER & ESIN, please refer to the contact information provided with your product packaging or consult with your retailer.

Thank you for your attention to these safety instructions. Your safety is our priority!