

# TANK COVER - BLUING TANK COVER, 40" L X 6" W, STEEL, 2 PACK

[Gunsmith Tools & Supplies](#) > [Metal Prep & Coloring](#) > [Metal Bluing](#) > [Bluing Tank Covers](#)

## Protect Solutions From Contaminants & Evaporation

Covering the solutions you have in our 40" Black Iron or Stainless Steel tanks when they're not being used keeps dirt and contaminants out and extends solution life by preventing evaporation for a nice \$\$\$ savings to you. Has a thick, rubber seal to compensate for slightly bent or warped tanks and still gives a tight fit. Available in 18 gauge steel or stainless.



## Attributes

- Name: [BLUING TANK COVER, 40" L X 6" W, STEEL, 2 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 082074202
- Mfr. No.:
- Delivery weight: 5.942kg
- Shipping height: 89mm
- Shipping width: 210mm
- Shipping length: 1,080mm
- UPC: 050806014114

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for TANK COVER BLUING TANK COVER
- About Us

# Safety Instruction Guide for TANK COVER BLUING TANK COVER

## Introduction

Thank you for choosing the TANK COVER BLUING TANK COVER. This product is designed to protect your bluing tanks when they are not in use, ensuring that dirt and contaminants are kept out while extending the life of your solutions. It is important to read and follow these safety instructions to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the tank cover for any signs of damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all safety instructions provided by the manufacturer and on the product packaging.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls or safety alerts through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Do not use the tank cover on tanks equipped with heat saver shields, as this may cause improper sealing and potential hazards.
- Ensure that the cover fits securely on the tank to prevent any accidental spills or exposure to contaminants.
- Avoid placing heavy objects on top of the tank cover, as this may damage the cover or the tank itself.
- If the cover appears bent or warped, do not attempt to force it onto the tank; instead, contact the manufacturer for further guidance.
- Always handle the tank cover with care to avoid injury from sharp edges.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the bluing tank is clean and dry before placing the cover.
- Check that the tank is not equipped with heat saver shields.

### 2. Installation:

- Align the tank cover over the opening of the bluing tank.
- Gently lower the cover onto the tank, ensuring that it sits evenly around the edges.
- Press down firmly to create a tight seal, ensuring that the thick rubber seal compensates for any minor bends or warps in the tank.

### 3. Usage:

- When not in use, keep the tank covered to prevent evaporation of solutions.
- Periodically check the seal and fit of the cover to ensure ongoing protection.

### 4. Removal:

- To remove the cover, gently lift it straight up from the tank.
- Store the cover in a clean, dry place when not in use.

## **Disposal Instructions**

- The TANK COVER BLUING TANK COVER should be disposed of in accordance with local regulations.
- If the product is damaged or no longer usable, contact local waste management services for guidance on proper disposal methods.
- Recycle the product if possible, following local recycling guidelines for metal materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the TANK COVER BLUING TANK COVER, please refer to the manufacturer's contact information provided with your product packaging. It is important to reach out for assistance to ensure safe usage and compliance with safety standards.

Thank you for prioritizing safety and for choosing the TANK COVER BLUING TANK COVER.

# **About Us**

## **Brownells Switzerland**

**Brownells Switzerland**

[www.brownells.ch](http://www.brownells.ch)