

# DESI PAK® - DESI PAK MOISTURE ABSORBER, 2 EACH, 6 PACK

[Gunsmith Tools & Supplies](#) > [Shop Accessories & Supplies](#) > [Gun Storage Materials](#) > [Moisture Absorbent Packs](#)

## Moisture Control For Gun Safes & Storage

Absorbs the moisture near your guns; when it gets "full", just bake it in an oven to get the moisture out, then reuse. Big bulk paks to handle gun safes and long term applications. No fancy containers or packaging, just the "stuff" ready to put to work.



## Attributes

- Name: [DESI PAK MOISTURE ABSORBER, 2 EACH, 6 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 083053106
- Mfr. No.:
- Size: 6
- Style: Safe Accessory
- Delivery weight: 6.713kg
- Shipping height: 58mm
- Shipping width: 302mm
- Shipping length: 462mm
- UPC: 050806107687

## Item details

Made in USA

# Table of Contents

- Startpage
- DESI PAK® MOISTURE ABSORBER Safety Instructions
- About Us

# DESI PAK® MOISTURE ABSORBER Safety Instructions

## Introduction

Thank you for choosing the DESI PAK® Moisture Absorber. This product is designed to absorb moisture in enclosed spaces, such as gun safes, to protect your valuables from damage caused by humidity. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Always use the product as intended to avoid potential hazards.
- Keep out of reach of children and pets to prevent accidental ingestion.
- Do not use the product near open flames or high heat sources.
- Monitor the humidity indicator regularly to determine when the product needs to be reactivated.
- Dispose of the product properly when it is no longer usable.

## Specific Safety Precautions for Use

- Ensure that the area where the product will be used is wellventilated.
- Avoid direct contact with the contents of the DESI PAKs, as they contain Calcium Aluminosilicate Clay.
- If the product is damaged or leaks, handle it with care and follow the disposal instructions below.
- Do not attempt to reuse the product if it has been exposed to excessive moisture that cannot be removed through reactivation.

## Instructions for Installation and Usage

### 1. Placement:

- Place the DESI PAKs in the area where moisture control is needed, such as inside a gun safe.
- Ensure that the humidity indicator is visible for easy monitoring.

### 2. Monitoring:

- Check the humidity indicator regularly. When it shows high humidity, it is time to reactivate the DESI PAKs.

### 3. Reactivation:

- Preheat your oven to 200°F (93°C).
- Remove the DESI PAKs from their storage location.
- Place the DESI PAKs on a baking sheet.
- Bake the DESI PAKs for 2 hours to remove absorbed moisture.
- Allow the DESI PAKs to cool before placing them back in the storage area.

### 4. Replacement:

- Replace the DESI PAKs if they cannot be reactivated or if they show signs of damage.

## Disposal Instructions

- When the DESI PAKs can no longer be reactivated, dispose of them in accordance with local waste disposal regulations.

- Do not incinerate or compost the product.
- Seal the used DESI PAKs in a plastic bag before disposal to prevent any leakage of contents.

## **Contact Information for Further Support**

For any safety inquiries or additional information about the DESI PAK® Moisture Absorber, please refer to the contact details provided on the product packaging or visit the manufacturer's website.

# **About Us**

## **Brownells Switzerland**

**Brownells Switzerland**

[www.brownells.ch](http://www.brownells.ch)