

Sight, Rear, FXD, 6.9mm - REAR FIXED SIGHT 6.9MM FOR GLOCK BLACK W/WHITE OUTLINE

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

FITS: Model 20, 10mm; Model 21, .45 ACP; Model 29, 10mm; Model 30, .45 ACP; Model 31, .357 SIG; Model 32, .357 SIG; Model 36, .45 ACP

Fixed Polymer Sight 6.9mm Rear (std height on G20-G20SF-G21-G21SF-G29-G29SF-G30-G30SF-G30S-G31-G32Gen3 & Gen4-G36)



Attributes

- Name: [REAR FIXED SIGHT 6.9MM FOR GLOCK BLACK W/WHITE OUTLINE](#)
- Manufacturer: [GLOCK](#)
- Product no.: 100002672
- Mfr. No.: 196
- Make: Glock
- Model: 20,21,29,30,31,32,36
- Sight Color: White Outline
- Style: Factory Replacement
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 25mm
- Shipping length: 76mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Sight, Rear, FXD, 6.9mm](#)
- [About Us](#)

Safety Instruction Guide for Sight, Rear, FXD, 6.9mm

Introduction

Thank you for choosing the Sight, Rear, FXD, 6.9mm for Glock. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this guide carefully to understand the safety precautions, installation instructions, and proper usage to ensure your safety and the safety of others.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store firearms and ammunition separately and securely.
- Ensure that you are familiar with the operation of your firearm and its components.
- Always wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure that you have a clear line of sight before firing.
- Do not use the product if it is damaged or malfunctioning.
- Follow all local laws and regulations regarding firearm use and safety.
- Keep this guide for future reference and share it with others who may use the product.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to misalignment and inaccurate shooting.
 - Failure to follow safety guidelines can result in accidents or injuries.
- **Instructions for Avoiding Hazards:**
 - Ensure that the sight is installed correctly according to the provided instructions.
 - Regularly inspect the sight for any signs of wear or damage.
 - Do not attempt to modify the sight or use it in a manner not intended by the manufacturer.
- **Age and Audience Specific Warnings:**
 - This product is intended for use by adults only. Keep out of reach of children.
 - Ensure that inexperienced users are supervised by a qualified adult when handling firearms.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure the firearm is unloaded and pointed in a safe direction.
 2. Remove the existing sight from the firearm according to the manufacturer's instructions.
 3. Align the new Rear Fixed Sight with the sight dovetail on your Glock.
 4. Secure the sight in place using the appropriate tools, ensuring it is firmly attached.
 5. Check the alignment of the sight before using the firearm.
- **Usage:**
 - After installation, practice using the sight in a controlled environment before taking it to the range.
 - Familiarize yourself with the sight's features and how they affect your aiming.

- Regularly check the sight for stability and alignment before each use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and plastics.
- Do not dispose of the product in regular household waste.
- If you are unsure about disposal methods, contact your local waste management authority for guidance.

Contact Information for Further Support

For any inquiries regarding the product or safety concerns, please reach out to the EUbased contact provided by the retailer or manufacturer.

By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your Sight, Rear, FXD, 6.9mm for Glock. Always prioritize safety and responsible firearm handling.

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch