

# PMAG® LR/SR GEN M3"! 308 WIN RIFLE MAGAZINE W/WINDOW FOR AR-308 - PMAG LR/SR G-M3 W/WINDOW 308 WIN 25RD FOR AR-308 BLK 5/PACK

The 7.62x51 NATO (.308 Winchester) PMAG 25 LR/SR GEN M3 Window is a lightweight, cost effective, high reliability magazine for SR25/M110 pattern rifles featuring true 25-round capacity, next-generation impact and crush resistant polymer construction, constant-curve body, and anti-tilt follower. Designed specifically for SAAMI-spec ammunition, the PMAG 25 LR/SR also features transparent MagLevel™ windows to allow rapid visual identification of approximate number of rounds remaining. FEATURES 25-round reliability and no stoppages Anti-glare translucent MagLevel windows on both sides of the body and painted indicator on the spring allow for easy determination of rounds remaining Easy Identification and handling - Use the paint pen dot matrix to easily identify your different loads when it's crunch time Flared floorplate, ribbed gripping surface, and new aggressive front and rear texture for positive magazine handling Engineered to feed - Anti-tilt, self-lubricating follower for increased reliability, a high-quality stainless steel spring, and constant-curve internal geometry for smooth feeding Made in the USA. SPECS Caliber: 7.62x51mm / .308 Winchester Platform: AR10, M110, SR25 Capacity: 20 or 25 rounds Weight: 6.5 oz. Length, max: 7.75 in. Compatibility: Armalite AR-10A, Colt LE901-16S, CORE Rifle Systems CORE30, JP Enterprises LRP-07, KAC SR25, LaRue OBR, Les Baer .308, LMT .308 MWS, LWRCI REPR, Mega Arms MATEN, Noveske Gen III N6, POF P-308, Ruger SR-762, Ruger Precision Rifle, S&W M&P10, SIG716, others Optimized for use with SAAMI-spec 7.62x51/.308 Winchester ammunition DOES NOT INCLUDE DUST COVER NOTE: Compatible with older model Bushmaster .308 ORC, Remington R-25, and DPMS LR308 rifles, but not optimized for bolt lock functionality with newer models based on the DPMS GII design. NOT compatible with Armalite AR-10B, Springfield Armory M1A, Rock River Arms LAR8, FN SCAR 17S, PTR-91, HK417 or any other rifles that utilize M14, FN FAL, or HK 91/G3 patterned magazines.



## Attributes

- Name: PMAG LR/SR G-M3 W/WINDOW 308 WIN 25RD FOR AR-308 BLK 5/PACK
- Manufacturer: MAGPUL
- Product no.: 100015747
- Mfr. No.:
- Action Type: Semi-Auto
- Capacity: 25-Round
- Cartridge: 308 Winchester
- Finish: Black
- Make: AR .308
- Material: Polymer
- Quantity: 5
- Delivery weight: 1.032kg

## Item details

Made in USA

US export classification: 0A501.d

# Table of Contents

- [Startpage](#)
- [English: PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE SAFETY INSTRUCTIONS](#)

# PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE

## SAFETY INSTRUCTIONS

### Introduction

Thank you for choosing the PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE. This guide provides essential safety instructions to ensure the safe and effective use of the product. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers and provide clear guidance on safe handling, usage, and disposal.

### General Safety Guidelines

- Always treat the magazine as if it is loaded, even when it is not.
- Keep the magazine out of reach of children and unauthorized users.
- Inspect the magazine for any signs of damage or wear before use.
- Use only compatible ammunition as specified in the product details.
- Do not modify the magazine in any way, as this may compromise safety and performance.
- Store the magazine in a cool, dry place away from direct sunlight and moisture.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Check for recall updates on the EU's Safety Gate platform regularly.

### Specific Safety Precautions for Use

- Ensure that the firearm is pointed in a safe direction at all times.
- Do not exceed the magazine's capacity of 25 rounds.
- Be aware of your surroundings and ensure that no one is in the line of fire.
- Use appropriate eye and ear protection when handling or firing the firearm.
- Do not attempt to disassemble the magazine while it is loaded.
- Avoid using the magazine with incompatible firearm models, as specified in the product description.
- If the magazine fails to feed properly, cease use and inspect for obstructions or damage.

### Instructions for Installation and Usage

#### 1. Loading the Magazine:

- Ensure that the firearm is pointed in a safe direction.
- Press down on the follower with your thumb to create space for the first round.
- Insert the first round at the rear of the magazine and slide it forward until it clicks into place.
- Repeat this process until the magazine is loaded to your desired capacity (up to 25 rounds).

#### 2. Inserting the Magazine into the Firearm:

- Ensure that the firearm is on safe and pointed in a safe direction.
- Align the magazine with the magazine well of the firearm.
- Firmly push the magazine into the well until it clicks into place.

#### 3. Removing the Magazine:

- Ensure the firearm is on safe and pointed in a safe direction.
- Press the magazine release button while pulling the magazine out of the magazine well.

#### 4. Cleaning and Maintenance:

- Clean the magazine with a soft cloth and mild soap if necessary.
- Avoid using harsh chemicals that may damage the polymer material.
- Regularly inspect the magazine for signs of wear or damage.

### Disposal Instructions

- Dispose of the magazine in accordance with local regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it; dispose of it responsibly.
- Recycle any components if applicable, following local recycling guidelines.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding the PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE, please refer to the manufacturer's website or contact customer service directly.

Thank you for prioritizing safety and responsible usage of your PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE.