PMAG® LR/SR GEN M3"! 308 WIN RIFLE MAGAZINE W/WINDOW FOR AR-308 - PMAG LR/SR G-M3 W/WINDOW 308WIN 25RD FOR AR-308 BLK 10/PACK

The 7.62x51 NATO (.308 Winchester) PMAG 25 LR/SR GEN M3 Window is a lightweight, cost effective, high reliability magazine for SR25/M110 pattern rifles featuring true 25-round capacity, next-generation impact and crush resistant polymer construction, constant-curve body, and anti-tilt follower. Designed specifically for SAAMI-spec ammunition, the PMAG 25 LR/SR also features transparent MagLevel™ windows to allow rapid visual identification of approximate number of rounds remaining. FEATURES 25-round reliability and no stoppages Anti-glare translucent MagLevel windows on both sides of the body and painted indicator on the spring allow for easy determination of rounds remaining Easy Identification and handling - Use the paint pen dot matrix to easily identify your different loads when it's crunch time Flared floorplate, ribbed gripping surface, and new aggressive front and rear texture for positive magazine handling Engineered to feed - Anti-tilt, self-lubricating follower for increased reliability, a high-quality stainless steel spring, and constant-curve internal geometry for smooth feeding Made in the USA. SPECS Caliber: 7.62x51mm / .308 Winchester Platform: AR10, M110, SR25 Capacity: 20 or 25 rounds Weight: 6.5 oz. Length, max: 7.75 in. Compatibility: Armalite AR-10A, Colt LE901-16S, CORE Rifle Systems CORE30, JP Enterprises LRP-07, KAC SR25, LaRue OBR, Les Baer .308, LMT .308 MWS, LWRCI REPR, Mega Arms MATEN, Noveske Gen III N6, POF P-308, Ruger SR-762, Ruger Precision Rifle, S&W M&P10, SIG716, others Optimized for use with SAAMI-spec 7.62x51/.308 Winchester ammunition DOES NOT INCLUDE DUST COVER NOTE: Compatible with older model Bushmaster .308 ORC, Remington R-25, and DPMS LR308 rifles, but not optimized for bolt lock functionality with newer models based on the DPMS GII design. NOT compatible with Armalite AR-10B, Springfield Armory M1A, Rock River Arms LAR8, FN SCAR 17S, PTR-91, HK417 or any other rifles that utilize M14, FN FAL, or HK 91/G3 patterned magazines.



Attributes

Name: PMAG LR/SR G-M3 W/WINDOW 308WIN 25RD FOR AR-308 BLK 10/PACK

Manufacturer: MAGPULProduct no.: 100015748

• Mfr. No.:

Action Type: Semi-AutoCapacity: 25-RoundCartridge: 308 Winchester

Finish: BlackMake: AR .308Material: PolymerQuantity: 10

• Delivery weight: 2.064kg

Item details

Made in USA

US export classification: 0A501.d

Table of Contents

- Startpage
- English: PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE SAFETY INSTRUCTIONS

PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the PMAG® LR/SR GEN M3 308 WIN RIFLE MAGAZINE. This safety instruction guide is designed to ensure your safe usage of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the magazine to understand the safety precautions and proper handling.

General Safety Guidelines

- Ensure the magazine is compatible with your firearm model before use.
- Always handle the magazine with care, treating it as you would any firearm accessory.
- Keep the magazine out of reach of children and unauthorized users.
- Regularly inspect the magazine for any signs of damage or wear. Do not use if damaged.
- Store the magazine in a cool, dry place away from direct sunlight and extreme temperatures.
- Follow all local laws and regulations regarding the purchase, possession, and use of firearm magazines.

Specific Safety Precautions for Use

• Hazard Identification:

 Potential hazards include accidental discharge of the firearm, magazine malfunction, and improper handling.

• To Avoid Hazards:

- Always ensure your firearm is pointed in a safe direction when inserting or removing the magazine.
- Never load the magazine in a confined space or near others who may not be aware of the handling.
- Ensure the magazine is fully seated in the firearm before firing.
- Do not attempt to disassemble the magazine unless instructed by the manufacturer.
- · Avoid overloading the magazine beyond its specified capacity.

AgeSpecific Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- Ensure that minors are educated on safe handling practices if they are involved in shooting sports.

Instructions for Installation and Usage

Installation:

- 1. Ensure that the firearm is unloaded and pointed in a safe direction.
- 2. Insert the PMAG® LR/SR GEN M3 magazine into the magazine well of the firearm until it clicks into place.
- 3. Check that the magazine is securely locked in place before loading ammunition.

• Usage:

- Load the magazine with .308 Winchester ammunition, ensuring not to exceed the 25round capacity.
- Check the MagLevel™ windows to visually confirm the number of rounds loaded.
- When ready to fire, ensure the firearm is in a safe condition and follow all standard operating procedures for your firearm.
- After use, remove the magazine from the firearm and unload any remaining ammunition in a safe manner.

Disposal Instructions

- Dispose of the magazine in accordance with local waste management regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it. Dispose of it responsibly.
- Consider recycling the polymer material where facilities exist.

Contact Information for Further Support

For any safety inquiries or concerns regarding the PMAG® LR/SR GEN M3 magazine, please refer to the manufacturer's contact information provided in the product packaging or on the manufacturer's website.

Note: This safety instruction guide is intended to provide essential safety information and should not replace comprehensive training in firearms handling and safety. Always seek professional guidance if you are unsure about any procedures or safety measures.