

# TRIJICON MRO LOWER 3RD CO-WITNESS MOUNTS - AMERICAN DEFENSE MANUFACTURING MRO LOWER 3RD CO-WITNESS, STANDARD LEVER, BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The AD-MRO-SOCOM mount is designed for the Trijicon Miniature Rifle Optic that places the optic in a Lower 1/3rd Co-Witness height. It is precision machined from 6061 T6 aluminum and finished in hard coat T3 Mil-Spec anodize. It features the Patented QD Auto Lock™ Lever system to accommodate both in spec and out of spec rail systems. Tactical Levers feature and extended thumb pad.



## Attributes

- Name: [AMERICAN DEFENSE MANUFACTURING MRO LOWER 3RD CO-WITNESS, STANDARD LEVER, BLACK](#)
- Manufacturer: [AMERICAN DEFENSE MANUFACTURING](#)
- Product no.: 100018758
- Mfr. No.: AD-MRO-11-STD
- Colour: Matte Black
- Fits / Used For: Trijicon MRO
- Delivery weight: 0.107kg
- Shipping height: 57mm
- Shipping width: 57mm
- Shipping length: 121mm
- UPC: 818503012709

## Item details

Made in USA

# Table of Contents

- Startpage
- TRIJICON MRO LOWER 3RD COWITNESS MOUNTS SAFETY INSTRUCTIONS
- About Us

# TRIJICON MRO LOWER 3RD COWITNESS MOUNTS SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the TRIJICON MRO LOWER 3RD COWITNESS MOUNTS by AMERICAN DEFENSE MANUFACTURING. This guide provides important safety information and instructions to ensure safe and effective use of this product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure safe use of this product by following all instructions.
- Regularly inspect the mount for any signs of wear or damage.
- Use only with compatible rail systems to prevent accidents.
- Keep out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** Ensure that the mount is compatible with your Trijicon MRO optic and rail system.
- **Installation:** Follow installation instructions carefully to avoid improper mounting that could lead to accidents.
- **Tightening:** Do not overtighten the mount as this may cause damage to the optic or the rail.
- **Handling:** Handle the mount with care to prevent dropping or damaging the product.
- **Environmental Conditions:** Avoid using the mount in extreme weather conditions that could affect performance.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools.
- Ensure the work area is clean and free from obstructions.

### 2. Installation Steps:

- Position the mount on the rail system where desired.
- Align the QD Auto Lock™ Lever with the rail.
- Tighten the lever until secure, but do not overtighten.
- Attach the Trijicon MRO optic to the mount according to the optic's installation instructions.

### 3. Usage:

- Once installed, adjust the optic to your preferred settings.
- Regularly check the mount and optic for stability and security during use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for aluminum components.

## **Contact Information for Further Support**

For any safety inquiries or support regarding this product, please contact the manufacturer or authorized distributor. Ensure you have the product information ready for reference.

By adhering to these safety instructions, you can ensure the safe and effective use of your TRIJICON MRO LOWER 3RD COWITNESS MOUNTS. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)