


RAZOR HD GEN II-E 1-6X24MM SFP ILLUMINATED RIFLE SCOPE - VORTEX OPTICS RAZOR HD GEN II-E 1-6X24MM SFP ILLUM. VMR-2 MRAD SHADOW W/MT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Do-It-All Competition Optic for Quick, Precise Sighting Out to 600 Yards

The Vortex 1-6x24 Razor HD Gen II-E riflescope with JM-1 BDC reticle is versatile and superbly accurate for engaging short- to medium-range targets, truly a top-tier optic for the AR-15 platform. Of course, it's got the glass - premium indexed HD optics that deliver the edge-to-edge sharpness and stunning image quality Vortex is famous for. XR Plus anti-reflective coatings increase light transmission for amazing image brightness, too. Designed in collaboration with world-renowned competition shooter Jerry Miculek, the second focal plane JM-1 BDC reticle is simple, intuitive, and most importantly fast to get on target. Outfitted with a true daylight-bright illuminated center dot, the extremely versatile JM-1 BDC gives the shooter red dot sight functionality as close as 20 yards, yet can land precise distance shots out to 600 yards. Hash marks enable you to compensate for bullet drop at various yardages with standard .223/5.56 or .308/7.62 loads commonly used in AR-platform rifles. On the outside, the 1-6x24 Razor HD Gen II-E has streamlined, zero resettable turrets that track precisely and offer ample adjustment in a single turn. The low-profile illumination control dial on the left side of the turret housing provides 11 levels of brightness with an off position after every setting. Weighs 4 oz. less than previous 1-6x24 Razor HD Gen II model! 30mm tube for extra internal windage/elevation range Low-profile windage and elevation turrets with non-slip knurled caps 50 MOA travel per rotation in 1/2 MOA clicks, Single-spring elevation adjustment turret The Vortex 1-6x24 Razor HD Gen II-E scope is built like a tank, and its JM-1 BDC reticle withstands heavy recoil and impact. Scope body is O-ring sealed and Argon purged for waterproof and fogproof operation in all weather. Vortex's proprietary ultra-hard ArmorTek coating protects the exterior lenses from scratches, oil, and dirt. We offer the 1-6x24 Razor HD Gen II-E alone or packed in a kit with the sturdy, dependable Brownells 30mm AR-Style Rifle Cantilever Mount that clamps directly to a flattop receiver Picatinny rail. This one-piece mount provides a secure, non-slip foundation for your Razor HD that helps you take advantage of the scope's full accuracy potential.



Attributes

- Name: [VORTEX OPTICS RAZOR HD GEN II-E 1-6X24MM SFP ILLUM. VMR-2 MRAD SHADOW W/MT](#)
- Manufacturer: [VORTEX OPTICS](#)
- Product no.: 100030003
- Mfr. No.: RZR16009MNT
- Battery: CR-2032
- Click Value: 0.2 MRAD
- Click Value: 0.2 MRAD
- Eye Relief: 4.0"
- Finish: Stealth Shadow
- Focal Plane: Second
- Illumination: Yes

- Length: 10.1"
- Max Magnification: 6x
- Min. Magnification: 1x
- Model Number: Razor HD Gen II-E
- Objective Size: 24mm
- Reticle: VMR-2 MRAD
- Tube Size: 30mm
- Weight: 21.5 oz
- Delivery weight: 1.365kg
- Shipping height: 95mm
- Shipping width: 33mm
- Shipping length: 257mm

Item details

This product contains a battery.

US export classification: 0A504.a

Table of Contents

- Startpage
- Safety Instruction Guide for Vortex Razor HD Gen IIE 16x24mm SFP Illuminated Rifle Scope
- About Us

Safety Instruction Guide for Vortex Razor HD Gen IIE 16x24mm SFP Illuminated Rifle Scope

Introduction

Thank you for choosing the Vortex Razor HD Gen IIE 16x24mm SFP Illuminated Rifle Scope. This guide provides essential safety information and instructions for proper use and maintenance of your riflescope. Please read this guide thoroughly to ensure safe and effective operation.

General Safety Guidelines

- **Product Safety:** This riflescope is designed for safe use. Ensure you follow all safety instructions to avoid risks associated with improper use.
- **Enhanced Recalls:** In the event of a safety issue, recall notices will be provided. Please stay informed about any updates related to your product.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety standards equivalent to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, please refer to the provided contact information by the retailer or manufacturer.
- **Rapid Alerts:** Stay updated on product safety through the EU's Safety Gate platform. Report any unsafe products or incidents.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or striking the scope, as this may damage internal components.
- **Mounting:** Ensure the riflescope is securely mounted to prevent it from loosening during use.
- **Illumination:** The illuminated reticle is bright. Avoid looking directly at the illumination source to prevent eye damage.
- **Weather Conditions:** While the scope is waterproof and fogproof, avoid exposing it to extreme weather conditions for prolonged periods.
- **Cleaning:** Use a soft, lintfree cloth for cleaning the lenses. Avoid using harsh chemicals or abrasive materials that could scratch the lenses.

Instructions for Installation and Usage

1. Mounting the Scope:

- Select a suitable mounting location on your rifle's Picatinny rail.
- Use the Brownells 30mm ARStyle Rifle Cantilever Mount for secure installation.
- Tighten the mount according to the manufacturer's specifications to ensure stability.

2. Adjusting the Turrets:

- The zero resettable turrets allow for easy adjustments. Make sure to track the changes accurately.
- Each turret click represents 0.2 MRAD. Familiarize yourself with the click values for precise adjustments.

3. Setting the Illumination:

- Turn the illumination control dial located on the left side of the turret housing.
- Adjust to one of the 11 brightness levels. Remember to turn off the illumination after use to

conserve battery life.

4. **Using the Reticle:**

- The JM1 BDC reticle is designed for quick target acquisition. Practice using the reticle at various distances to become proficient.
- Utilize the hash marks for bullet drop compensation based on your ammunition type.

5. **Eye Relief:**

- Maintain a proper eye relief of 4.0 inches to avoid injury from recoil.
- Adjust your shooting position accordingly to ensure a clear sight picture.

Disposal Instructions

- **Environmental Considerations:** Dispose of the riflescope responsibly. Do not throw it in regular household waste.
- **Recycling:** Check local regulations for proper disposal and recycling options for optical devices and batteries.
- **Battery Disposal:** Dispose of the CR2032 battery according to local battery recycling programs.

Contact Information for Further Support

For any questions or concerns regarding the Vortex Razor HD Gen IIE 16x24mm SFP Illuminated Rifle Scope, please refer to the retailer or manufacturer's contact information provided at the point of purchase.

Thank you for your attention to these safety instructions. Enjoy using your Vortex Razor HD Gen IIE riflescope responsibly and safely.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk