

SPR THREADED BARRELS NO GAS PORT 223 WYLDE - 18" SPR Bbl Rifle Length Threaded, No Gas Port, .223 Wylde

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

An AR-15 Barrel Without a Drilled Gas Port

Whether you're in a restricted state, living in the UK or want a blank AR-15 barrel to do your own drilling on, there are a variety of reasons why someone might want an AR-15 barrel without a gas port. Now, thanks to a partnership between Brownells and White Oak Armament, these port-free barrels are now available to today's shooters. Each White Oak Armament Threaded AR-15 Barrels are machined from 416R stainless steel and still feature a .750-inch gas-block journal, so owners can drill and port for a gas block of their preferred size, if needed. These journals are available at mid-length and rifle-length points on the barrel. Both barrel options are chambered in .223 Wylde and feature a 1:7-inch twist rate, as well as 1/2-28 TPI threaded muzzles. The overall length on the barrels is 18 inches.



Whether you're in a restricted state, living in the UK or want a blank AR-15 barrel to do your own drilling on, there are a variety of reasons why someone might want an AR-15 barrel without a gas port. Now, thanks to a partnership between Brownells and White Oak Armament, these port-free barrels are now available to today's shooters. Each White Oak Armament Threaded AR-15 Barrels are machined from 416R stainless steel and still feature a .750-inch gas-block journal, so owners can drill and port for a gas block of their preferred size, if needed. These journals are available at mid-length and rifle-length points on the barrel. Both barrel options are SAAMI chambered in .223 Wylde and feature a 1:7-inch twist rate, as well as 1/2-28 TPI threaded muzzles. The overall length on the barrels is 18 inches.

Attributes

- Name: [18" SPR Bbl Rifle Length Threaded, No Gas Port, .223 Wylde](#)
- Manufacturer: [WHITE OAK ARMAMENT](#)
- Product no.: 100034255
- Mfr. No.: 5SPRR-NGP
- Cartridge: 223 Wylde
- Finish: Stainless Steel
- Gas System Length: Rifle
- Length: 18"
- Muzzle Threads: 1/2-28
- Twist: 1-7
- Weapon type: AR-15
- Delivery weight: 1.161kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 457mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [SPR THREADED BARRELS NO GAS PORT 223 WYLDE 18" Safety Instruction Guide](#)
- [About Us](#)

SPR THREADED BARRELS NO GAS PORT 223 WYLDE 18" Safety Instruction Guide

Introduction

Thank you for purchasing the SPR Threaded Barrels No Gas Port 223 Wylde 18" Rifle Barrel. This guide provides essential safety instructions to ensure the safe use, installation, and maintenance of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always treat the barrel as if it is loaded, even when it is not.
- Ensure you are familiar with local laws and regulations regarding firearm components.
- Inspect the barrel for any signs of damage or wear before installation.
- Use appropriate personal protective equipment (PPE) when handling tools and during installation.
- Store the barrel in a secure location, away from children and unauthorized users.
- Regularly check for product recalls or safety alerts on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the barrel is compatible with your AR15 platform before installation.
- Do not attempt to drill or modify the barrel unless you are experienced and knowledgeable in firearms modification.
- Always use the proper tools and techniques when installing or modifying the barrel.
- Avoid using ammunition that exceeds the specifications for the .223 Wylde chamber.
- Keep the firearm pointed in a safe direction at all times during handling and installation.
- Be aware of the potential for ricochet when firing in environments with hard surfaces.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including wrenches and cleaning supplies.
- Ensure the workspace is clean and free of obstructions.

2. Installation Steps

- Ensure the firearm is unloaded and the safety is engaged.
- Remove the existing barrel from the AR15 upper receiver, following the manufacturer's instructions.
- Clean the upper receiver and ensure it is free from debris.
- Align the SPR Threaded Barrel with the upper receiver, ensuring the gasblock journal is correctly positioned.
- Secure the barrel using the appropriate torque specifications provided by the manufacturer.
- If desired, drill and port the gas block journal according to your specifications and preferences.
- Install the muzzle device if applicable, ensuring it is threaded correctly and securely.

3. PostInstallation Checks

- Inspect the installation to ensure all components are secure and properly aligned.
- Conduct a function check of the firearm before use, ensuring it operates safely and correctly.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding firearms and firearm components.
- If the barrel is damaged or no longer usable, consult with a licensed firearms dealer for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please contact your local firearms dealer or manufacturer directly. Ensure you have your product details ready to facilitate support.

Conclusion

By following these safety instructions, you can ensure the safe use and enjoyment of your SPR Threaded Barrels No Gas Port 223 Wylde 18" Rifle Barrel. Always prioritize safety and compliance with local laws when handling firearms and their components. Thank you for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk