

AR-15 M-LOK HANDGUARDS BLACK - WILSON COMBAT AR-15 HANDGUARD 15" BLACK M-LOK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The best of both worlds-Wilson Combat's lightweight but rock solid T.R.I.M rails for AR pattern rifles have been updated with the Magpul M-Lok accessory attachment system. Available in multiple lengths, these new AR handguard rails are among the ultimate in high quality, user-installed modularity. Their precision machined three, six, and nine O'Clock M-Lok positions enable fast, easy mounting of multiple shooting accessories popular across the shooting industry. In addition to a lighter, sleeker rail profile, the barrel nut design was retained from the original T.R.I.M rail to make it simple for users to easily swap the older T.R.I.M rail design with the M-Lok version. The T.R.I.M. (Tactical Rail Interface, Modular) AR rail has been designed by the Wilson Combat engineering team to be among the lightest, strongest and most versatile compact free-floating rail systems on the market. Machined from high-strength 6005A-T5 aircraft aluminum with a Mil-Spec hard anodized finish, the T.R.I.M. rail handguard / interface and its robust, anti-rotational mounting system won't sacrifice strength, stability or accuracy over bulkier designs. The oversize and tough nitrocarburized 4130 steel barrel attachment nut reduces heat transfer and the ergonomic handguard design offers a sleek, non-abrasive platform for comfortable dynamic shooting. Available in 9.3" or 13.8". Light, Strong and Compact Free-Floating Rail Design Machined from 6005A-T5 Aluminum Extrusion Mil-Spec Hard Anodized Black Finish Simple, 5-Minute Installation with Common Hand Tools Easily Removed or Replaced in the Field 1.47" Internal Diameter is Compatible with most Low-Profile Gas Blocks Overall weight with attachments: 9.4 oz./11.6oz Note: The hardened screws used in this handguard are tapered at the base to provide a flush, smooth fit. It is important that during initial installation that a small amount of grease is placed on the tapered shoulder of the screw to prevent screw galling against the softer rail. If a screw seizes and becomes immobile do not attempt removal, please contact Wilson Combat customer service.



Attributes

- Name: [WILSON COMBAT AR-15 HANDGUARD 15" BLACK M-LOK](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 100040548
- Mfr. No.: TR-MLOK-15
- Colour: Black
- Length: 15
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 89mm
- Shipping width: 133mm
- Shipping length: 451mm
- UPC: 811826026897

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [AR15 MLOK Handguards Safety Instruction Guide](#)
- [About Us](#)

AR15 MLOK Handguards Safety Instruction Guide

Introduction

Thank you for choosing the Wilson Combat AR15 MLOK Handguards. This guide provides essential safety information and instructions to ensure the safe and effective use of your new product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure the handguard is compatible with your AR15 model before installation.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Inspect the handguard regularly for any signs of wear or damage.
- Avoid using the handguard if it appears damaged or compromised.
- Be aware of your surroundings when using firearms equipped with this handguard.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when shooting.
- Ensure the firearm is unloaded when installing or removing the handguard.
- Use caution when handling sharp tools or components during installation.
- Apply a small amount of grease to the tapered shoulder of the screws during installation to prevent galling.
- If a screw seizes and becomes immobile, do not attempt removal. Contact customer service for assistance.
- Be mindful of the weight of attachments; ensure that your firearm can support the total weight safely.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including common hand tools for installation.

2. Installation Steps:

- Remove the existing handguard if applicable.
- Align the new AR15 MLOK handguard with the barrel nut.
- Secure the handguard using the provided hardened screws. Ensure screws are tightened but do not overtighten.
- Confirm that the handguard is securely attached and does not rotate or move.

3. Usage:

- Attach shooting accessories to the MLOK positions as needed.
- Regularly check the tightness of screws and the stability of attachments during use.
- After use, clean the handguard according to the manufacturer's recommendations to maintain its condition.

Disposal Instructions

- Dispose of the handguard in accordance with local regulations.
- If the product is damaged beyond repair, ensure that it is disposed of safely to prevent any risk of injury.

Contact Information for Further Support

For additional support or inquiries regarding the AR15 MLOK Handguards, please reach out to the manufacturer. Ensure you have your product details ready for reference.

Thank you for your attention to these safety instructions. Enjoy your new Wilson Combat AR15 MLOK Handguards and shoot safely!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk