

AR-15 EXTRACTOR SPRING O-RING - BRN AR-15 BOLT EXTRACTOR SPRING O-RING, BLACK

OEM AR-15/M16 replacement Extractor O-Ring.



Attributes

- Name: BRN AR-15 BOLT EXTRACTOR SPRING O-RING, BLACK
- Manufacturer: BROWNELLS
- Product no.: 100040955
- Mfr. No.: AZ-0005
- Make: AR-15
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 152mm
- UPC: 050806029606

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: AR15 Extractor Spring ORing Safety Instructions](#)
- [Français: Guide de Sécurité pour le Ressort ORing d'Extracteur AR15 BROWNELLS](#)

AR15 Extractor Spring ORing Safety Instructions

Introduction

Thank you for choosing the AR15 Extractor Spring ORing by Brownells. This product is designed to enhance the performance and reliability of your AR15/M16 firearm. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is compatible with your specific firearm model before installation.
- Always handle firearms with care and follow standard safety practices.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for signs of wear or damage. Do not use if damaged.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the AR15 Extractor Spring ORing for its intended purpose.
- Avoid using any tools or equipment that may cause damage to the ORing during installation or removal.
- Do not modify the ORing or use it in a manner not specified by the manufacturer.
- Ensure that the firearm is unloaded before performing any maintenance or installation work.
- Wear appropriate safety gear, such as eye protection, when handling firearms.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded and safe to handle.
- Gather necessary tools, such as a punch tool or small screwdriver, for installation.

2. Installation Steps

- Remove the bolt from the firearm according to the manufacturer's instructions.
- Locate the extractor on the bolt assembly.
- Carefully remove the old ORing if present. Use a tool if necessary to avoid damaging the extractor.
- Place the new AR15 Extractor Spring ORing onto the extractor, ensuring it fits snugly.
- Reassemble the bolt and reinstall it into the firearm following the manufacturer's guidelines.

3. PostInstallation Check

- After installation, perform a function check to ensure the extractor operates correctly.
- Inspect the ORing for proper seating and alignment.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is considered hazardous.
- If the product is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the AR15 Extractor Spring ORing, please refer to the manufacturer's website or customer support channels for assistance.

Thank you for your attention to these safety instructions. Your commitment to safety ensures a better experience with your AR15 firearm.

Guide de Sécurité pour le Ressort ORing d'Extracteur AR15 BROWNELLS

Introduction

Ce guide de sécurité fournit des instructions importantes pour l'utilisation, l'installation et l'élimination du Ressort ORing d'Extracteur AR15 BROWNELLS. Il est essentiel de suivre ces directives pour garantir une utilisation sécurisée et conforme aux réglementations de sécurité des produits de l'UE.

Directives de Sécurité Générales

- Assurez-vous que le produit est utilisé uniquement pour son usage prévu.
- Vérifiez régulièrement l'état du produit pour détecter tout signe d'usure ou de dommage.
- Ne laissez pas ce produit à la portée des enfants.
- En cas de doute sur la sécurité du produit, contactez un professionnel.

Précautions de Sécurité Spécifiques à l'Utilisation

- Manipulez le ressort ORing avec soin pour éviter les blessures.
- Ne forcez pas l'installation si le ressort ne s'insère pas facilement.
- Ne modifiez pas le produit de quelque manière que ce soit, car cela pourrait compromettre sa sécurité et son efficacité.
- Portez des lunettes de protection lors de l'installation pour éviter les projections.

Instructions pour l'Installation et l'Utilisation

1. Préparation :

- Assurez-vous que l'AR15 est déchargé et sécurisé avant de commencer l'installation.
- Rassemblez tous les outils nécessaires.

2. Installation :

- Retirez l'ancien ORing de l'extracteur.
- Nettoyez soigneusement la zone de montage pour enlever toute saleté ou débris.
- Installez le nouveau Ressort ORing en vous assurant qu'il est bien positionné.
- Vérifiez que le ressort est correctement installé avant de réassembler l'AR15.

3. Utilisation :

- Testez le fonctionnement de l'extracteur après l'installation pour vous assurer qu'il fonctionne correctement.
- Surveillez régulièrement le fonctionnement de l'extracteur lors de l'utilisation de l'AR15.

Instructions d'Élimination

- Éliminez le produit conformément à la législation locale sur les déchets.
- Ne jetez pas le produit dans les ordures ménagères.
- Si possible, recyclez les matériaux conformément aux directives de recyclage locales.

Informations de Contact pour un Soutien Supplémentaire

Pour toute question ou préoccupation concernant la sécurité du produit, veuillez consulter votre détaillant ou le site Web du fabricant pour des informations supplémentaires et des mises à jour sur les rappels de produits.

Conclusion

En suivant ces instructions de sécurité, vous contribuez à garantir une utilisation sûre et efficace du Ressort ORing d'Extracteur AR15 BROWNELLS. Soyez toujours vigilant et informé des meilleures pratiques de sécurité.