

AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES AR-15 LOW PROFILE GAS BLOCK .750 STEEL NITRIDE

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



Attributes

- Name: [SADLAK INDUSTRIES AR-15 LOW PROFILE GAS BLOCK .750 STEEL NITRIDE](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100054239
- Mfr. No.: GB102BN
- Inside Diameter: .750
- Material: Steel
- Style: Low Profile
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 83mm
- Shipping length: 102mm
- UPC: 855981008701

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SADLAK Industries AR15 Low Profile Gas Block](#)
- [About Us](#)

Safety Instruction Guide for SADLAK Industries AR15 Low Profile Gas Block

Introduction

Thank you for choosing the SADLAK Industries AR15 Low Profile Gas Block. This guide provides essential safety information and instructions to ensure the safe and effective use of your gas block. Please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure that you understand the safety features and proper handling of the gas block. This product is designed for use with AR15 platforms only.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive a recall notice, follow the instructions provided for a safe remedy.
- **Online Shopping:** If purchased online, ensure that the seller meets all safety requirements as outlined in EU regulations.
- **Special Consumer Focus:** Keep this product out of reach of children and vulnerable individuals to prevent accidents.
- **EU Contact Point:** For safety inquiries, please consult the relevant EU contact point or authority.
- **Rapid Alerts:** Check for updates on unsafe products via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation:** Only install the gas block on a compatible AR15 platform. Ensure that the barrel is clear of obstructions before installation.
- **Inspection:** Always inspect the gas block for any signs of damage or defects before use.
- **Usage:** Follow the manufacturer's instructions for use. Improper use may lead to malfunctions or accidents.
- **Maintenance:** Regularly check and maintain the gas block to ensure it remains in good working condition.
- **Personal Protective Equipment:** Wear appropriate safety gear, including safety glasses and gloves, when handling or installing the gas block.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the necessary tools for installation, including a torque wrench, Allen wrench, and any specific tools mentioned in the product manual.
- Make sure you are working in a safe environment, free from distractions.

2. Installation Steps:

- **Step 1:** Clear the firearm of any ammunition and ensure it is in a safe condition.
- **Step 2:** Remove the existing gas block if applicable.
- **Step 3:** Align the SADLAK Gas Block with the gas port on the barrel. Ensure the inside diameter matches the barrel size (.750").
- **Step 4:** For clampon models, tighten the sidemounted setscrews securely. For slipon models, ensure the gas block is anchored by the setscrews on the underside.
- **Step 5:** Confirm that the gas block is mounted securely and does not move. Conduct a visual inspection to ensure proper alignment.

3. Usage:

- After installation, test the firearm in a safe environment to ensure proper function.
- Regularly check the gas block for any signs of wear or loosening during use.

Disposal Instructions

- **Disposal:** Dispose of the gas block and any packaging materials responsibly. Follow local regulations for the disposal of metal components.
- **Recycling:** If possible, recycle the gas block according to local recycling guidelines.

Contact Information for Further Support

For further assistance, please consult the manufacturer's website or contact the relevant support services. Ensure you have your purchase information available for reference.

By following these safety instructions, you can ensure a safe and enjoyable experience with your SADLAK Industries AR15 Low Profile Gas Block. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk