

APOLLO S 5.56 COMPENSATOR - ULTRADYNE USA 5.56 APOLLO S COMPENSATOR 1/2X28

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The APOLLO S from Ultradyn provides competition level recoil reduction and muzzle control. This compensator has 1/2x28 barrel threads, with a simple 5-port design. By using a scientific approach and studying thousands of recoil events. Ultradyn engineers have struck a balance between extreme recoil reduction, virtual elimination of muzzle rise, and less aggressive venting of gas. The Apollo S is perfect for shooters who want drastic recoil reduction with less perceived blast. The perfectly sized 5-Port design evens out the recoil event which produces an ultra smooth shot like no other compensator. A timing nut is included for easy installation. Perfect Balance Extreme recoil reduction with less perceived blast 5 PORT DESIGN The 5-port design creates an ultra-smooth recoil event that improves performance and makes shooting more enjoyable 100% CNC MACHINED IN THE USA 416 Stainless Steel with ultra-rugged salt bath nitride finish. DYNAMOUNT READY Barrel mounted sight option eliminates sight deflection associated with handguard mounting. Apollo S 223 | 5.56 Technical Specs Rated for the standard cartridges in the following calibers: 223 Rem, 5.56 x 45 NATO, 224 Valkyrie, 224 Weatherby Mag, 22-250 Rem, 222 Rem Mag, 222 Rem, 22 Nosler, 220 Swift, 22 PPC, 22 BR, 22 Hornet, 204 Ruger, 218 Bee MINIMUM BARREL LENGTH 14" BARREL THREAD 1/2-28 UNEF-2B 416 Stainless Steel Salt Bath Nitride Finish MOUNTING Shrouded Timing Nut Brake Only 124 grams | 4.4 ounces Total 147 grams | 5.2 ounces Length 75mm | 2.94 inches OD 24.8 mm | 0.975 inches WRENCH FLATS 13/16 inch



Attributes

- Name: [ULTRADYNE USA 5.56 APOLLO S COMPENSATOR 1/2X28](#)
- Manufacturer: [ULTRADYNE USA](#)
- Product no.: 100400211
- Mfr. No.: UD10220
- Caliber: 22 Caliber (.223-.224)
- Finish: Salt Bath Nitride
- Material: Stainless Steel
- Threads: 1/2-28
- Delivery weight: 0.236kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 241mm
- UPC: 851019008613

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for APOLLO S 5.56 Compensator](#)
- [About Us](#)

Safety Instruction Guide for APOLLO S 5.56 Compensator

Introduction

Thank you for choosing the APOLLO S 5.56 Compensator from Ultradyn USA. This product is designed to enhance your shooting experience by providing superior recoil reduction and muzzle control. To ensure your safety and the proper use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure safe use of the APOLLO S 5.56 Compensator by following these guidelines:
 - Always handle firearms and accessories with care and respect.
 - Be aware of your surroundings and ensure a safe shooting environment.
 - Regularly inspect your compensator for signs of wear or damage.
 - Use only compatible firearms and ammunition as specified by the manufacturer.
 - Keep the product out of reach of children and unauthorized users.

Specific Safety Precautions for Use

- Before using the APOLLO S 5.56 Compensator, take the following precautions:
 - Verify that your firearm is unloaded before installation.
 - Use proper eye and ear protection when shooting.
 - Ensure that the compensator is securely attached to the firearm before use.
 - Never point the firearm at anything you do not intend to shoot.
 - Be cautious of the increased noise and muzzle blast associated with compensators.

Instructions for Installation and Usage

- Follow these steps for the safe installation and use of the APOLLO S 5.56 Compensator:

1. Installation:

- Ensure the firearm is unloaded.
- Remove any existing muzzle device from the barrel.
- Clean the threads of the barrel to remove any debris.
- Align the compensator with the barrel threads (1/228 UNEF2B).
- Handtighten the compensator onto the barrel.
- Use the included shrouded timing nut to secure the compensator in place, ensuring it is properly timed.

2. Usage:

- Load your firearm with compatible ammunition (e.g., 5.56 x 45 NATO).
- When ready to shoot, take a stable shooting position.
- Aim at the target and ensure a clear line of sight.
- Squeeze the trigger gently to fire, maintaining control of the firearm.
- After shooting, safely unload the firearm and inspect the compensator for any signs of damage.

Disposal Instructions

- When disposing of the APOLLO S 5.56 Compensator, follow these guidelines:
 - Do not dispose of the compensator in regular household waste.
 - Check with local regulations for proper disposal of firearm accessories.
 - Consider recycling options for metal components if available.

Contact Information for Further Support

- For any safety inquiries, product support, or additional information about the APOLLO S 5.56 Compensator, please reach out to the appropriate contact point provided by the manufacturer.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your APOLLO S 5.56 Compensator. Always prioritize safety and adhere to local laws and regulations regarding firearm use. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk