

NO-GO HEADSPACE GAUGES - NO GO 22-250 REMINGTON HEADSPACE GAUGE STEEL

[Gunsmith Tools & Supplies](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Absolutely Essential For Accurate, Safe, Chamber Work

CLYMER NO-GO HEADSPACE GAUGES The Clymer No-Go Headspace Gauges are precision tools designed to help gunsmiths and firearm enthusiasts verify that a firearm's chamber does not exceed the maximum safe headspace dimensions. By identifying excessive chamber length, these gauges prevent potential safety hazards such as case ruptures or misfires, ensuring the firearm operates within the specified tolerances. They are essential during the chambering of new barrels, routine maintenance, or when assessing used firearms for purchase. Key Features: Precision Machining: Each gauge is crafted from high-quality steel and machined to exact SAAMI specifications, ensuring accurate and reliable measurements. Caliber Specificity: Available in a wide range of calibers, these gauges cater to various firearm types, providing versatility for gunsmiths working with multiple platforms. Durable Construction: Built to withstand repeated use, the hardened steel construction ensures longevity and consistent performance in demanding workshop environments. Specifications: Material: Hardened steel Dimensions: Size varies with caliber and gauge style Compliance: Manufactured to SAAMI specifications Customer Insights: Customers value the Clymer No-Go Headspace Gauges for their precision and reliability. The accurate machining and adherence to industry standards provide confidence during firearm assembly and inspection processes. Users appreciate the wide range of available calibers, allowing them to select the appropriate gauge for their specific needs. The durable construction is frequently highlighted, with many noting that the gauges maintain their accuracy even after extensive use. Incorporating the Clymer No-Go Headspace Gauges into your gunsmithing toolkit ensures that your firearm chambers are within safe operational limits, enhancing both safety and performance.



Attributes

- Name: [NO GO 22-250 REMINGTON HEADSPACE GAUGE STEEL](#)
- Manufacturer: [CLYMER](#)
- Product no.: 184100251
- Mfr. No.: NG22/250
- Cartridge: 22-250 Remington
- Color: Steel
- Height: 0.405"
- Length: 1.733"
- Material: Steel
- Model Number: NO GO 22-250 Remington
- Style: No Go Gauge
- Weight: 0.1 lbs
- Width: 0.405"
- Delivery weight: 0.023kg
- Shipping height: 18mm
- Shipping width: 18mm
- Shipping length: 58mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Clymer NoGo Headspace Gauges Safety Instruction Guide](#)
- [About Us](#)

Clymer NoGo Headspace Gauges Safety Instruction Guide

Introduction

Thank you for choosing the Clymer NoGo Headspace Gauges. These precision tools are designed to assist gunsmiths and firearm enthusiasts in ensuring that a firearm's chamber does not exceed the maximum safe headspace dimensions. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of the product.

General Safety Guidelines

- Always handle the gauge with care to prevent damage and ensure accurate measurements.
- Keep the gauge in a safe place, out of reach of children and unauthorized users.
- Use the gauge only for its intended purpose—verifying headspace in firearms.
- Regularly inspect the gauge for any signs of wear or damage before use.
- Do not attempt to modify or repair the gauge yourself; seek professional assistance if needed.
- In case of any accidents or unsafe conditions, report them to the appropriate authorities immediately.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and pointed in a safe direction before using the gauge.
- Familiarize yourself with the specific firearm model and its headspace requirements.
- Always follow the manufacturer's instructions for the firearm you are working on.
- Use proper eye protection when using the gauge in conjunction with firearms.
- Avoid using the gauge in wet or damp environments to prevent corrosion.
- Do not use the gauge if it appears damaged or compromised in any way.

Instructions for Installation and Usage

1. Preparation

- Ensure that the workspace is clean and organized.
- Gather all necessary tools and equipment before starting.

2. Using the Gauge

- Insert the Clymer NoGo Headspace Gauge into the chamber of the firearm.
- Attempt to close the bolt. If the bolt closes completely, the headspace is excessive, and the firearm should not be used.
- If the bolt does not close, the headspace is within acceptable limits.
- Always refer to the specific firearm's manual for additional guidance on headspace specifications.

3. PostUse Care

- Clean the gauge after each use to maintain accuracy and longevity.
- Store the gauge in a protective case or designated area to prevent damage.

Disposal Instructions

- Dispose of any damaged or unusable gauges in accordance with local regulations.
- Do not throw the gauge in regular household waste if it has been compromised; consult local disposal guidelines for metal products.

Contact Information for Further Support

For any questions or concerns regarding the Clymer NoGo Headspace Gauges, please refer to the manufacturer's website or customer support channels for assistance.

Thank you for your attention to these safety instructions. Proper use and care of the Clymer NoGo Headspace Gauges will enhance safety and performance in your firearms.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at