

# G.I. 1911 VORTEX RAZOR SIGHT MOUNT - EGW G.I. CUT SIGHT MOUNT FOR VORTEX RAZOR FITS 1911 BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Simply remove the rear sight on your gun and replace it with EGW mount in order to mount your Vortex Razor, C-More RTS or STS red-dot sight. You can take the mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight\* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs The screws that are included with this mount require a 5/64" allen wrench for installation. This mount fits: 1911s with a G.I. style rear sight cut Springfield 1911A1 Iver Johnson 1911A1 Iver Johnson 1911A1 9 Iver Johnson Falcon 45 Iver Johnson Thrasher 45 Iver Johnson Thrasher 9 Iver Johnson 1911A1 Chrome 38W Iver Johnson 1911A1 Chrome 38P Iver Johnson 1911A1 CHRW45 Iver Johnson 1911A1 CHR45P Iver Johnson 1911A1 CHR45WP Iver Johnson 1911A1 Zombie Iver Johnson 1911A1 Copperhead Iver Johnson 1911A1 Water Moccasin Iver Johnson 1911A1 Boa Iver Johnson 1911A1 Muddy Girl 9mm Iver Johnson 1911A1 Digital Navy Iver Johnson 1911A1 Digital Snow 45ACP



## Attributes

- Name: [EGW G.I. CUT SIGHT MOUNT FOR VORTEX RAZOR FITS 1911 BLACK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000687
- Mfr. No.: 49429
- Colour: Black
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Iver Johnson, Springfield
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370114399

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for G.I. 1911 Vortex Razor Sight Mount](#)
- [About Us](#)

# Safety Instruction Guide for G.I. 1911 Vortex Razor Sight Mount

## Introduction

Thank you for choosing the G.I. 1911 Vortex Razor Sight Mount. This guide provides important safety information, installation instructions, and usage precautions to ensure safe and effective use of the product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the sight mount for any signs of damage or wear before each use.
- Do not exceed the recommended torque specifications during installation.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always handle firearms with care and follow all applicable safety regulations.
- Ensure the firearm is unloaded before removing or installing the sight mount.
- Use the provided mounting hardware only; do not substitute with other materials.
- Avoid using excessive force when tightening screws to prevent damage.
- If you experience any difficulty during installation, consult a professional gunsmith.

## Instructions for Installation and Usage

### 1. Remove the Rear Sight

- Ensure the firearm is unloaded.
- Carefully remove the existing rear sight from your firearm.

### 2. Install the EGW Sight Mount

- Position the EGW Sight Mount in the dovetail of the firearm.
- Tighten the set screw if applicable.

### 3. Attach the Red Dot Sight

- Place the Vortex Razor, CMore RTS, or STS reddot sight onto the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to prevent Loctite from adhering to the sight.

### 4. Secure the Mounting Screws

- Apply blue Loctite to the provided mounting screws.
- Torque the mounting screws to a specification of 15 in/lbs.
- Use a 5/64" allen wrench for installation.

### 5. Final Check

- After installation, doublecheck that all screws are securely tightened.
- Ensure that the sight is properly aligned for use.

## **Disposal Instructions**

- Dispose of all packaging materials responsibly, following local regulations.
- If the product is no longer in use or is damaged beyond repair, please dispose of it in accordance with local electronic waste disposal guidelines.

## **Contact Information for Further Support**

For any questions or concerns regarding the G.I. 1911 Vortex Razor Sight Mount, please refer to the manufacturer's contact information available on the product packaging or website.

By following these guidelines, you can ensure a safe and effective experience with your G.I. 1911 Vortex Razor Sight Mount. Thank you for your attention to safety and responsible firearm use.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)