

RUGER SR9, SR40, SR45 TRIJICON RMR SIGHT MOUNT - EGW SIGHT MOUNT FOR TRIJICON RMR FITS RUGER SR9/SR40/SR45 BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red-dot sight. You can take our mount off and replace your rear sight at any time. Mounting hardware included.

Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW SIGHT MOUNT FOR TRIJICON RMR FITS RUGER SR9/SR40/SR45 BLACK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000709
- Mfr. No.: 49540
- Colour: Black
- Material: Aluminum
- Model: SR9C,SR45,SR40,SR9,SR40c
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Ruger
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370117581

Item details

Made in USA

Table of Contents

- Startpage
- RUGER SR9, SR40, SR45 TRIJICON RMR SIGHT MOUNT SAFETY INSTRUCTIONS
- About Us

RUGER SR9, SR40, SR45 TRIJICON RMR SIGHT MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the RUGER SR9, SR40, SR45 Trijicon RMR Sight Mount. This guide provides essential safety instructions and installation guidelines to ensure the safe and effective use of your sight mount. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the firearm is unloaded before beginning installation.
- Always handle firearms safely and responsibly.
- Keep the sight mount and any tools out of reach of children.
- Inspect the sight mount and all components for damage before use.
- Do not use the sight mount if any parts are damaged or missing.
- Follow all local laws and regulations regarding firearm modifications.

Specific Safety Precautions for Use

- This sight mount is designed specifically for RUGER SR9, SR40, and SR45 models. Do not attempt to use it on other firearms.
- Ensure that the red dot sight is securely mounted to avoid accidents during use.
- Use only the provided mounting hardware; using other hardware may compromise safety.
- Apply blue Loctite to the screws to prevent loosening during use.
- Regularly check the tightness of the mounting screws to ensure they remain secure.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully remove the rear sight from your firearm using appropriate tools.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount into the dovetail where the rear sight was removed.
- Ensure that it fits securely in place.

3. Tighten Set Screw (if applicable)

- If your mount includes a set screw, tighten it to secure the mount.

4. Place the Red Dot Sight

- Position the red dot sight on the EGW Sight Mount.
- To facilitate future removal, place a small piece of paper between the red dot sight and the sight mount.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to prevent loosening.

6. Torque Mounting Screws

- Using a 5/64" allen wrench, torque the mounting screws to 15 in/lbs.

7. Final Inspection

- Once installed, inspect the mount and sight for security and alignment before using the firearm.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the sight mount or any components are damaged beyond use, dispose of them responsibly, ensuring they do not pose a hazard to the environment or others.

Contact Information for Further Support

For any inquiries or concerns regarding the RUGER SR9, SR40, SR45 Trijicon RMR Sight Mount, please consult your local distributor or retailer. Ensure that you have the product details ready for more efficient assistance.

By following these guidelines, you can ensure the safe and effective use of your RUGER SR9, SR40, SR45 Trijicon RMR Sight Mount. Please prioritize safety and responsible handling at all times.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk