

BRN-4 BARREL NUT - BROWNELLS BRN-4 BARREL NUT

[Handgun Parts](#) > [Barrel Parts](#) > [Barrel Hardware](#) > [Barrel Nuts](#)

The BRN-4 Barrel Nut is the perfect barrel nut for your BRN-4, HK416, or MR556 built. Machined to exact dimensions to work with HK style handguards. Recommended Barrel Nut Torque: 50-80 ft/lbs



Attributes

- Name: [BROWNELLS BRN-4 BARREL NUT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430100141
- Mfr. No.:
- Model: HK416
- Weapon type: Heckler & Koch
- Delivery weight: 0.231kg
- Shipping height: 32mm
- Shipping width: 32mm
- Shipping length: 51mm
- UPC: 050806023765

Item details

Made in USA

Table of Contents

- Startpage
- BRN4 Barrel Nut Safety Instruction Guide
- About Us

BRN4 Barrel Nut Safety Instruction Guide

Introduction

Thank you for choosing the BRN4 Barrel Nut. This product is designed for use with the BRN4, HK416, or MR556 builds. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose and in accordance with these instructions.
- Always inspect the barrel nut for any damage or wear before installation.
- Keep the product out of reach of children and vulnerable individuals.
- If you are unsure about any aspect of the installation or usage, seek professional assistance.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the recommended torque of 5080 ft/lbs when installing the barrel nut to prevent damage or failure.
- Ensure that all components are compatible with the BRN4 Barrel Nut to avoid accidents.
- Do not exceed the recommended torque specifications as this may lead to product failure.
- Wear appropriate safety gear, such as eye protection, when handling tools or performing installations.
- Avoid using the barrel nut if it shows signs of damage, such as cracks or excessive wear.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench.
- Ensure that the workspace is clean and welllit.

2. Installation Steps

- Remove the existing barrel nut (if applicable) from your firearm.
- Clean the barrel threads to remove any debris or old thread locker.
- Align the BRN4 Barrel Nut with the barrel and handguard.
- Handtighten the barrel nut to ensure proper alignment.
- Use the torque wrench to tighten the barrel nut to the recommended torque of 5080 ft/lbs.
- Doublecheck the alignment and ensure that the handguard is securely attached.

3. PostInstallation Checks

- Inspect the installation to ensure there are no gaps or misalignments.
- Test the handguard for stability and security before use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- If the barrel nut is damaged beyond use, follow local regulations for disposing of metal parts.

Contact Information for Further Support

For any safety inquiries or support regarding the BRN4 Barrel Nut, please reach out to your local distributor or the manufacturer. Ensure that you have your product details ready for assistance.

Thank you for prioritizing safety and compliance with these guidelines while using the BRN4 Barrel Nut. Your adherence to these instructions helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk