

92XI 9MM LUGER SEMI-AUTO HANDGUN - 92XI 9MM LUGER 4.7" BBL (1)18RD MAG TWO-TONE SS/BLK

[Home](#)

A NEW FRONTIER FOR THE 92 BUILT ON HERITAGE. Introducing the new frontier for the 90 Series - the 92XI. The 92XI brings the long-awaited frame mounted safety to the standard 92 family of products, as well as a single action only variant and various ergonomic enhancements. The frame mounted safety offers an ambidextrous solution, bringing the safety lever more in reach with natural ergonomics. The 92XI features the X-treme S single action only and flat faced trigger, performance DLC coated trigger components and a lightweight skeletonized hammer, allowing for a crisp trigger pull with the option to go cocked and locked. The 92XI carries forward the Vertec style frame, both high and low capacity magazine options, a fiber optic front sight for faster sight acquisition, and the option for MRDS optics mounting making this a high performing, reliable choice for personal defense and competition.

X-TREME S TRIGGER - SINGLE ACTION ONLY Flat trigger profile for more consistent engagement with DLC coated components for a smoother action.

FIBER OPTIC FRONT SIGHT WITH MRDS MOUNTING Fiber optic front sight offers a superior sight acquisition with MRDS mounting capability to give that extra edge in competition or defensive situations.

CHECKERED FRAME WITH ENHANCED GRIP PANEL TEXTURING Aggressive texturing to help maintain consistent grip for recoil management and shot placement.

AMBIDEXTROUS FRAME MOUNTED SAFETY Traditional design optimized for competition to quickly engage and disengage the safety for speed and manipulation.

PREMIUM H-SERIES CERAKOTE® FINISH Highly durable, corrosion and chemical resistant ceramic technology coating.



Attributes

- Name: [92XI 9MM LUGER 4.7" BBL \(1\)18RD MAG TWO-TONE SS/BLK](#)
- Manufacturer: [BERETTA USA](#)
- Product no.: 430104112
- Mfr. No.: J92FSR921
- Action Type: Semi-Auto
- Barrel Length: 4.7"
- Capacity: 18+1-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Front Sight: Fiber Optic
- Length: 8.5"
- Magazine Included: 1 x 18-Round
- Magazine Type: Removable
- Make: Beretta
- Model: 92Xi
- Muzzle: Non-Threaded
- Rear Sight: Fixed
- Safety: Ambidextrous
- Stock Material: Synthetic
- Weight: 2.081 lbs
- Delivery weight: 0.227kg
- Shipping height: 32mm

- Shipping width: 57mm
- Shipping length: 76mm
- UPC: 082442937885

Item details

Made in USA

US export classification: 0A507.a

Table of Contents

- Startpage
- Safety Instruction Guide for the 92XI 9MM LUGER SEMIAUTO HANDGUN
- About Us

Safety Instruction Guide for the 92XI 9MM LUGER SEMIAUTO HANDGUN

Introduction

Thank you for choosing the 92XI 9MM LUGER SEMIAUTO HANDGUN. This guide provides essential safety instructions to ensure the proper and safe use of your firearm. Please read and understand these guidelines thoroughly before handling or using the product.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the muzzle pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your target and what is beyond it.
- Store firearms securely and out of reach of children.
- Regularly inspect your firearm for any signs of wear or damage.
- Only use ammunition that is specified for your firearm.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- **Ambidextrous Frame Mounted Safety:** Ensure the safety is engaged when the firearm is not in use. Familiarize yourself with the location and operation of the safety lever.
- **Trigger Safety:** The XTreme S trigger is designed for single action only. Avoid pulling the trigger unless you intend to fire.
- **Recoil Management:** Practice proper grip techniques to manage recoil effectively. The checkered frame with enhanced grip panel texturing aids in maintaining control.
- **Fiber Optic Front Sight:** Use caution when adjusting sights. Ensure the firearm is unloaded before making any adjustments.
- **MRDS Mounting:** If installing optics, ensure they are securely mounted and properly aligned.

Instructions for Installation and Usage

- **Installation of Accessories:**

- Ensure the firearm is unloaded before starting any installation.
- Follow the manufacturer's instructions for mounting any accessories, including optics.

- **Loading the Firearm:**

- Use only the specified 9 mm Luger ammunition.
- Insert the 18round magazine into the magazine well until it clicks into place.
- Pull back the slide to chamber a round, ensuring the firearm is pointed in a safe direction.

- **Firing the Firearm:**

- Ensure the safety is disengaged before firing.
- Aim at your target and ensure a clear line of sight.
- Squeeze the trigger smoothly to fire the shot.

- **Unloading the Firearm:**

- Point the firearm in a safe direction.
- Remove the magazine and pull back the slide to eject any chambered round.
- Visually and physically check that the chamber is empty.

Disposal Instructions

- Dispose of any spent ammunition casings and packaging in a responsible manner, following local regulations.
- If the firearm is to be disposed of, consult local authorities or a licensed firearms dealer for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding your 92XI 9MM LUGER SEMIAUTO HANDGUN, please refer to the manufacturer's official website or contact their customer service for assistance.

This guide is designed to help you use your firearm safely and responsibly. Always prioritize safety and follow the guidelines provided to ensure a secure shooting experience.

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch