

AR-15 FRONT SIGHT ADJUSTER TOOL - REAL AVID AR-15 FRONT SIGHT ADJUSTER TOOL

[Gunsmith Tools](#) > [Rifle Tools](#) > [Sight Tools](#)

This compact, stainless steel tool makes quick sight adjustments a breeze. With durability and ingenuity, the double-ended AR15 Front Sight Adjuster Tool is designed to work on both A1 & A2 front sights, reducing the need to clutter your range bag. Features: - Adjusts 4-pin (A2 style) front sight - Adjusts 5-pin (A1 style) front sight - Precision machined stainless steel - Durable black oxide coating.



Attributes

- Name: [REAL AVID AR-15 FRONT SIGHT ADJUSTER TOOL](#)
- Manufacturer: [REAL AVID](#)
- Product no.: 430104407
- Mfr. No.: AVAR15FSA
- Weapon type: AR-15
- Delivery weight: 0.038kg
- Shipping height: 12mm
- Shipping width: 140mm
- Shipping length: 184mm
- UPC: 813119011467

Table of Contents

- Startpage
- AR15 Front Sight Adjuster Tool Safety Instruction Guide
- About Us

AR15 Front Sight Adjuster Tool Safety Instruction Guide

Introduction

Thank you for choosing the AR15 Front Sight Adjuster Tool by REAL AVID. This compact, stainless steel tool is designed for quick and efficient adjustments to your front sights. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure the tool is used only for its intended purpose.
- Keep the tool out of reach of children and vulnerable individuals.
- Regularly inspect the tool for signs of wear or damage before use.
- Store the tool in a safe and dry location when not in use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear safety glasses when making adjustments to prevent debris from entering your eyes.
- Handle the tool with care to avoid injury from sharp edges.
- Do not use excessive force when making adjustments; this may damage the tool or your firearm.
- Ensure that the firearm is unloaded and pointed in a safe direction before making any adjustments.
- Be aware of your surroundings and ensure that no one is in close proximity when using the tool.

Instructions for Installation and Usage

1. Identify the Front Sight Type:

- Determine whether your front sight is a 4pin (A2 style) or a 5pin (A1 style) model.

2. Using the Tool:

- For A2 Style (4pin) Front Sights:
 - Insert the appropriate end of the tool into the sight adjustment hole.
 - Turn the tool clockwise to raise the sight and counterclockwise to lower it.
- For A1 Style (5pin) Front Sights:
 - Insert the appropriate end of the tool into the sight adjustment hole.
 - Turn the tool clockwise to raise the sight and counterclockwise to lower it.

3. Final Adjustments:

- Make small adjustments and check the sight alignment frequently.
- Repeat the process until the desired sight alignment is achieved.

4. After Use:

- Clean the tool with a dry cloth to remove any debris.
- Store the tool in a secure location.

Disposal Instructions

- Dispose of the tool in accordance with local regulations.

- If the tool is damaged beyond repair, consider recycling it if possible.
- Do not dispose of the tool in regular household waste.

Contact Information for Further Support

For any inquiries regarding the safety or use of the AR15 Front Sight Adjuster Tool, please reach out to the appropriate EUbased contact point provided by the manufacturer. Ensure you have the product information ready for reference.

By following these guidelines, you can ensure safe and effective use of your AR15 Front Sight Adjuster Tool. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk