

PC-4 BIPODS - ACCU-TAC PC-4 BIPOD ARCA SPEC QUICK DETACH MATTE BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

ACCU-TAC PC-4 BIPODS The Accu-Tac PC-4 bipod was designed, engineered, and manufactured in the USA. This PC bipod is perfect for tactical, target, competition, and airgun shooting. This is only a suggested use, this model is not exclusive for these applications. The PC-4 is 100% billet, made from the highest quality aircraft aluminum available. This model has the versatility you want in a bipod with its 4 individual leg positions and 5 notch height options. It also has the ability to pan as well as cant, which can each be locked and secured individually with the adjustable lever. To engage or adjust leg position, simply pull the spring-loaded leg downward to move each leg independently. Leg position can be deployed to 90° or 45°, locking securely into 4 positions. Please keep in mind the cant adjustment lever can be repositioned, DO NOT use a tool to tighten the canting tension. All are black with anodized finish. Choose: Model PCB-0400 Quick Detach for Picatinny rail mount that is quick, and very secure, it attaches to a 1913 Picatinny rail and mounts in seconds without need for extra tools for tightening. Model PCASQD-0400 Quick Detach for Arca Swiss or Arca Style rail, mounts in seconds without the need to use extra tools for tightening. Model PCB-0400 QD for Picatinny Rail Specs Min. Height (Legs at 45°) 6.25"" / 158.75 mm Min. Height (Legs at 90°) 7.75"" / 196.85 mm Max. Height (Legs at 90°) 9.125" / 231.775 mm Min. Stance (Legs at 45°) 9.0" / 228.6 mm Max. Stance (Legs at 90°) 11.0"" / 279.4 mm Closed Position Width 4.250"" / 107.95 mm Closed Position Length 7.5" / 190.5 mm Weight 26.96 oz Model PCASQD-0400 Arca Spec Quick Detach Specs Min. Height (Legs at 45°) 6.50"" / 165.10 mm Min. Height (Legs at 90°) 8.00"" / 203.2 mm Max. Height (Legs at 90°) 9.150" / 232.41 mm Min. Stance (Legs at 45°) 9.0" / 228.6 mm Max. Stance (Legs at 90°) 11.0"" / 279.4 mm Closed Position Width 4.250"" / 107.95 mm Closed Position Length 7.5" / 190.5 mm Weight 27.92 oz"

NO IMAGE
AVAILABLE

Attributes

- Name: [ACCU-TAC PC-4 BIPOD ARCA SPEC QUICK DETACH MATTE BLACK](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 430105235
- Mfr. No.: PCASQD-0400
- Attachment: ARCA Quick Detach
- Colour: Black
- Feet Material: Aluminum
- Height: 2.56
- Weight: 1.75 lbs
- Delivery weight: 2.268kg
- Shipping height: 127mm
- Shipping width: 267mm
- Shipping length: 330mm
- UPC: 858520006442

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for ACCUTAC PC4 Bipod
- About Us

Safety Instruction Guide for ACCUTAC PC4 Bipod

Introduction

Thank you for choosing the ACCUTAC PC4 Bipod. This product is designed for tactical, target, competition, and airgun shooting. To ensure your safety and the safety of others, please read this guide carefully before using the bipod. It contains important safety information, usage instructions, and disposal guidelines.

General Safety Guidelines

- Ensure the bipod is used only for its intended purpose as specified in this guide.
- Always inspect the bipod before each use for any signs of damage or wear.
- Do not use the bipod if it is damaged or malfunctioning.
- Keep the bipod away from children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of shooting accessories.
- Store the bipod in a safe place when not in use to prevent unauthorized access.

Specific Safety Precautions for Use

- Ensure the bipod is securely attached to the firearm before use.
- Do not exceed the maximum weight limit of the bipod.
- Be cautious when adjusting leg positions; ensure fingers are clear of moving parts.
- When adjusting the cant or pan, do so gradually to maintain control.
- Avoid using excessive force when tightening or loosening adjustments.
- Do not use tools to tighten the canting tension.
- Always monitor the stability of the bipod during use to prevent accidents.

Instructions for Installation and Usage

Installation Instructions

1. **Select the Mounting Model:** Choose either Model PCB0400 for Picatinny rail or Model PCASQD0400 for Arca Swiss/Arca Style rail.
2. **Attach the Bipod:**
 - For Model PCB0400:
 - Align the bipod with the 1913 Picatinny rail.
 - Slide the bipod onto the rail until it locks in place.
 - Ensure it is secure; no extra tools are needed for tightening.
 - For Model PCASQD0400:
 - Align the bipod with the Arca rail.
 - Slide the bipod onto the rail until it locks in place.
 - Ensure it is secure; no extra tools are needed for tightening.

Usage Instructions

1. **Adjusting Leg Positions:**
 - Pull the springloaded leg downward to adjust each leg independently.
 - Deploy legs to either 90° or 45° angles.
 - Ensure legs lock securely into one of the four positions.
2. **Adjusting Height:**

- Use the adjustable lever to set the desired height.
- Confirm that the height is securely locked before use.

3. Panning and Canting:

- Adjust the cant and pan as needed for better aiming.
- Lock the adjustments in place using the adjustable lever.

4. Safety Check:

- Before each use, perform a safety check to ensure all adjustments are secure and the bipod is stable.

Disposal Instructions

- Dispose of the bipod responsibly according to local regulations.
- If the bipod is no longer usable, consider recycling the aluminum components where possible.
- Do not dispose of the bipod in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the ACCUTAC PC4 Bipod, please refer to the manufacturer's website or contact their customer support for assistance.

Conclusion

By following the guidelines and instructions in this safety instruction guide, you can ensure a safe and enjoyable experience with your ACCUTAC PC4 Bipod. Always prioritize safety and responsible usage. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk