

# WB-4 BIPODS - ACCU-TAC WB-4 WIDE BODY BIPOD QUICK DETACH FOR PICATINN RAIL MATT BLK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

**ACCU-TAC WB-4 BIPODS** The WB-4 Wide Body bipod was designed to provide desired height and extra stability. This bipod style is ideal for long-range, extreme long-range, bench-rest, and for the airsoft platform. The wide, lowered center allows the rifle to sit between the legs which supports accuracy and helps reduce movement from recoil. This is only a suggested use, this model is not exclusive for these applications. To engage or adjust leg position, simply pull the spring-loaded leg downward to move each leg independently. Leg position can be deployed to 90° or 45°, locking securely into 4 positions. Please keep in mind the cant adjustment lever can be repositioned, DO NOT use a tool to tighten the canting tension. All are black with anodized finish. Choose: Quick Detach for Picatinny rail mount that is simple, quick, and very secure, it attaches to a 1913 Picatinny rail and mounts in seconds without the need to use extra tools for tightening. Quick Detach for Arca Swiss or Arca Style rail that mounts in seconds without the need to use extra tools for tightening. Model WBB-0400 Quick Detach Picatinny Specs: Min. Height (Legs at 45°) 4.5" / 114.3 mm Min. Height (Legs at 90°) 6.0" / 152.4 mm Max. Height (Legs at 90°) 7.5" / 190.5 mm Min. Stance (Legs at 45°) 10.0" / 254 mm Max. Stance (Legs at 90°) 14.0" / 355.6 mm Closed Position Width 5.0" / 127 mm Closed Position Length 7.5" / 190 mm Weight 22.08 oz Model WBASQD-0400 Arca Speck Quick Detach Specs: Min. Height (Legs at 45°) 4.75" / 120.65 mm Min. Height (Legs at 90°) 6.25" / 158.75 mm Max. Height (Legs at 90°) 7.75" / 196.85 mm Min. Stance (Legs at 45°) 10.0" / 254 mm Max. Stance (Legs at 90°) 14.0" / 355.6 mm Closed Position Width 5.0" / 127 mm Closed Position Length 7.5" / 190 mm Weight 22.08 oz



## Attributes

- Name: [ACCU-TAC WB-4 WIDE BODY BIPOD QUICK DETACH FOR PICATINN RAIL MATT BLK](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 430105236
- Mfr. No.: WBB-0400
- Attachment: Picatinny
- Colour: Black
- Feet Material: Aluminum
- Height: 2.56
- Weight: 1.38 lbs
- Delivery weight: 2.268kg
- Shipping height: 127mm
- Shipping width: 267mm
- Shipping length: 330mm
- UPC: 858520006329

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for ACCUTAC WB4 Wide Body Bipod
- About Us

# Safety Instruction Guide for ACCUTAC WB4 Wide Body Bipod

## Introduction

Thank you for choosing the ACCUTAC WB4 Wide Body Bipod. This bipod is designed for stability and accuracy in various shooting applications. To ensure your safety and the safety of others, please read and follow this safety instruction guide carefully.

## General Safety Guidelines

- Ensure that the bipod is used only for its intended purpose.
- Always inspect the bipod before each use for any signs of wear or damage.
- Do not modify the bipod in any way, as this could compromise its safety and performance.
- Keep the bipod out of reach of children and unauthorized users.
- Store the bipod in a dry place when not in use to prevent corrosion or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Stability:** Ensure that the bipod is set up on a stable surface to prevent tipping or falling.
- **Leg Adjustment:** When adjusting the leg positions, ensure that your fingers are clear of the mechanism to avoid pinching.
- **Weight Limit:** Do not exceed the recommended weight limit for the bipod, as this may lead to failure and injury.
- **Shooting Position:** Always maintain a safe shooting position and ensure that the area is clear of obstacles and bystanders.
- **Use of Tools:** When tightening or adjusting the bipod, do not use excessive force, as this may damage the components.

## Instructions for Installation and Usage

### 1. Installation:

- For Picatinny Rail:
  - Align the bipod's mounting bracket with the 1913 Picatinny rail.
  - Slide the bipod onto the rail until it clicks into place.
  - Ensure that it is securely attached by gently pulling on the bipod.
- For Arca Swiss Rail:
  - Align the bipod's mounting bracket with the Arca Swiss rail.
  - Slide the bipod onto the rail until it clicks into place.
  - Confirm that it is secured by gently pulling on the bipod.

### 2. Adjusting Leg Positions:

- To adjust the leg position, pull the springloaded leg downward.
- Each leg can be moved independently.
- Deploy legs to either 90° or 45° angles.
- Ensure that the legs are locked securely into one of the four available positions.

### 3. Using the Bipod:

- Position your firearm between the bipod legs for stability.

- Ensure that the bipod is properly adjusted for height to suit your shooting position.
- Always check the cant adjustment lever to ensure it is in the desired position before shooting.

#### **4. PostUse Care:**

- After use, clean the bipod to remove dirt and debris.
- Store the bipod in a protective case to prevent damage during transport.

## **Disposal Instructions**

- Dispose of the bipod in accordance with local regulations.
- If the bipod is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the bipod in household waste if it contains hazardous materials.

## **Contact Information for Further Support**

For further support or inquiries regarding safety, please refer to the manufacturer's website or customer service resources. Always ensure that you have the latest safety information and updates regarding your product.

By adhering to these safety guidelines, you can ensure a safe and enjoyable experience with your ACCUTAC WB4 Wide Body Bipod. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)