

WB-4 BIPODS - ACCU-TAC WB-4 WIDE BODY BIPOD ARCA SPEC QUICK DETACH MATTE BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

ACCU-TAC WB-4 BIPODS The WB-4 Wide Body bipod was designed to provide desired height and extra stability. This bipod style is ideal for long-range, extreme long-range, bench-rest, and for the airsoft platform. The wide, lowered center allows the rifle to sit between the legs which supports accuracy and helps reduce movement from recoil. This is only a suggested use, this model is not exclusive for these applications. To engage or adjust leg position, simply pull the spring-loaded leg downward to move each leg independently. Leg position can be deployed to 90° or 45°, locking securely into 4 positions. Please keep in mind the cant adjustment lever can be repositioned, DO NOT use a tool to tighten the canting tension. All are black with anodized finish. Choose: Quick Detach for Picatinny rail mount that is simple, quick, and very secure, it attaches to a 1913 Picatinny rail and mounts in seconds without the need to use extra tools for tightening. Quick Detach for Arca Swiss or Arca Style rail that mounts in seconds without the need to use extra tools for tightening. Model WBB-0400 Quick Detach Picatinny Specs: Min. Height (Legs at 45°) 4.5" / 114.3 mm Min. Height (Legs at 90°) 6.0" / 152.4 mm Max. Height (Legs at 90°) 7.5" / 190.5 mm Min. Stance (Legs at 45°) 10.0" / 254 mm Max. Stance (Legs at 90°) 14.0" / 355.6 mm Closed Position Width 5.0" / 127 mm Closed Position Length 7.5" / 190 mm Weight 22.08 oz Model WBASQD-0400 Arca Speck Quick Detach Specs: Min. Height (Legs at 45°) 4.75" / 120.65 mm Min. Height (Legs at 90°) 6.25" / 158.75 mm Max. Height (Legs at 90°) 7.75" / 196.85 mm Min. Stance (Legs at 45°) 10.0" / 254 mm Max. Stance (Legs at 90°) 14.0" / 355.6 mm Closed Position Width 5.0" / 127 mm Closed Position Length 7.5" / 190 mm Weight 22.08 oz

NO IMAGE
AVAILABLE

Attributes

- Name: [ACCU-TAC WB-4 WIDE BODY BIPOD ARCA SPEC QUICK DETACH MATTE BLACK](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 430105237
- Mfr. No.: WBASQD-0400
- Attachment: ARCA Quick Detach
- Colour: Black
- Feet Material: Aluminum
- Height: 2.56
- Weight: 1.38 lbs
- Delivery weight: 2.268kg
- Shipping height: 127mm
- Shipping width: 267mm
- Shipping length: 330mm
- UPC: 858520006466

Item details

Made in USA

Table of Contents

- Startpage
- WB4 BIPODS ACCUTAC Safety Instruction Guide
- About Us

WB4 BIPODS ACCUTAC Safety Instruction Guide

Introduction

Thank you for choosing the WB4 Wide Body Bipod by ACCUTAC. This guide provides essential safety instructions and guidelines to ensure safe usage of your bipod. Please read this document carefully before using the product to avoid accidents and injuries.

General Safety Guidelines

- Ensure the bipod is properly installed and securely attached to your rifle before use.
- Always inspect the bipod for any damage or wear before each use.
- Do not exceed the maximum height and stance specifications provided in the product description.
- Keep the bipod out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Check for recall updates regularly on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Stability:** Ensure the bipod is placed on a stable surface to prevent tipping or falling.
- **Leg Positioning:** Adjust the leg positions carefully. Pull the springloaded leg downward to engage the desired position without using excessive force.
- **Cant Adjustment:** Do not use tools to tighten the cant adjustment lever. Adjust by hand only to avoid damaging the mechanism.
- **Weight Limit:** Ensure that the total weight of the rifle and accessories does not exceed the bipod's weight capacity to maintain stability.
- **Environmental Conditions:** Avoid using the bipod in extreme weather conditions that may affect its performance or safety.

Instructions for Installation and Usage

1. Installation:

- Choose the appropriate Quick Detach mount (Picatinny or Arca Swiss) based on your rifle.
- Align the bipod mount with the rail on your rifle.
- Slide the bipod onto the rail until it clicks into place, ensuring it is secure.
- Check the attachment by gently pulling on the bipod to confirm it is locked.

2. Adjusting Leg Positions:

- To deploy the legs, pull the springloaded leg downward.
- Adjust the legs to either 90° or 45° positions as needed.
- Ensure each leg is locked securely in the desired position.

3. Using the Bipod:

- Place your rifle on the bipod, ensuring it sits between the legs for optimal support.
- Maintain a firm grip on the rifle while aiming to minimize movement from recoil.
- Always be aware of your surroundings and ensure a clear line of sight when using the bipod.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- Do not dispose of the bipod in regular household waste if it is damaged or deemed unsafe.

- Consider recycling options for materials like aluminum, if applicable.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and usage of the WB4 Bipod, please consult the manufacturer's website or customer service for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your ACCUTAC WB4 Wide Body Bipod. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk