

ALUMINUM EXTENDED MAG PLATE FOR GLOCK®G19 (9MM) - STRIKE INDUSTRIES ALUMINUM EXTENDED MAG PLATE FOR GLOCK G19 (9MM) IN FDE

[Magazines](#) > [Handgun Magazines](#) > [Magazine Parts](#) > [Magazine Extension](#)

The Strike Industries Aluminum Extended Magazine Plate for GLOCK™ G19 (9mm) was designed to provide smoother magazine reloading through a slow drag / no snag design while maintaining maximum magazine capacity. Machined from 6061-T6 aluminum, this Extended Magazine Plate (EMP) adds plus 5 9mm rounds to OEM double stack GLOCK™ G19 magazines. Following the success of our EMP systems for pistols, the form factor and unique geometric design gives a unified and aggressive aesthetic look to your GLOCK™ G19. Included is an aluminum plate which adds extra locking security. Give your GLOCK™ pistol the extra rounds it deserves with the Strike Industries Aluminum Extended Magazine Plate (EMP) for GLOCK™ G19 (9mm). **WARNING: DO NOT OVERTIGHTEN** set screw when installing the aluminum locking plate. If you are unsure, please contact our customer support team or consult with your local gunsmith. Package Contents: x1 Aluminum Extended Magazine Plate for GLOCK™ G19 x1 Extended length spring x1 Aluminum locking plate x1 Aluminum locking plate set screw (M3x8mm) x1 Hex tool x1 Warning card Product Features: Machined from 6061-T6 aluminum Plus 5 round capacity for 9mm Includes aluminum locking plate Low drag / no snag design Fits USPSA 140mm race division limit Available in anodized SI BLACKLINE, REDLINE or FDELINE colors COMPATIBILITY: GLOCK™ factory OEM G19 (9mm) double stack magazines SI EMP Pocket Clip Magwell: tested to work with SI magwells NOT COMPATIBLE: G23 (.40 Cal) 10-round magazines ETS Magazines NOTE: Not for sale to California, Hawaii, New York and New Jersey residents due to 10-round state laws. The checkout process will show NO shipping method available. It is the responsibility of the customer to know and abide with local gun laws. **DISCLAIMER:** Due to numerous factors that take place during the anodization process, the color lines from batch to batch of a certain product may vary Threaded holes located on EMP are anodizing blind holes and may not be completely covered with coating **WARNING: DO NOT OVERTIGHTEN** set screw when installing the aluminum locking plate. If you are unsure, please contact our customer support team or consult with your local gunsmith. SI aluminum EMP was intentionally designed to be a tight fit and can damage the polymer magazine body base ears. Must be installed by a certified gunsmith only. Use of small c-clamp (or similar tool) to gently and lightly squeeze the bottom middle of the magazine body just above the plastic locking ears where the SI aluminum EMP attaches to the magazine. Just enough so the SI aluminum EMP will slide in or out. Be careful not to bend the OEM magazine body metal liner and remove the c-clamp (or similar tool) as soon as the SI aluminum EMP is installed or removed. C-clamp or similar tool may mar/scratch magazine body surface. Please be careful and use a material to protect the magazine body surface. **DISCLAIMER:** -This product is not manufactured, authorized, endorsed, or warranted by GLOCK. GLOCK does not warrant or represent that this product is compatible with GLOCK pistols. -- "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. and GLOCK Ges.m.b.H. Neither Strike Industries Inc. nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. - CALIFORNIA PROPOSITION 65 **WARNING:- WARNING:** This product contains



chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

Attributes

- Name: [STRIKE INDUSTRIES ALUMINUM EXTENDED MAG PLATE FOR GLOCK G19 \(9MM\) IN FDE](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430105322
- Mfr. No.: SI-EMP-AL-G19-FDE
- Model: 19
- Style: Extension
- Weapon type: Glock
- Delivery weight: 0.122kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 793811765427

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Strike Industries Aluminum Extended Magazine Plate for GLOCK® G19 \(9MM\)](#)
- [About Us](#)

Safety Instruction Guide for Strike Industries Aluminum Extended Magazine Plate for GLOCK® G19 (9MM)

Introduction

Thank you for choosing the Strike Industries Aluminum Extended Magazine Plate (EMP) for your GLOCK® G19 (9mm). This product has been designed to enhance your magazine's performance while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain your product safely.

General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or removing the magazine plate.
- Store the magazine plate and all firearm accessories out of the reach of children and unauthorized users.
- Use the product only with GLOCK® factory OEM G19 (9mm) double stack magazines.
- Be aware of local laws regarding the use of extended magazine plates, as they may vary by region.
- Regularly inspect the magazine plate for any signs of wear or damage before use.
- If you experience any issues while using the product, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **WARNING:** Do not overtighten the set screw when installing the aluminum locking plate. Overtightening can damage the magazine and pose safety risks.
- The SI aluminum EMP is designed to fit tightly and may damage the polymer magazine body base ears if not installed correctly. Always follow installation instructions carefully.
- Use a small Cclamp or similar tool to gently squeeze the bottom middle of the magazine body just above the plastic locking ears during installation. This helps the EMP slide in or out more easily.
- Be cautious not to bend the OEM magazine body metal liner when using tools to assist with installation.
- Remove the Cclamp or similar tool as soon as the SI aluminum EMP is installed or removed to prevent damage.
- Protect the magazine body surface during installation to avoid scratches or marring.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and the magazine is removed.
- Gather the following tools and components:
 - Aluminum Extended Magazine Plate for GLOCK® G19
 - Extended length spring
 - Aluminum locking plate
 - Aluminum locking plate set screw (M3x8mm)
 - Hex tool

2. Installation Steps:

- Remove the existing magazine base plate from the GLOCK® G19 magazine.
- Install the extended length spring into the magazine.
- Align the aluminum extended magazine plate with the magazine body.
- Using the Cclamp, gently compress the bottom middle of the magazine body just above the locking

ears.

- Slide the aluminum extended magazine plate onto the magazine body until it is fully seated.
- Insert the aluminum locking plate into the designated slot on the extended magazine plate.
- Secure the locking plate using the set screw. Ensure it is snug but do not overtighten.
- Remove the Cclamp or similar tool once the installation is complete.

3. Usage:

- After installation, load the magazine with ammunition as per standard procedures.
- Regularly check the magazine for proper function and inspect the extended magazine plate for any signs of wear or damage.
- Ensure the magazine is seated properly in the firearm before use.

Disposal Instructions

- Dispose of the Strike Industries Aluminum Extended Magazine Plate in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for recycling options or designated disposal sites for metal products.
- Ensure that all components of the product are disposed of properly to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the Strike Industries Aluminum Extended Magazine Plate, please consult your local firearms expert or gunsmith. It is important to seek professional assistance to ensure safe usage and compliance with local laws.

Disclaimer: This product is not manufactured, authorized, endorsed, or warranted by GLOCK. GLOCK does not warrant or represent that this product is compatible with GLOCK pistols. "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. and GLOCK Ges.m.b.H. Neither Strike Industries Inc. nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components.

California Proposition 65 Warning: WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, please visit www.P65Warnings.ca.gov.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk