

# **CUSTOMIZABLE TWO-POINT SLINGS - Edgar Sherman Design**

## **CUSTOMIZABLE TWO-POINT SLING RANGER GREEN**

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

The Edgar Sherman Design Sling, ESD Sling, was designed with purpose, research extreme testing, and experience. The ESD Sling is adaptable to the end-user. The ESD Sling is highly customizable to any rifle, sub-gun, shotgun, hunting rifle, bolt action, and PDW weapon system. There are two adjustment sections on the ESD sling. A rear adjustment section to fit the ESD sling to your body size and additional gear. And a quick-adjust section to loosen or tighten the sling while in use. The ESD Sling adjustment system is more adaptable to natural body movement and body mechanics. The 1-inch width of the ESD sling has less friction than wider slings and allows the ESD sling to move across your body without resistance. The ESD sling has a new updated elastic regulator preventing webbing from twisting or jamming when adjusting. This elastic has a natural pull tab that allows the sling to be folded upon itself and stored tightly on the weapon system. This feature is great for patrol vehicle storage or bag/pack/case storage. Simply pull on the ESD Sling to deploy the sling to its full length. Key Features NEW MK 1.5 updated elastic is featured on all slings to quicken and ease the stowing functionality of the sling. NEW MK 1.5 updated tags for a cleaner, more legible, and higher fade-resistant logo NEW MK 1.5 Made in USA and Berry Amendment Compliant tag hid in the rear section of the sling ESD Pull Tab featured on all slings! Enhanced grip for easier adjustability. Quick-adjust moves naturally in both opening and closing Super lightweight Streamline design Can fold into itself for vehicle operations and quickly be released from storage Berry Amendment compliant materials 20+inches of adjustment in the rear section of the strap Open Ends: This means that you will have an ITW tri-glide on each end of the sling to secure your attachment method. You could add any connection method for your rifle that you'd like and if needed trim the sling to your size (this is standard on most rifle slings). Hand-made in the USA



### **Attributes**

- Name: [Edgar Sherman Design CUSTOMIZABLE TWO-POINT SLING RANGER GREEN](#)
- Manufacturer: [Edgar Sherman Design](#)
- Product no.: 430105376
- Mfr. No.: ESD-SL-RG
- Colour: Ranger Green
- Material: Nylon
- Style: 2-point
- Width: 2"
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 850027445014

### **Item details**

Made in USA

# Table of Contents

- Startpage
- CUSTOMIZABLE TWOPOINT SLING Safety Instruction Guide
- About Us

# CUSTOMIZABLE TWOPOINT SLING Safety Instruction Guide

## Introduction

Thank you for choosing the Edgar Sherman Design CUSTOMIZABLE TWOPOINT SLING. This safety instruction guide is designed to help you understand the proper use, installation, and maintenance of your sling, ensuring a safe and effective experience. Please read this guide carefully before using the product.

## General Safety Guidelines

- Always inspect the sling for any signs of wear or damage before each use.
- Ensure that the sling is properly adjusted to fit your body size and gear.
- Do not exceed the recommended weight limit for the sling.
- Avoid using the sling in conditions that may compromise its integrity, such as extreme weather or rough terrain.
- Keep the sling away from children and vulnerable individuals when not in use.
- Report any unsafe conditions or incidents involving the sling to the appropriate authorities.

## Specific Safety Precautions for Use

- **Proper Adjustment:**
  - Use the rear adjustment section to fit the sling to your body size.
  - Utilize the quickadjust section to loosen or tighten the sling while in use.
- **Attachment Security:**
  - Ensure that the ITW triglide on each end of the sling is securely fastened to your attachment method.
  - Regularly check the connection points for any signs of wear or damage.
- **Weight Limit:**
  - Do not exceed the weight capacity recommended by the manufacturer.
- **Usage Environment:**
  - Avoid using the sling in environments where it may become entangled or snagged.

## Instructions for Installation and Usage

### 1. Installation:

- Attach one end of the sling to the designated attachment point on your weapon system using the ITW triglide.
- Secure the other end of the sling to the opposite attachment point, ensuring a snug fit.
- Adjust the sling to your preferred length using the rear adjustment section.

### 2. Usage:

- To deploy the sling, pull on the ESD Sling to extend it to its full length.
- Adjust the sling as needed while in use for comfort and stability.
- When not in use, fold the sling upon itself and secure it tightly using the natural pull tab.

## Disposal Instructions

- Dispose of the sling in accordance with local regulations.
- If the sling is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the sling in regular household waste if it contains materials that can harm the

environment.

## **Contact Information for Further Support**

For any questions or concerns regarding the CUSTOMIZABLE TWOPOINT SLING, please reach out to your retailer or the manufacturer's customer service. They can provide further assistance and information regarding safety and product support.

By following these guidelines, you can ensure a safe and enjoyable experience with your CUSTOMIZABLE TWOPOINT SLING. Always prioritize safety and proper usage to maximize the benefits of this product. Thank you for your attention to these important safety instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)