


# **CUSTOMIZABLE TWO-POINT SLINGS - Edgar Sherman Design**

## **CUSTOMIZABLE TWO-POINT SLING COYOTE BROWN**

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

The Edgar Sherman Design Sling, ESD Sling, was designed with purpose, research extreme testing, and experience. The ESD Sling is adaptable to the end-user. The ESD Sling is highly customizable to any rifle, sub-gun, shotgun, hunting rifle, bolt action, and PDW weapon system. There are two adjustment sections on the ESD sling. A rear adjustment section to fit the ESD sling to your body size and additional gear. And a quick-adjust section to loosen or tighten the sling while in use. The ESD Sling adjustment system is more adaptable to natural body movement and body mechanics. The 1-inch width of the ESD sling has less friction than wider slings and allows the ESD sling to move across your body without resistance. The ESD sling has a new updated elastic regulator preventing webbing from twisting or jamming when adjusting. This elastic has a natural pull tab that allows the sling to be folded upon itself and stored tightly on the weapon system. This feature is great for patrol vehicle storage or bag/pack/case storage. Simply pull on the ESD Sling to deploy the sling to its full length. Key Features NEW MK 1.5 updated elastic is featured on all slings to quicken and ease the stowing functionality of the sling. NEW MK 1.5 updated tags for a cleaner, more legible, and higher fade-resistant logo NEW MK 1.5 Made in USA and Berry Amendment Compliant tag hid in the rear section of the sling ESD Pull Tab featured on all slings! Enhanced grip for easier adjustability. Quick-adjust moves naturally in both opening and closing Super lightweight Streamline design Can fold into itself for vehicle operations and quickly be released from storage Berry Amendment compliant materials 20+inches of adjustment in the rear section of the strap Open Ends: This means that you will have an ITW tri-glide on each end of the sling to secure your attachment method. You could add any connection method for your rifle that you'd like and if needed trim the sling to your size (this is standard on most rifle slings). Hand-made in the USA



### **Attributes**

- Name: [Edgar Sherman Design CUSTOMIZABLE TWO-POINT SLING COYOTE BROWN](#)
- Manufacturer: [Edgar Sherman Design](#)
- Product no.: 430105377
- Mfr. No.: ESD-SL-CB
- Colour: Coyote Brown
- Material: Nylon
- Style: 2-point
- Width: 2"
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 850027445021

### **Item details**

Made in USA

# Table of Contents

- Startpage
- CUSTOMIZABLE TWOPOINT SLING Safety Instructions
- About Us

# **CUSTOMIZABLE TWOPOINT SLING Safety Instructions**

## **Introduction**

Thank you for choosing the Edgar Sherman Design CUSTOMIZABLE TWOPOINT SLING. This safety instruction guide is designed to help you use the sling safely and effectively. Please read this guide carefully before use to ensure your safety and the proper functioning of the product.

## **General Safety Guidelines**

- Ensure that the sling is used only for its intended purpose, which is to support firearms securely.
- Always inspect the sling for any signs of wear or damage before each use. Do not use if any damage is found.
- Keep the sling away from children and unauthorized users.
- Always follow local laws and regulations regarding firearm safety and sling usage.
- Use the sling in a safe and controlled environment, free from distractions.

## **Specific Safety Precautions for Use**

- Ensure that all adjustments are secure before using the sling.
- Avoid overtightening the sling, as this may cause discomfort or restrict movement.
- Be cautious when adjusting the sling while wearing it; make sure to maintain control of your firearm at all times.
- Regularly check the attachment points for wear and ensure they are secure.
- If using the sling in a vehicle, ensure it does not obstruct your ability to operate the vehicle safely.

## **Instructions for Installation and Usage**

### **1. Installation:**

- Attach the ITW triglide on each end of the sling to your desired connection points on the firearm.
- Ensure that the connections are secure and that the sling is properly aligned.

### **2. Adjusting the Sling:**

- Use the rear adjustment section to fit the sling to your body size and any additional gear you may have.
- Utilize the quickadjust section to loosen or tighten the sling while in use. Ensure adjustments are made while maintaining control of the firearm.

### **3. Using the Sling:**

- Wear the sling across your body, ensuring it is comfortable and does not impede your movement.
- When not in use, the sling can be folded upon itself using the elastic regulator for compact storage.

### **4. Deployment:**

- To deploy the sling, simply pull on the ESD Sling to extend it to its full length.

## **Disposal Instructions**

- Dispose of the sling responsibly according to local waste management regulations.

- If the sling is damaged beyond use, consider recycling the nylon material if possible.

## Contact Information for Further Support

For any inquiries related to safety or product functionality, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

## Conclusion

By following these safety instructions, you ensure a safer experience with your CUSTOMIZABLE TWOPOINT SLING. Always prioritize safety and responsible firearm handling. Thank you for your attention to these guidelines. Enjoy your product!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)