

CUSTOMIZABLE TWO-POINT SLINGS - Edgar Sherman Design

CUSTOMIZABLE TWO-POINT NYLON SLING, MULTICAM BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

The Edgar Sherman Design Sling, ESD Sling, was designed with purpose, research extreme testing, and experience. The ESD Sling is adaptable to the end-user. The ESD Sling is highly customizable to any rifle, sub-gun, shotgun, hunting rifle, bolt action, and PDW weapon system. There are two adjustment sections on the ESD sling. A rear adjustment section to fit the ESD sling to your body size and additional gear. And a quick-adjust section to loosen or tighten the sling while in use. The ESD Sling adjustment system is more adaptable to natural body movement and body mechanics. The 1-inch width of the ESD sling has less friction than wider slings and allows the ESD sling to move across your body without resistance. The ESD sling has a new updated elastic regulator preventing webbing from twisting or jamming when adjusting. This elastic has a natural pull tab that allows the sling to be folded upon itself and stored tightly on the weapon system. This feature is great for patrol vehicle storage or bag/pack/case storage. Simply pull on the ESD Sling to deploy the sling to its full length. Key Features NEW MK 1.5 updated elastic is featured on all slings to quicken and ease the stowing functionality of the sling. NEW MK 1.5 updated tags for a cleaner, more legible, and higher fade-resistant logo NEW MK 1.5 Made in USA and Berry Amendment Compliant tag hid in the rear section of the sling ESD Pull Tab featured on all slings! Enhanced grip for easier adjustability. Quick-adjust moves naturally in both opening and closing Super lightweight Streamline design Can fold into itself for vehicle operations and quickly be released from storage Berry Amendment compliant materials 20+inches of adjustment in the rear section of the strap Open Ends: This means that you will have an ITW tri-glide on each end of the sling to secure your attachment method. You could add any connection method for your rifle that you'd like and if needed trim the sling to your size (this is standard on most rifle slings). Hand-made in the USA



Attributes

- Name: [Edgar Sherman Design CUSTOMIZABLE TWO-POINT NYLON SLING, MULTICAM BLACK](#)
- Manufacturer: [Edgar Sherman Design](#)
- Product no.: 430105384
- Mfr. No.: ESD-SL-MCB
- Colour: Multi-Cam Black
- Material: Nylon
- Style: 2-point
- Width: 2"
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 850027445076

Item details

Made in USA

Table of Contents

- Startpage
- CUSTOMIZABLE TWOPOINT SLINGS Safety Instructions
- About Us

CUSTOMIZABLE TWOPOINT SLINGS Safety Instructions

Introduction

Thank you for choosing the CUSTOMIZABLE TWOPOINT SLING by Edgar Sherman Design. This guide provides important safety instructions and usage guidelines to ensure your sling operates effectively and safely. Please read this document carefully before using the product.

General Safety Guidelines

- Always inspect the sling before each use for any signs of wear or damage.
- Ensure that all adjustments are secure before using the sling.
- Avoid using the sling in conditions that may compromise your safety, such as extreme weather or rough terrain.
- Keep the sling out of reach of children and vulnerable individuals when not in use.
- Report any unsafe conditions or product defects to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified by the manufacturer for the sling.
- Ensure that the sling is properly adjusted to fit your body size and any additional gear.
- Be aware of your surroundings when using the sling, and avoid entanglement with other objects.
- Use the quickadjust feature carefully to prevent accidental release or slippage.
- If using the sling with a firearm, ensure that the firearm is unloaded and pointed in a safe direction during adjustments.

Instructions for Installation and Usage

1. Installation:

- Attach the ITW triglide located at each end of the sling to your chosen attachment points on the weapon system.
- Ensure that the attachment method is secure and does not allow for slippage.
- Trim the sling to your desired length if necessary, ensuring that the cut ends are sealed to prevent fraying.

2. Adjustments:

- To adjust the rear section of the sling, pull on the adjustment strap until the sling fits comfortably against your body.
- Use the quickadjust feature to loosen or tighten the sling while in use. Pull on the designated pull tab to deploy the sling to its full length.

3. Usage:

- When using the sling, ensure that it is positioned correctly across your body for optimal comfort and support.
- Avoid twisting or pulling on the sling excessively, as this may cause wear or damage.
- For vehicle operations, fold the sling into itself to minimize space and securely store it.

Disposal Instructions

- Dispose of the sling in accordance with local regulations.
- If the sling is damaged beyond repair, consider recycling the materials where possible.
- Do not burn the sling as it may release harmful substances.

Contact Information for Further Support

For any questions or concerns regarding the CUSTOMIZABLE TWOPOINT SLING, please refer to the contact information provided with your product packaging. You can also check the EU Safety Gate platform for updates on product safety and recalls.

Thank you for your attention to these safety instructions. Enjoy the versatility and functionality of your CUSTOMIZABLE TWOPOINT SLING!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk