

ARMORERS CASE GEN III - BROWNELLS ARMORER'S GEN 3 CASE WITH FOAM INSERTS

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Tool Storage](#) > [Tool Boxes](#)

Brownells Generation III Armorers Case - Built to Extreme Testing Standards Enhanced Armorers Case now has the ability to be an easy to access toolbox in your workshop, and quickly configured for transport. Manufactured from durable polypropylene, the Gen III Armorers Case is waterproof and durable enough for any expedition (See below for Test Specifications). With three (3x) 2.4in tall and two (2x) 1.2 in drawers, there is plenty of storage for your essential tools. Case features two carrying handles on either side, as well as top telescoping luggage handle for use with the two integral wheels. Front door and top lid can be removed, by turning a locking screw in the hinge, allowing for easy access to drawers and to compartment when not travelling. Drawers have depressible tabs, that allow complete drawer removal, while also ensuring tools don't inadvertently fall out. Stackable design ensures any additional Armorers Cases neatly stack for clean organization. Top and front jam free lid latches are easy to operate and firmly secure all sides in transit. Interior of Lid features a clear polymer door, so that documentation, spare parts or additional tools can be stored in otherwise unused space. Optional pluckable foam keeps tools from shifting during transit and protects your investments. Drawer Internal Dimensions: Large Drawer: 2.4 inches Tall x 18.4 inches Wide x 10 inches Deep Small Drawer: 1.2 inches Tall x 18.4 inches Wide x 10 inches Deep Top Removable Tray Internal Dimensions: 1.25 inches Tall x 18 inches Wide x 10.25 inches Deep Total Case Weight: 21.49 lbs Operating Temperature: -27.4°F to 194°F Test Specifications: STANAG 4280 - DEF-STD 81-41 (Part 3 Issue 4) Impact Horizontal Test - 2.5m Impact Vertical Test - 2.5m Vibration Test - 5-350Hz Dry-Heat Test - 68 to 176 °F 50-80% Humidity for 3 hours Low Temp Test Storage Test - -40°F to 194°F, humidity not less than 90%, cycle of 28 times CEI EN 60529 Dust Ingress Test - 2-8 Hours Water Ingress Test - 1m for 30min



Brownells Generation III Armorers Case - Built to Extreme Testing Standards Enhanced Armorers Case now has the ability to be an easy to access toolbox in your workshop, and quickly configured for transport. Manufactured from durable polypropylene, the Gen III Armorers Case is waterproof and durable enough for any expedition (See below for Test Specifications). With three (3x) 2.4in tall and two (2x) 1.2 in drawers, there is plenty of storage for your essential tools. Case features two carrying handles on either side, as well as top telescoping luggage handle for use with the two integral wheels. Front door and top lid can be removed, by turning a locking screw in the hinge, allowing for easy access to drawers and to compartment when not travelling. Drawers have depressible tabs, that allow complete drawer removal, while also ensuring tools don't inadvertently fall out. Stackable design ensures any additional Armorers Cases neatly stack for clean organization. Top and front jam free lid latches are easy to operate and firmly secure all sides in transit. Interior of Lid features a clear polymer door, so that documentation, spare parts or additional tools can be stored in otherwise unused space. Optional pluckable foam keeps tools from shifting during transit and protects your investments. Drawer Internal Dimensions: Large Drawer: 2.4 inches Tall x 18.4 inches Wide x 10 inches Deep Small Drawer: 1.2 inches Tall x 18.4 inches Wide x 10 inches Deep Top Removable Tray Internal Dimensions: 1.25 inches Tall x 18 inches Wide x 10.25 inches Deep Total Case Weight: 21.49 lbs

Operating Temperature: -27.4°F to 194°F Test Specifications: STANAG 4280 - DEF-STD 81-41 (Part 3 Issue 4) Impact Horizontal Test - 2.5m Impact Vertical Test - 2.5m Vibration Test - 5-350Hz Dry-Heat Test - 68 to 176 °F 50-80% Humidity for 3 hours Low Temp Test Storage Test - -40°F to 194°F, humidity not less than 90%, cycle of 28 times CEI EN 60529 Dust Ingress Test - 2-8 Hours Water Ingress Test - 1m for 30min

Attributes

- Name: [BROWNELLS ARMORER'S GEN 3 CASE WITH FOAM INSERTS](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430105952
- Mfr. No.: NONE- MIX
- Delivery weight: 11kg
- Shipping height: 410mm
- Shipping width: 485mm
- Shipping length: 605mm
- UPC: 050806024151

Table of Contents

- Startpage
- ARMORERS CASE GEN III Safety Instruction Guide
- About Us

ARMORERS CASE GEN III Safety Instruction Guide

Introduction

Thank you for purchasing the ARMORERS CASE GEN III by Brownells. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before use to understand how to operate, maintain, and dispose of the Armorers Case safely.

General Safety Guidelines

- Ensure that the Armorers Case is used only for its intended purpose as a tool storage and transport solution.
- Always inspect the case for any signs of damage before use. Do not use a damaged case.
- Keep the Armorers Case out of reach of children and vulnerable individuals to prevent accidents.
- Use the case in dry environments to maintain its integrity and functionality.
- When transporting the case, ensure that all drawers are securely closed to prevent tools from falling out.

Specific Safety Precautions for Use

- **Weight Limit:** Do not exceed the maximum weight capacity of the case. The total case weight is 21.49 lbs when empty. Ensure that the total weight of tools and contents does not compromise the case's integrity.
- **Drawer Operation:** Use the depressible tabs on the drawers to remove them carefully. Avoid forcing drawers open, as it may cause damage.
- **Lid Operation:** When removing the front door or top lid, carefully turn the locking screw in the hinge to avoid injury.
- **Transportation:** Always use the carrying handles or telescoping luggage handle when moving the case. Avoid lifting the case by the drawers or lid.
- **Foam Inserts:** If using optional pluckable foam, ensure it is correctly fitted to prevent tools from shifting during transit.

Instructions for Installation and Usage

1. Unpacking the Case:

- Carefully remove the Armorers Case from its packaging.
- Inspect the case for any visible damage or missing parts.

2. Setting Up the Case:

- Place the case on a flat, stable surface.
- Ensure that the drawers are empty before attaching any foam inserts.

3. Loading Tools:

- Organize your tools in the drawers according to size and type for easy access.
- Use the optional foam inserts to secure tools in place during transport.

4. Closing and Securing the Case:

- Ensure all drawers are fully closed before securing the lid.
- Lock the lid and front door by turning the locking screws to prevent accidental opening.

5. Transporting the Case:

- Use the handles on either side or the top telescoping handle to lift and move the case.
- If moving over uneven surfaces, take extra care to maintain balance.

6. Storage:

- Store the Armorers Case in a cool, dry place when not in use.
- Avoid exposure to extreme temperatures or humidity.

Disposal Instructions

- The Armorers Case is made from durable polypropylene, a recyclable material.
- When disposing of the case, check local regulations for proper disposal methods.
- If the case is damaged beyond repair, consider recycling it where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the ARMORERS CASE GEN III, please refer to the manufacturer's contact information provided with your product. For safety inquiries and product recalls, check the EU Safety Gate platform for updates.

By following these guidelines, you can ensure the safe and effective use of your ARMORERS CASE GEN III. Thank you for your attention to safety and for choosing Brownells.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk