

2BO-S SHORT MUZZLE BRAKE - BREEK ARMS 2BO-S SINGLE PORT MUZZLE BRAKE 30 CALIBER 5/8"X24 THREAD

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The 2BO-S Single Port Muzzle brake was designed to reduce recoil and muzzle rise and keep your rifle footprint short. The recoil reduction allows the shooter to stay on target and take follow up shots quickly. This is important when speed and accuracy make the difference such as in competitive shooting or self defense situations. The brake is machined out of 4140 steel, heat treated for hardness, and nitride offering exceptional strength and durability. The 2BO-S has a large 90 degree port to mitigate recoil and muzzle rise countering the force generated through firing. This gives less blowback resulting in higher overall shooter comfort. It features a sleek design that integrates seamlessly with any system, maintaining a clean appearance that looks great on any firearm.

FEATURES: Short profile works great for Pistol Caliber Carbines

Design: 2BO-S Single Port Short Muzzle Brake Outside Thread: 13/16" x 16 TPI

Material: 4140 Nitrided Comes with 1 Crush Washer Overall length: 1.64 Inches Weight: 2.1 (223/556), 1.7 oz (30cal), 2.1 oz (9mm) Designed & Manufactured in America



Attributes

- Name: [BREEK ARMS 2BO-S SINGLE PORT MUZZLE BRAKE 30 CALIBER 5/8"X24 THREAD](#)
- Manufacturer: [BREEK ARMS](#)
- Product no.: 430107023
- Mfr. No.: BRK4048
- Caliber: 30 Caliber (.308)
- Finish: Black
- Material: Steel
- Threads: 5/8-24
- Weapon type: AR .308
- Delivery weight: 0.05kg
- Shipping height: 32mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 812296031046

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for the 2BOS Short Muzzle Brake
- About Us

Safety Instruction Guide for the 2BOS Short Muzzle Brake

Introduction

Thank you for choosing the 2BOS Short Muzzle Brake from BREEK ARMS. This product is designed to enhance your shooting experience by reducing recoil and muzzle rise. To ensure safe and effective use, please read this safety instruction guide carefully. It complies with the EU General Product Safety Regulation (GPSR) and provides essential safety information.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the muzzle brake and follow all safety instructions.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product.
- **Online Shopping:** When purchasing online, ensure the seller complies with safety regulations.
- **Special Consumer Focus:** Be aware that additional safety precautions may be necessary for vulnerable groups.
- **EU Contact Point:** For safety inquiries, refer to the designated EU contact point provided by the manufacturer.
- **Rapid Alerts:** Check the EU Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Read the Instructions:** Always read and understand the product manual before use.
- **Wear Protective Gear:** Use appropriate eye and ear protection while shooting.
- **Check Compatibility:** Ensure the muzzle brake is compatible with your firearm before installation.
- **Inspect the Product:** Regularly check the muzzle brake for signs of wear or damage.
- **Use Proper Ammunition:** Only use ammunition that is suitable for the 30 caliber specification.
- **Secure Installation:** Ensure the muzzle brake is securely attached to avoid accidents during use.
- **Avoid Modifications:** Do not modify the muzzle brake in any way, as this may compromise safety.
- **Store Safely:** Keep the muzzle brake out of reach of children and store it in a secure location.

Instructions for Installation and Usage

Installation

1. **Gather Tools:** You will need a wrench and the included crush washer for installation.
2. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
3. **Remove Existing Muzzle Device:** If applicable, remove any existing muzzle device from the firearm.
4. **Install the Crush Washer:** Place the crush washer onto the muzzle of the firearm.
5. **Attach the Muzzle Brake:** Screw the 2BOS muzzle brake onto the muzzle of the firearm, ensuring it is threaded correctly.
6. **Tighten Securely:** Use the wrench to tighten the muzzle brake, ensuring it is secure but not overtightened.
7. **Final Inspection:** Check the installation to ensure it is secure and properly aligned.

Usage

- **Check Functionality:** Before shooting, ensure the muzzle brake is functioning correctly.
- **Shooting Position:** Maintain a stable shooting position to maximize the effectiveness of the muzzle brake.
- **Follow Safety Protocols:** Always follow standard firearm safety protocols while shooting.

Disposal Instructions

- **Dispose of Responsibly:** When the muzzle brake reaches the end of its life, dispose of it in accordance with local regulations.
- **Recycling:** Check if the materials can be recycled and follow appropriate recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the 2BOS Short Muzzle Brake, please refer to the manufacturer's contact information provided with your purchase. It is important to reach out for assistance if you encounter any issues or have safety inquiries.

By following these guidelines, you can ensure a safe and enjoyable experience with your 2BOS Short Muzzle Brake. Thank you for your attention to safety and responsible use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk