

SXT SERIES M-LOK HANDGUARDS - SAMSON MANUFACTURING CORP SXT HANDGUARD 15" M-LOK BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

NEW FEATURES: Sleek, Chamfered Leading Edge Ambidextrous Integrated QD Sling Point 7-Sided M-LOK® Includes (1) 2"" M-LOK® Attachment If you're looking for a quality USA made handguard for your AR-15, the NEW SXT Series Handguards are what you need. These rugged free-floating handguards offer a 7-Sided M-LOK® attachment system, ambidextrous integrated QD sling point, a sleek chamfered leading edge and comes with a 2"" M-LOK® attachment.

These handguards will not let you down. Easy to install – the simple clamping system uses two cross bolts which fit into the barrel nut for a rapid and easy installation. (The old SXS Series clamping system used a bias block on the bottom to secure the forearm to the barrel nut—which required knurling).

INCLUDES: Hex wrench, barrel nut, and barrel nut wrench **FEATURES:** Easy to install mount clamping system Free float design Sleek, chamfered leading edge Ambidextrous integrated QD 7-Sided M-LOK® 2"" M-LOK® Attachment

Specifications: Material: 6061-T6 aluminum Finish: MIL-A-8625 type III class 2 anodizing For additional specifications click on the Specifications tab Made in New Hampshire USA **SPECS:** 9" HANDGUARD Actual Length: 9.25"

Attachment: M-LOK Weight with Barrel Nut (oz): 11.3 Internal Diameter: 1.25" Outer Diameter: 1.6" 11" HANDGUARD Actual Length: 11" Attachment: M-LOK Weight with Barrel Nut (oz): 12.6 Internal Diameter: 1.25 Outer Diameter: 1.6 15" HANDGUARD Actual Length: 15" Attachment: M-LOK Weight with Barrel Nut (oz): 15.2 Internal Diameter: 1.25" Outer Diameter: 1.6"



Attributes

- Name: [SAMSON MANUFACTURING CORP SXT HANDGUARD 15" M-LOK BLACK](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 430107452
- Mfr. No.: 01-06129-01
- Colour: Black
- Length: 15"
- Material: Aluminum
- Style: M-LOK
- Weapon type: AR-15
- Delivery weight: 0.64kg
- Shipping height: 108mm
- Shipping width: 114mm
- Shipping length: 476mm
- UPC: 850006871711

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- SXT Series MLOK Handguards Safety Instruction Guide
- About Us

SXT Series MLOK Handguards Safety Instruction Guide

Introduction

Thank you for choosing the SXT Series MLOK Handguards from Samson Manufacturing Corp. This guide provides essential safety instructions to ensure the safe and effective use of your handguard. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure the handguard is compatible with your firearm model before installation.
- Always handle firearms with care and follow all safety protocols.
- Keep the handguard and all components out of reach of children and unauthorized users.
- Regularly inspect the handguard for any signs of wear or damage.
- Do not modify the handguard in any way that may compromise its integrity or safety.
- Store the handguard in a dry place, away from extreme temperatures and humidity.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using firearms.
- Ensure the firearm is unloaded before beginning installation or maintenance.
- Familiarize yourself with the installation instructions to avoid improper installation.
- Avoid using the handguard if it shows signs of damage or if components are missing.
- Use only the provided MLOK attachment and accessories designed for this handguard.
- Be aware of your surroundings and ensure a safe environment when using your firearm.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the hex wrench, barrel nut, and barrel nut wrench.
- Ensure you have a clean workspace and that your firearm is unloaded.

2. Installation Steps:

- Remove the existing handguard from your firearm, if applicable.
- Install the barrel nut onto the barrel of your firearm, ensuring it is securely fastened.
- Align the SXT handguard with the barrel nut, ensuring the MLOK slots are positioned correctly.
- Use the hex wrench to tighten the cross bolts into the barrel nut for a secure fit. Ensure the handguard is firmly attached.
- Attach the provided 2" MLOK accessory as needed.

3. Usage:

- Once installed, ensure the handguard is secure before using your firearm.
- Regularly check the tightness of the handguard and MLOK attachments during use.

Disposal Instructions

- Dispose of the handguard and any components in accordance with local regulations.
- Do not dispose of the handguard in a manner that may harm the environment.
- If the handguard is damaged beyond repair, consider recycling the aluminum material where possible.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Thank you for choosing the SXT Series MLOK Handguards. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk