

AR-15 PREMIUM MIL-SPEC BUFFER TUBE ASSEMBLY WITH SUPER 42 - GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H1 BLK

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tubes](#)

The Geissele Premium Mil-Spec Buffer Tube is machined from quality 7075-T6 Aluminum and finished in Type 3 Hardcoat Anodize, available in Black or Geissele's DDC. This rigid and durable buffer tube conforms to all mil-spec standards and features 6 stock positions. This carbine length and mil-spec diameter Premium Buffer Tube is made in the USA and weighs in at 3.7oz, making it the perfect fit for your AR-15 lower and ensuring compatibility with most mil-spec diameter quality AR-15 stocks. Included in the package is a high-quality, mil-spec castle nut and end plate. The Geissele Super 42 Spring was designed to improve the function and reliability of your AR-15 pattern rifle. Its unique spring design uses three independent strands of wire, just like the German MG42 Machine Gun. This concept acts as a harmonic damper and energy absorber by allowing the springs to flex separately from each other. This flex helps displace excess energy which decreases the chance of spring failure and assists with making your AR-15 more reliable. Compared to the stock spring, The Geissele Super 42 Spring has a decreased tendency to lose length and force over a given round count. As an added bonus, it removes the annoying spring reverberations (twang) heard and felt by the shooter through the buttstock. The Super 42 Spring has a 15% stronger average return force than the standard buffer spring. This will assist in stripping rounds out of the magazine when operating with a dirty weapon or when using steel-case ammo.



Attributes

- Name: [GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H1 BLK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 430107541
- Mfr. No.: 08-163B
- Style: Mil-Spec
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 89mm
- Shipping width: 83mm
- Shipping length: 375mm
- UPC: 817953023266

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42](#)
- [About Us](#)

Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42

Introduction

Thank you for choosing the AR15 Premium MilSpec Buffer Tube Assembly with Super 42. This product is designed to enhance the performance and reliability of your AR15 pattern rifle. To ensure your safety and the optimal use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the buffer tube assembly.
- Use appropriate safety gear, including eye and ear protection, when operating or testing your firearm.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the buffer tube assembly for signs of wear or damage. If any issues are detected, discontinue use immediately.
- Be aware of the potential hazards associated with improper installation or use, which may include firearm malfunction or personal injury.

Specific Safety Precautions for Use

- Ensure that the buffer tube assembly is compatible with your specific AR15 lower receiver.
- Do not exceed the recommended weight limit for your AR15 setup, as this may affect performance and safety.
- Avoid using the buffer tube assembly with nonmilspec stocks or components, as this may lead to improper function.
- Be cautious when using steelcase ammunition, as it may affect the reliability of the buffer system.
- Do not modify the buffer tube assembly or its components in any way, as this may compromise safety and performance.
- If you experience any unusual behavior while using your firearm, such as misfires or jams, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing buffer tube assembly, if applicable.
- Attach the Geissele Premium MilSpec Buffer Tube to the lower receiver, ensuring it is securely fastened.
- Install the included milspec castle nut and end plate according to the manufacturer's instructions.
- Insert the Geissele Super 42 Spring into the buffer tube and ensure it is seated properly.
- Reattach the buffer and stock according to the manufacturer's guidelines.

2. Usage:

- Before firing, conduct a function check to ensure the buffer tube assembly operates correctly.
- When ready to fire, maintain proper shooting stance and grip.
- Monitor the performance of your rifle during use, paying attention to any unusual sounds or behaviors.
- After use, clean and maintain your buffer tube assembly as per the manufacturer's recommendations.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- When disposing of the buffer tube assembly, ensure that it is done in accordance with local regulations regarding firearm components.
- If the product is damaged or no longer usable, consider contacting a local firearms retailer or disposal facility for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the AR15 Premium MilSpec Buffer Tube Assembly with Super 42, please contact the manufacturer or an authorized dealer for assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your AR15 Premium MilSpec Buffer Tube Assembly with Super 42. Always prioritize safety and stay informed about best practices for firearm maintenance and operation. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk