

# AR-15 PREMIUM MIL-SPEC BUFFER TUBE ASSEMBLY WITH SUPER 42 - GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H2 BLK

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tubes](#)

The Geissele Premium Mil-Spec Buffer Tube is machined from quality 7075-T6 Aluminum and finished in Type 3 Hardcoat Anodize, available in Black or Geissele's DDC. This rigid and durable buffer tube conforms to all mil-spec standards and features 6 stock positions. This carbine length and mil-spec diameter Premium Buffer Tube is made in the USA and weighs in at 3.7oz, making it the perfect fit for your AR-15 lower and ensuring compatibility with most mil-spec diameter quality AR-15 stocks. Included in the package is a high-quality, mil-spec castle nut and end plate. The Geissele Super 42 Spring was designed to improve the function and reliability of your AR-15 pattern rifle. Its unique spring design uses three independent strands of wire, just like the German MG42 Machine Gun. This concept acts as a harmonic damper and energy absorber by allowing the springs to flex separately from each other. This flex helps displace excess energy which decreases the chance of spring failure and assists with making your AR-15 more reliable. Compared to the stock spring, The Geissele Super 42 Spring has a decreased tendency to lose length and force over a given round count. As an added bonus, it removes the annoying spring reverberations (twang) heard and felt by the shooter through the buttstock. The Super 42 Spring has a 15% stronger average return force than the standard buffer spring. This will assist in stripping rounds out of the magazine when operating with a dirty weapon or when using steel-case ammo.



## Attributes

- Name: [GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H2 BLK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 430107542
- Mfr. No.: 08-163B-H2
- Style: Mil-Spec
- Weapon type: AR-15
- Delivery weight: 0.479kg
- Shipping height: 83mm
- Shipping width: 89mm
- Shipping length: 375mm
- UPC: 817953026984

## Item details

Made in USA  
US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42
- About Us

# Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42

## Introduction

Thank you for choosing the AR15 Premium MilSpec Buffer Tube Assembly with Super 42 by Geissele Automatics. This product is designed to enhance the performance and reliability of your AR15 pattern rifle. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure you are familiar with local laws and regulations regarding firearm ownership and usage.
- Inspect your buffer tube assembly before each use for any signs of damage or wear.
- Store this product in a secure location, away from children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the buffer tube assembly is compatible with your specific AR15 model.
- Use the buffer tube assembly only for its intended purpose—do not modify or misuse it.
- Do not exceed the manufacturer's specifications for weight and usage.
- Be aware of the potential hazards associated with improper installation, which may lead to malfunction or injury.
- When using the Super 42 Spring, be cautious of its increased return force, which may affect the operation of your firearm.
- Always wear appropriate eye and ear protection when handling or firing your firearm.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing buffer tube if applicable.
- Align the Geissele Premium MilSpec Buffer Tube with the lower receiver of your AR15.
- Secure the buffer tube using the included milspec castle nut and end plate, tightening to the manufacturer's specifications.
- Install the Super 42 Spring according to the manufacturer's instructions, ensuring it is seated correctly within the buffer tube.

### 2. Usage:

- Before firing, perform a function check to ensure the assembly operates smoothly.
- Maintain your firearm and buffer tube assembly regularly to ensure optimal performance.
- If you experience any issues, cease use immediately and consult a qualified gunsmith.

## Disposal Instructions

- Dispose of the buffer tube assembly in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for aluminum components where available.

## **Contact Information for Further Support**

For any inquiries regarding safety or product performance, please refer to the manufacturer's contact information provided with your product packaging or visit their official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 Premium MilSpec Buffer Tube Assembly with Super 42. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)