

SCT 43X SUB COMPACT STRIPPED POLYMER FRAME - SCT MANUFACTURING SCT 43X SC STRIPPED POLYMER FRAME GLOCK 43X & 48 SNIPER GRAY

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

The SCT Manufacturing Glock® Compatible Sub Compact stripped frame is going to change the way you build pistols. It is the only frame at this price point packed with this level of features. This is a serialized frame with shooter-oriented ergonomics. Polished stainless steel over molded rails provide the optimal platform that is ready to build. They are made with an industry leading proprietary polymer blend and compatible with Glock® 43X and 48 components. FEATURES Serrations and index point on trigger guard to help control recoil Serrations on top of beaver tail reduce glare Flared mag well Thumb Accelerator pad Advanced contour grip with aggressive texturing Modified Factory Picatinny with addition al mounting slot. Extended beaver tail with low profile bore axis Grip angle is the same as Glock® Slide stop guard Larger trigger guard for better access with gloves Recessed contoured mag release area for faster mag changes Compatible with compact 9mm Luger. Frame stripped assembly includes: SCT SC polymer frame, electroless nickel locking block. Disclaimer: SCT Manufacturing recommends the installation of mating components be performed by a certified gunsmith to ensure proper function and safety. Due to variations in third party parts and accessories, SCT Manufacturing will not be held liable for any damage caused to you and/or your firearm as a result of aftermarket accessory



Attributes

- Name: [SCT MANUFACTURING SCT 43X SC STRIPPED POLYMER FRAME GLOCK 43X & 48 SNIPER GRAY](#)
- Manufacturer: [SCT MANUFACTURING](#)
- Product no.: 430107846
- Mfr. No.: 02-2502-01-00-I
- Barrel Length: -
- Capacity: 0-Round
- Cartridge: 9 mm Luger,380 Auto (ACP)
- Finish: Sniper Gray
- Length: 7"
- Model: 43X,48
- Style: Stripped
- Weapon type: Glock
- Weight: 1 lb
- Delivery weight: 0.454kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 254mm
- UPC: 850055982222

Item details

Made in USA
US export classification: 0A509.c

Table of Contents

- Startpage
- SCT 43X Sub Compact Stripped Polymer Frame Safety Instruction Guide
- About Us

SCT 43X Sub Compact Stripped Polymer Frame Safety Instruction Guide

Introduction

Thank you for choosing the SCT 43X Sub Compact Stripped Polymer Frame. This product is designed to enhance your pistolbuilding experience while ensuring safety and reliability. Please read this safety instruction guide thoroughly to understand how to use, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the frame with care to prevent damage and ensure safe operation.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- Always follow the manufacturer's instructions for assembly and usage.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper handling or installation may lead to malfunction or injury.
- Use of incompatible components may compromise safety and performance.

• Avoiding Hazards:

- Always ensure that all components are compatible and correctly installed.
- Do not use the frame if it appears damaged or shows signs of wear.
- Avoid using the frame in wet or humid conditions to prevent degradation of materials.
- Always wear appropriate safety gear, including eye protection, when using firearms.

• Age Specific Warnings:

- This product is intended for use by individuals aged 18 and over.
- Ensure that younger individuals are supervised by a qualified adult when handling firearms.

Instructions for Installation and Usage

1. Installation:

- Ensure that you have all components necessary for assembly:
 - SCT SC polymer frame
 - Electroless nickel locking block
 - OEM trigger assembly
 - Standard polymer magazine catch
 - Magazine catch spring
 - Steel trigger pin
 - Steel locking block pin
 - Standard OEM slide lock

- Slide lock coil spring
- Polymer trigger housing pin
- OEM trigger housing with ejector
- Standard slide stop assembly
- Polished 4.5 lb. electroless nickel trigger connector

- Follow these steps for assembly:
 - Start by securing the polymer frame on a stable work surface.
 - Install the electroless nickel locking block into the designated slot within the frame.
 - Attach the OEM trigger assembly, ensuring it is properly seated.
 - Insert the standard polymer magazine catch and its spring, making sure it is functional.
 - Proceed to install the steel trigger pin and locking block pin.
 - Attach the standard OEM slide lock and its coil spring.
 - Insert the polymer trigger housing pin and the OEM trigger housing with ejector.
 - Finally, install the standard slide stop assembly and the polished trigger connector.

2. Usage:

- Before using the firearm, ensure it is unloaded and that the area is clear of obstructions.
- Familiarize yourself with the controls and features of the frame.
- Practice safe handling techniques at all times.
- Always point the firearm in a safe direction when loading or unloading.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged beyond repair, contact a local waste management facility for guidance on safe disposal.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and usage of the SCT 43X Sub Compact Stripped Polymer Frame, please refer to your local regulations or consult a certified gunsmith for assistance.

Thank you for prioritizing safety and compliance while using the SCT 43X Sub Compact Stripped Polymer Frame. Your safety is our top priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk