

SCT 43X SUB COMPACT ASSEMBLED POLYMER FRAME - SCT MANUFACTURING SCT 43X SC ASSEMBLED POLYMER FRAME GLOCK 43X, 48 SNIPER GRAY

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

The SCT Manufacturing Glock® Compatible Sub Compact complete assembled frame is going to change the way you build pistols. It is the only frame at this price point packed with this level of features. This is a serialized frame with shooter-oriented ergonomics. Polished stainless steel over molded rails provide the optimal platform that is ready to build. They are made with an industry leading proprietary polymer blend and compatible with Glock® 43X and 48 components. Each frame is assembled using a combination of Glock® OEM and SCT manufactured parts by a certified armorer. The last step of each frame assembly is function testing utilizing a Glock® factory slide checking for safe operation, striker engagement, trigger pull, trigger reset, & magazine function ensuring the end user is left with a frame that needs nothing but a slide assembly right out of the box! FEATURES Fully assembled with SCT SC frame with Glock® OEM and SCT internals. Serrations and index point on trigger guard to help control recoil Serrations on top of beaver tail reduce glare Flared mag well Ambidextrous mag release Thumb Accelerator pad Advanced contour grip with aggressive texturing Modified Factory Picatinny with addition al mounting slot. Extended beaver tail with low profile bore axis Grip angle is the same as Glock® Slide stop guard Larger trigger guard for better access with gloves Recessed contoured mag release area for faster mag changes Multi caliber- Compatible with compact 9mm & .380 Frame assembly includes: SCT SC polymer frame, electroless nickel locking block, OEM trigger assembly, standard polymer magazine catch, magazine catch spring, steel trigger pin, steel locking block pin, standard OEM slide lock, slide lock coil spring, polymer trigger housing pin, OEM trigger housing with ejector, standard slide stop assembly & polished 4.5 lb. electroless nickel trigger connector. Disclaimer: SCT Manufacturing recommends the installation of mating components be performed by a certified gunsmith to ensure proper function and safety. Due to variations in third party parts and accessories, SCT Manufacturing will not be held liable for any damage caused to you and/or your firearm as a result of aftermarket accessory use.



Attributes

- Name: [SCT MANUFACTURING SCT 43X SC ASSEMBLED POLYMER FRAME GLOCK 43X, 48 SNIPER GRAY](#)
- Manufacturer: [SCT MANUFACTURING](#)
- Product no.: 430107850
- Mfr. No.: 02-2602-00-00-I
- Barrel Length: NA
- Capacity: 0-Round
- Cartridge: 380 Auto (ACP), 9 mm Luger
- Finish: Sniper Gray
- Length: 7"
- Model: 48,43X
- Style: Complete
- Weapon type: Glock
- Weight: 1 lb

- Delivery weight: 0.454kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 254mm
- UPC: 850055982260

Item details

Made in USA

US export classification: 0A509.c

Table of Contents

- Startpage
- SCT 43X Sub Compact Assembled Polymer Frame Safety Instructions
- About Us

SCT 43X Sub Compact Assembled Polymer Frame Safety Instructions

Introduction

Thank you for choosing the SCT 43X Sub Compact Assembled Polymer Frame. This guide provides important safety instructions to ensure the safe use and handling of your firearm frame. Please read this guide carefully before use to understand all safety precautions and proper handling procedures.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to shoot.
- Never point the firearm at anything you do not intend to shoot.
- Store your firearm in a secure location, out of reach of children and unauthorized users.
- Always use appropriate eye and ear protection when handling firearms.
- Be aware of your surroundings and ensure a safe backdrop when shooting.
- Regularly inspect your firearm and its components for wear and damage.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- **Installation Warning:** The installation of components should be performed by a certified gunsmith to ensure proper function and safety.
- **Function Testing:** After assembly, perform function testing with a Glock factory slide to ensure safe operation, including checking striker engagement, trigger pull, trigger reset, and magazine function.
- **Use of Aftermarket Parts:** Be cautious when using aftermarket accessories, as SCT Manufacturing is not liable for any damage caused by their use.
- **Age Restrictions:** This product is not intended for use by individuals under the legal age for firearm ownership in your jurisdiction.
- **Vulnerable Groups:** Keep the product out of reach of children and individuals who may not understand firearm safety.

Instructions for Installation and Usage

1. Assemble the Frame:

- Ensure you have all components: SCT SC polymer frame, electroless nickel locking block, OEM trigger assembly, standard polymer magazine catch, magazine catch spring, steel trigger pin, steel locking block pin, standard OEM slide lock, slide lock coil spring, polymer trigger housing pin, OEM trigger housing with ejector, standard slide stop assembly, and polished 4.5 lb. electroless nickel trigger connector.

2. Function Testing:

- Once assembled, conduct a function test using a Glock factory slide to verify:
 - Safe operation
 - Striker engagement
 - Trigger pull and reset
 - Magazine function

3. Operational Use:

- Familiarize yourself with the frame's features, including:
 - Fully assembled with SCT SC frame with Glock OEM and SCT internals
 - Serrations and index point on trigger guard for recoil control
 - Ambidextrous mag release for versatile handling
 - Flared mag well for easier magazine changes
 - Larger trigger guard for better access when wearing gloves

4. Maintenance:

- Regularly clean the frame and inspect all components for wear and damage.
- Replace any damaged parts immediately.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearms and firearm components.
- Ensure that the firearm frame is rendered inoperable before disposal if it is no longer in use.

Contact Information for Further Support

For any questions or concerns regarding the SCT 43X Sub Compact Assembled Polymer Frame, please contact the manufacturer or a certified gunsmith for assistance.

Conclusion

Your safety and the safety of others is paramount. By following these guidelines and instructions, you can ensure the safe use of your SCT 43X Sub Compact Assembled Polymer Frame. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk