

# **LIBERTY II RMR 1X24MM REFLEX SIGHT - SWAMPFOX OPTICS**

## **LIBERTY II RMR 1X24MM 3 MOA RED DOT REFLEX SIGHT BLACK**

[Optics & Mounting](#) > [Electronic Sights](#) > [Reflex Sights](#)

Optimized for all purpose versatility, Liberty II features a 24mm window and modern body design to complement its universal RMR footprint. Choose between a red or green 3 MOA dot or new multi-reticle variant with four easy-to-switch reticle options. Liberty II offers 10 illumination setting for clear visibility in any light condition and utilizes Swampfox Shake N' Wake auto on/off functionality to conserve battery life for anytime readiness. Crafted from 7075-T6 aluminum, the optic body and hood have been enhanced to safeguard the upgraded internals and larger, recessed window. From home to the range and everywhere in between, Liberty II is an adaptable optic solution for any use and platform. **SPECIFICATIONS:** Reticle: 3 MOA Green / 3 MOA Red / Multi-Reticle Magnification: 1X Lens Diameter: 24mm Illumination: New LED with 1-10 Digital Button NV Compatible Waterproof: IPX 7 Rated Max Elevation / Windage Adjustment: 90 MOA Parallax: Parallax free @100 yards Battery Type: CR1632 3V Battery: 50,000 Hour Max Battery Life Lens Coating: Multi Coat/Hydrophobic/Anti Fog Lens Material: 7075 Aluminum Impact Resistance: 1500 G Forces



### **Attributes**

- Name: [SWAMPFOX OPTICS LIBERTY II RMR 1X24MM 3 MOA RED DOT REFLEX SIGHT BLACK](#)
- Manufacturer: [SWAMPFOX OPTICS](#)
- Product no.: 430108024
- Mfr. No.: LBT2124-3R
- Brightness Settings: 10 settings
- Finish: Black
- Mount: Direct
- Night Vision Compatible: Yes
- Night Vision Compatible: Yes
- Power Supply: (1) CR 1632 Lithium Battery
- Reticle: 3 MOA red dot
- Weight: 0.1 lbs
- Delivery weight: 0.181kg
- Shipping height: 127mm
- Shipping width: 95mm
- Shipping length: 83mm
- UPC: 889157002729

### **Item details**

US export classification: 0A504.c

# Table of Contents

- Startpage
- Safety Instruction Guide for LIBERTY II RMR 1X24MM REFLEX SIGHT
- About Us

# Safety Instruction Guide for LIBERTY II RMR 1X24MM REFLEX SIGHT

## Introduction

Thank you for choosing the LIBERTY II RMR 1X24MM Reflex Sight from Swampfox Optics. This guide provides essential safety instructions to ensure your safe use of the product. Please read and follow these guidelines carefully to maximize your experience and maintain safety.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the LIBERTY II Reflex Sight by following all instructions provided in this guide.
- **Enhanced Recalls:** Stay informed about product recalls. If notified, you must follow the instructions provided for returning or remedying the product.
- **Online Shopping:** If purchased online, ensure the retailer complies with safety regulations similar to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors to prevent accidents.
- **EU Contact Point:** For safety inquiries, please refer to the manufacturer's contact information provided with your product.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates regarding unsafe products.

## Specific Safety Precautions for Use

- **Proper Handling:** Always handle the reflex sight with care. Avoid dropping or striking it against hard surfaces.
- **Battery Safety:** Use only the specified CR1632 3V battery. Do not mix old and new batteries or different brands.
- **Moisture Exposure:** Although the LIBERTY II is waterproof (IPX 7 rated), avoid prolonged exposure to excessive moisture.
- **Cleaning:** Use a soft, lintfree cloth for cleaning the lens. Avoid using harsh chemicals or abrasive materials.
- **Mounting:** Ensure that the sight is securely mounted to your firearm according to the installation instructions to prevent accidents.
- **Use in Safe Environments:** Always use the sight in a safe environment and only in accordance with local laws and regulations.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded before installation.
- Follow the manufacturer's instructions for mounting the sight securely to your firearm.
- Confirm that the sight is aligned properly before use.

### 2. Usage:

- Familiarize yourself with the controls, including the illumination settings and reticle options.
- Adjust the brightness setting according to the lighting conditions for optimal visibility.
- Practice using the reflex sight in a safe environment before using it in the field.

### 3. Battery Installation:

- Open the battery compartment as per the instructions.
- Insert the CR1632 battery with the correct polarity.
- Close the battery compartment securely after installation.

## **Disposal Instructions**

- Dispose of the LIBERTY II Reflex Sight and its components in accordance with local regulations.
- For the battery, follow local guidelines for battery disposal or recycling.
- Do not dispose of electronic waste in regular trash. Use designated electronic waste recycling facilities.

## **Contact Information for Further Support**

For further support or inquiries regarding the LIBERTY II Reflex Sight, please refer to the manufacturer's contact information included with your product packaging.

By following these safety instructions, you can ensure a safe and enjoyable experience with your LIBERTY II RMR 1X24MM Reflex Sight. Always prioritize safety and responsible usage. Thank you for your attention to these guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)