

GLOCK® 43X/48 EXTENDED MAGAZINE RELEASES - TYRANT CNC EXTENDED MAGAZINE RELEASE FOR GLOCK 43X/48 GOLD

[Handgun Parts](#) > [Frame Parts](#) > [Magazine Release Parts](#) > [Magazine Releases](#)

An Extended Mag Release Built for the Glock G43X and G48

TYRANT CNC GLOCK® 43X/48 EXTENDED MAGAZINE RELEASES Some of the most recent introductions in the Glock® lineup are the Glock® G43X and the G48, which feature an enhanced, stagger-stack magazine construction to cram more rounds into a slim grip than ever before. However, even with the extended capacity, it's still critical to get your empty or malfunctioning mags clear of the gun when needed, and that's where the Tyrant Designs Extended Magazine Release comes in. Each Tyrant Designs Extended Magazine Release for the Glock® G43X/G48 is machined from aerospace-grade aluminum and is designed to blend easily with the contours and ergonomics of the Glock® platform. The enhanced design brings all of the reliable functioning of the OEM release, along with a few added extras designed to give you the edge in a fight. The Tyrant Designs Extended Magazine Release features raised, chamfered edges that allow the release to be activated positively in a fight. To further enhance engagement of the release, the surface of the unit features a chevron pattern that adds texture for definitive engagement. No tools are necessary for installation. NOTE: Manufacturer Warrantee does not cover use with metal magazines. DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: [TYRANT CNC EXTENDED MAGAZINE RELEASE FOR GLOCK 43X/48 GOLD](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430109393
- Mfr. No.: TD-43X-48E-GLD
- Finish: Gold
- Hand: -
- Model: 43X,48
- Weapon type: Glock
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 121mm
- Shipping length: 102mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GLOCK® 43X/48 Extended Magazine Releases](#)
- [About Us](#)

Safety Instruction Guide for GLOCK® 43X/48 Extended Magazine Releases

Introduction

Thank you for choosing the GLOCK® 43X/48 Extended Magazine Releases by TYRANT CNC. This guide provides essential safety instructions to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- **Product Safety:** Ensure safe use of all nonfood products, including new technologies and online purchases. This product is designed for the GLOCK 43X and GLOCK 48 models and must be used in accordance with the manufacturer's guidelines.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. If you receive a recall notice, follow the instructions provided for returning or replacing the product.
- **Online Shopping:** If purchased online, ensure that the platform meets safety requirements. Always buy from reputable sellers.
- **Special Consumer Focus:** Extra safeguards are in place for vulnerable groups. Keep this product out of reach of children.
- **EU Contact Point:** For safety inquiries, refer to the contact point provided by the retailer or manufacturer.
- **Rapid Alerts:** Check the EU Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the Extended Magazine Release is compatible with your GLOCK model (G43X or G48) before installation.
- **Inspection:** Before each use, inspect the magazine release for any signs of wear or damage. Do not use if damaged.
- **Safe Handling:** Always treat your firearm as if it is loaded. Follow all safety protocols when handling firearms.
- **Installation:** Follow the installation instructions carefully to avoid improper installation, which may lead to malfunction.
- **Training:** Familiarize yourself with the operation of the magazine release and practice safe firearm handling techniques.
- **Storage:** Store the product in a safe location, away from children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- No tools are necessary for installation.
- Ensure the firearm is unloaded before proceeding.
- Remove the existing magazine release from your GLOCK 43X or GLOCK 48.
- Align the Tyrant Designs Extended Magazine Release with the magazine release housing.
- Press firmly until the release clicks into place.

2. Usage:

- To release the magazine, press the Extended Magazine Release with your thumb or index finger.
- Practice using the magazine release in a safe environment to ensure familiarity with its operation.

3. PostInstallation Check:

- After installation, perform a function check to ensure the magazine release operates smoothly.
- Reinsert the magazine and ensure it locks securely in place.

Disposal Instructions

- When disposing of the Extended Magazine Release, follow local regulations for the disposal of metal products.
- Do not dispose of in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the GLOCK® 43X/48 Extended Magazine Releases, please refer to the contact information provided by the retailer or manufacturer.

By following these safety instructions, you can ensure a safe and effective experience with your GLOCK® 43X/48 Extended Magazine Releases. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk