

MOE TR MIL-SPEC CARBINE STOCK - MAGPUL MOE TR CARBINE STOCK MILSPEC OD GREEN

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

MOE TR MIL-SPEC CARBINE STOCK At only eight ounces, the MOE® Trigger Release (TR) is one of Magpul's lightest stocks. Thanks to its ambidextrous, textured Trigger Release adjustment mechanism, it's also one of the easiest for making LOP adjustments, as well as installing or removing the stock. The Trigger Release combines with a newly developed takedown lever that also makes the MOE TR stock Magpul's easiest stock to install and remove on your firearm. That means no more leveraging a high-tension spring to mount and remove your stock; the innovative, one-handed toolless takedown lever allows quick and easy installation and removal. It includes a "padlock" icon to indicate whether the stock is locked or unlocked. Once the lever is positioned in the "locked" position, it can't be removed from the receiver extension, ensuring it won't slide off when making LOP adjustments. The takedown lever is also partially recessed to minimize snagging while still permitting easy access to select it when necessary. For sling attachment, the TR includes ambidextrous M-LOK® slots on each side of rear of the stock that function as a footman's loop or a space to attach M-LOK QD Sling Mounts. **NEW TRIGGER RELEASE SLIDER MECHANISM** Ambidextrous sliding, textured, low-profile control trigger pulls double duty as a simple one-handed LOP adjustment lever, as well as allows for toolless installation and removal. **EASY INSTALLATION** A takedown lever on the bottom of the stock permits full retraction of the trigger so the stock can slide on and off the receiver extension with minimal effort. The takedown lever's position is indicated with a padlock icon showing the trigger's status for installation or LOP adjustment. **MINIMALIST, LIGHTWEIGHT DESIGN** One of the lightest MOE stocks created at only 8.0 ounces. **CUSTOMIZABLE** Compatible with Magpul ASAP®, ASAP® QD and other receiver-mount sling attachments. Rear ambidextrous M-LOK® slots function as a footman's loop for direct sling attachment, and can also accept optional M-LOK QD Sling Mounts for push-button swivels. Compatible with MOE SL® Enhanced Rubber Butt-Pad, 0.70" for additional LOP. **SPECIFICATIONS:** Platform - AR10, AR15, M4, M16, M110, SR25 Compatibility - Mil-Spec sized carbine receiver extension tube (not included) from manufacturers such as Colt, LMT, Ruger, S&W, SIG, and others* LOP, M4 Collapsed - ~10.5 in. LOP, M4 Extended - ~13.8 in. LOP Adjustment Range - 3.3 in. Length, max - 7.0 in. Height, max - 5.3 in. Weight - 8.0 oz. Weight, w/ receiver extension - ~11.8 oz. Width, max - 1.6 in.



Attributes

- Name: [MAGPUL MOE TR CARBINE STOCK MILSPEC OD GREEN](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 430110113
- Mfr. No.: MAG1444-ODG
- Colour: Olive Drab Green
- Material: Polymer
- Delivery weight: 0.318kg
- UPC: 840815148272

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- MOE TR MILSPEC CARBINE STOCK SAFETY INSTRUCTIONS
- About Us

MOE TR MILSPEC CARBINE STOCK SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MOE TR MILSPEC CARBINE STOCK by Magpul. This safety instruction guide is designed to ensure the safe and effective use of your new stock. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the firearm is unloaded before installing or removing the stock.
- Always handle firearms safely and responsibly, following all applicable laws and regulations.
- Use the stock only with compatible firearms as specified in the product specifications.
- Keep the stock out of reach of children and unauthorized users.
- Regularly inspect the stock for any signs of damage or wear. Do not use it if damaged.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Ensure that the takedown lever is in the "locked" position before use to prevent accidental removal.
 - Do not attempt to force the stock onto the receiver extension.
- **Adjustment Safety:**
 - Always ensure the firearm is pointed in a safe direction when making Length of Pull (LOP) adjustments.
 - Make adjustments slowly and carefully to avoid pinching fingers or causing injury.
- **Sling Attachment:**
 - Use only approved sling attachments and ensure they are securely fastened.
 - Regularly check the integrity of the sling attachment points.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Position the stock against the receiver extension.
- Pull the takedown lever to the "unlocked" position.
- Slide the stock onto the receiver extension until it is fully seated.
- Push the takedown lever to the "locked" position to secure the stock.
- Check that the stock is firmly attached by gently pulling it.

2. Usage:

- To adjust the Length of Pull (LOP), pull the trigger release lever while holding the stock.
- Slide the stock to the desired LOP and release the lever to secure it in place.
- Ensure the stock is locked in position before using the firearm.

3. Removal:

- Ensure the firearm is unloaded.
- Pull the takedown lever to the "unlocked" position.

- Slide the stock off the receiver extension.
- Store the stock in a safe place when not in use.

Disposal Instructions

- Dispose of the stock according to local regulations.
- If the stock is damaged beyond repair, recycle the materials where possible.
- Do not dispose of any parts in a manner that could pose a risk to the environment or public safety.

Contact Information for Further Support

For any inquiries regarding the MOE TR MILSPEC CARBINE STOCK, please refer to the manufacturer's contact information provided with the product packaging.

By following these safety instructions, you can ensure the safe operation and longevity of your MOE TR MILSPEC CARBINE STOCK. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk