

# HIGH TEMP CERAMIC THREADLOCKER - BROWNELLS THREADLOCKER, CERAMIC HIGH TEMP, 1.8ML TUBE

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Thread Locking Liquids](#)

**HIGH TEMP CERAMIC THREADLOCKER** The Brownells High Temp Ceramic Threadlocker is a specialized adhesive formulated to secure threaded fasteners exposed to extreme temperatures, accommodating a range from -60°F to 2000°F (-51°C to 1000°C). Key Features: Ceramic Formulation: Provides exceptional thermal stability, maintaining bond integrity under extreme heat conditions. Water-Based Cure: Cures through the evaporation of water, with exposure to temperatures over 230°F (110°C) accelerating fixture time. Extended Shelf Life: Offers up to a 24-month shelf life once opened, ensuring long-term usability. Specifications: Fixture Time: 2-6 hours at 72°F (22°C). Full Cure Time: 24 hours at 72°F (22°C). Temperature Range: -60° F to 2000° F / -51° C to 1000° C Container Size: 1.8ml Tube or 2 oz Bottle. Application Instructions: Surface Preparation: Ensure parts are clean, dry, and free from oil or grease. Application: Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part. Curing: Allow the coated parts to dry for 2-6 hours at 72°F (22°C). Exposure to temperatures over 230°F (110°C) will accelerate fixture time. Instructions for Use: Parts must be clean, dry and free from oil or grease. Brownells High Temp Ceramic Threadlocker cures through evaporation of water in order to build strength. Exposure to temperatures over 230° F (110°C) accelerates fixture time. Incorporating the Brownells High Temp Ceramic Threadlocker into your assembly process ensures that threaded components remain secure under extreme temperature conditions, enhancing the reliability and safety of your equipment.



## Attributes

- Name: [BROWNELLS THREADLOCKER, CERAMIC HIGH TEMP, 1.8ML TUBE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430110341
- Mfr. No.: 19902BROWN
- Color: -
- Size: 1.8 mL
- Delivery weight: 0.045kg
- Shipping height: 73mm
- Shipping width: 10mm
- Shipping length: 67mm
- UPC: 050806001381

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Consumer Safety Instruction Guide for High Temp Ceramic Threadlocker](#)
- [About Us](#)

# Consumer Safety Instruction Guide for High Temp Ceramic Threadlocker

## Introduction

Welcome to the safety instruction guide for the Brownells High Temp Ceramic Threadlocker. This product is designed to secure threaded fasteners exposed to extreme temperatures. To ensure safe and effective use, please read this guide carefully.

## General Safety Guidelines

- Always use the product in a wellventilated area to minimize inhalation of vapors.
- Keep the product out of reach of children and pets.
- Avoid contact with skin and eyes. In case of contact, rinse thoroughly with water.
- Do not use the product near open flames or high heat sources.
- Ensure proper storage in a cool, dry place away from direct sunlight.

## Specific Safety Precautions for Use

- **Hazard Identification:**
  - The product may cause irritation to skin and eyes.
  - Inhalation of vapors may cause respiratory irritation.
- **Avoiding Hazards:**
  - Always wear protective gloves and goggles when handling the product.
  - Do not eat, drink, or smoke while using the product.
  - If you experience any adverse reactions, discontinue use immediately and seek medical attention.

## Instructions for Installation and Usage

- **Surface Preparation:**
  - Ensure that all parts are clean, dry, and free from oil or grease before application.
- **Application:**
  - Apply the threadlocker to the threads, covering a length approximately 1.5 times the diameter of the part.
- **Curing:**
  - Allow the coated parts to dry for 26 hours at a temperature of 72°F (22°C).
  - Note that exposure to temperatures over 230°F (110°C) will accelerate fixture time.
- **Full Cure:**
  - The product will fully cure in 24 hours at a temperature of 72°F (22°C).

## **Disposal Instructions**

- Dispose of any unused product or empty containers in accordance with local regulations.
- Do not pour the product down the drain or into the environment.
- Check with local waste disposal facilities for specific guidelines on hazardous waste.

## **Contact Information for Further Support**

For any safety inquiries or assistance, please refer to the relevant authorities or the product's distributor for guidance. Always stay informed about product recalls and safety updates through official channels.

By following these guidelines, you can ensure the safe and effective use of the Brownells High Temp Ceramic Threadlocker while also adhering to the EU General Product Safety Regulation. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)