

AR-15 COMBAT RAIL T-SERIES FREE FLOAT HANDGUARD - MIDWEST INDUSTRIES, INC. AR-15 COMBAT T-SERIES 1-PC FREE FLOAT HANDGUARD 10" BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

FEATURES: 4140 Heat Treated Barrel Nut Barrel Nut and Wrench Included
Features Patented 4140 Heat Treated Torque Plate 6061 Aluminum Type 3 Hard Coat Anodized High Quality MIL-STD 1913 Picatinny rails, T-marked for accessory location Provides continuous monolithic look with full length upper rail Two Integral Anti-Rotation QD Sling Sockets 2.43" Tall, 2.15" Wide 1.3" Inside Diameter Fully Dehorned and Deburred 100% Made in USA- Keeps America Working MI Lifetime Warranty Installed Weight 7.25" - 9.5oz 9.25" - 11.4oz 9.50" - 11.8oz 10.00" - 12.3oz 12.625" - 14.6oz 14.0" - 16.0oz 15.0" - 17.0oz Optional Titanium Barrel Nut and Titanium Clamp Screws Available for Purchase IMPORTANT COMPATIBILITY NOTES! Due to the many different dimensions in BILLET UPPER RECEIVERS on the market, please contact your billet upper receiver manufacture to insure fit of this handguard. This handguard is compatible with standard forged upper receivers. NOT FOR USE ON GAS PISTON AR's!



Attributes

- Name: [MIDWEST INDUSTRIES, INC. AR-15 COMBAT T-SERIES 1-PC FREE FLOAT HANDGUARD 10" BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES, INC.](#)
- Product no.: 430111098
- Mfr. No.: MI-CRT10
- Colour: Black
- Length: 10"
- Material: Aluminum
- Type: Picatinny
- Weapon type: AR-15
- Delivery weight: 0.635kg
- Shipping height: 95mm
- Shipping width: 89mm
- Shipping length: 356mm
- UPC: 812102031093

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Combat Rail TSeries Free Float Handguard
- About Us

Safety Instruction Guide for AR15 Combat Rail TSeries Free Float Handguard

Introduction

Thank you for choosing the AR15 Combat Rail TSeries Free Float Handguard by Midwest Industries, Inc. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that all safety precautions are followed to avoid injury or damage.
- Always handle firearms and related accessories with care and responsibility.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the handguard for signs of wear or damage.
- Report any unsafe conditions or incidents to local authorities.

Specific Safety Precautions for Use

- **Compatibility:** This handguard is compatible with standard forged upper receivers. It is not suitable for use on gas piston ARs. Check compatibility with your specific upper receiver.
- **Installation:** Ensure that the installation is performed by a qualified gunsmith or experienced individual to avoid improper fitting.
- **Weight Consideration:** Be aware of the installed weight of the handguard. Ensure your firearm can accommodate the additional weight without affecting balance or handling.
- **Sling Usage:** Utilize the integral antirotation QD sling sockets correctly to prevent accidental detachment during use.
- **Heat Management:** Be cautious of heat buildup during prolonged firing sessions, which can affect the handguard and surrounding components.
- **Material Safety:** The handguard is made of aluminum and is anodized. Avoid exposing it to harsh chemicals or extreme environmental conditions that may degrade its integrity.

Instructions for Installation and Usage

1. Gather Required Tools:

- Barrel nut wrench (included)
- Torque wrench (recommended)
- Allen wrench (if necessary for specific models)

2. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the existing handguard according to the manufacturer's instructions.

3. Install the Barrel Nut:

- Position the barrel nut onto the upper receiver.
- Use the barrel nut wrench to tighten the barrel nut to the manufacturer's specifications. Ensure it is secure but do not overtighten.

4. Attach the Handguard:

- Align the handguard with the barrel nut.
- Slide the handguard into place and secure it according to the included instructions.

5. Check for Stability:

- Ensure that the handguard is firmly attached and does not move when pulled or pushed.
- Confirm that the QD sling sockets are accessible and functional.

6. Final Inspection:

- Inspect the installation for any gaps or misalignments.
- Ensure that all components are secured and functioning properly before use.

Disposal Instructions

- When disposing of the handguard, follow local regulations for the disposal of aluminum materials.
- Recycle the product if possible, or dispose of it in accordance with local waste management guidelines.

Contact Information for Further Support

For further assistance, please refer to the manufacturer's website or contact their customer service department. Ensure you have your product details and any relevant information available when seeking support.

Thank you for your attention to safety. Enjoy your AR15 Combat Rail TSeries Free Float Handguard responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk