

FLUTED MATCH GRADE BARRELS FOR GLOCK® - BARREL FOR GLOCK 43 FLUTED BLACK 9MM 1/2-28 THREADS

MADE IN USA FLUTED MATCH GRADE BARRELS FOR GLOCK® 17, 19, 43
Our Fluted Match-Grade Barrel for the Glock® pistols is an excellent replacement for a shot-out factory barrel or for upgrading the factory barrel. Each Brownells Fluted Match-Grade Barrel is machined from hardened 416R stainless steel to precise dimensions. The extra-hard Black Nitride finish resists surface wear and corrosion that might try to challenge the stainless steel. This 9mm Luger (9x19mm) chambered barrel is button-rifled with standard, 1-10" right-hand twist. 430111192 and 430111193 fits Glock® 17 Gen 1 thru Gen 4 430111194 and 430111195 fits Glock® 19 Gen 1 thru Gen 5 430111196 and 430111197 fits Glock® 43 Button-rifled 1-10" twist 416R stainless steel Non-reflective Black Nitride anti-corrosion finish Threaded model available with 1/2"-28 tpi threads Available Glock® slide options 430111186, 430111187, 430111188, 430111189, 430111190, 430111191 DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or Glock®Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or Glock®Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of Glock®pistols, parts, or components. For genuine GLOCK, Inc. and Glock®Ges.m.b.H. products and parts visit www.Glock®.com.



Attributes

- Name: BARREL FOR GLOCK 43 FLUTED BLACK 9MM 1/2-28 THREADS
- Manufacturer: BROWNELLS
- Product no.: 430111197
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 43
- Style: Threaded
- UPC: 050806002166

Item details

Made in USA
US export classification: 0A501.c

Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für Fluted Match Grade Läufe für Glock® 43
- English: Safety Instruction Guide for Fluted Match Grade Barrels for Glock® 43

Sicherheitshinweise für Fluted Match Grade Läufe für Glock® 43

Einführung

Vielen Dank, dass Sie sich für den Fluted Match Grade Lauf für Ihre Glock® 43 entschieden haben. Diese Anleitung bietet Ihnen wichtige Informationen über die sichere Verwendung, Installation und Entsorgung des Produkts. Bitte lesen Sie die folgenden Hinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv nutzen.

Allgemeine Sicherheitshinweise

- Verwenden Sie das Produkt nur in Übereinstimmung mit den Anweisungen des Herstellers.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie regelmäßig das Produkt auf sichtbare Schäden oder Abnutzung.
- Bei Anzeichen von Beschädigung verwenden Sie das Produkt nicht und wenden Sie sich an einen Fachmann.
- Informieren Sie sich über lokale Gesetze und Vorschriften zur Verwendung von Feuerwaffen und deren Zubehör.
- Melden Sie unsichere Produkte oder Vorfälle den zuständigen Behörden.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Vergewissern Sie sich, dass die Waffe vor der Installation des Laufs entladen ist.
- Tragen Sie beim Umgang mit Waffen immer geeignete Schutzausrüstung, einschließlich Schutzbrille und Gehörschutz.
- Stellen Sie sicher, dass alle Teile ordnungsgemäß montiert sind, bevor Sie die Waffe verwenden.
- Verwenden Sie nur die empfohlenen Munitionstypen (9 mm Luger) mit diesem Lauf.
- Achten Sie darauf, dass der Lauf nicht überhitzt, insbesondere bei wiederholtem Schießen.

Anweisungen für Installation und Nutzung

Installation des Laufs

1. Vorbereitung:

- Stellen Sie sicher, dass Sie alle benötigten Werkzeuge zur Hand haben.
- Überprüfen Sie, ob der Lauf und die Waffe unbeschädigt sind.

2. Waffe entladen:

- Entfernen Sie das Magazin und überprüfen Sie, ob die Kammer leer ist.

3. Abnahme des alten Laufs:

- Lösen Sie die Schrauben, die den alten Lauf an der Waffe befestigen.
- Entfernen Sie den alten Lauf vorsichtig.

4. Einbau des neuen Laufs:

- Setzen Sie den Fluted Match Grade Lauf in die Halterung ein.
- Ziehen Sie die Schrauben gleichmäßig an, um eine sichere Befestigung zu gewährleisten.

5. Überprüfung:

- Überprüfen Sie, ob der neue Lauf fest sitzt und keine sichtbaren Lücken aufweist.

Nutzung des Laufs

- Nach der Installation können Sie die Waffe wie gewohnt verwenden.
- Achten Sie darauf, regelmäßig Wartungsarbeiten durchzuführen, um die Leistung des Laufs zu gewährleisten.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Bringen Sie den Lauf nicht in die Umwelt oder in den normalen Hausmüll.
- Informieren Sie sich über spezielle Sammelstellen für Waffen und Waffenzubehör.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder bei Fragen zur Sicherheit Ihres Produkts wenden Sie sich bitte an den Kundenservice des Herstellers oder den Fachhändler, bei dem Sie das Produkt erworben haben.

Bitte beachten Sie, dass der Hersteller keine Verantwortung für unsachgemäße Verwendung oder Modifikationen des Produkts übernimmt. Halten Sie sich immer an die geltenden Sicherheitsrichtlinien und gesetzlichen Bestimmungen.

Safety Instruction Guide for Fluted Match Grade Barrels for Glock® 43

Introduction

Thank you for choosing the Fluted Match Grade Barrel for your Glock® 43. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain your barrel properly.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store your firearm and ammunition separately and securely.
- Ensure you are familiar with local laws regarding firearm ownership and use.
- Always use appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure a clear backstop when shooting.
- Regularly inspect your firearm for any signs of wear or damage.

Specific Safety Precautions for Use

- Ensure the barrel is compatible with your Glock® model before installation.
- Only use ammunition that is recommended for the Glock® 43, specifically 9mm Luger (9x19mm).
- Do not modify the barrel or firearm in any way that could compromise safety.
- If you notice any unusual sounds, malfunctions, or excessive wear, cease use immediately and consult a qualified gunsmith.
- Always follow the manufacturer's instructions for installation and usage.
- Keep this product out of reach of children and unauthorized users.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory barrel from your Glock® 43 by following the manufacturer's instructions.
- Insert the Fluted Match Grade Barrel into the slide, ensuring it is seated properly.
- Reassemble the firearm according to the Glock® assembly instructions.
- Check that the barrel is securely in place before use.

2. Usage

- Load the firearm with the appropriate 9mm Luger ammunition.
- Perform a function check to ensure the firearm operates correctly.
- When firing, maintain a proper grip and stance.
- After use, clean the barrel and firearm according to the manufacturer's recommendations.

Disposal Instructions

- Dispose of any used or damaged barrels in accordance with local regulations.
- Do not dispose of firearms or firearm components in regular trash.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For questions regarding safety or product support, please contact the manufacturer or a qualified firearms specialist. Ensure you have your product details available for reference.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your Fluted Match Grade Barrel for Glock® 43. Always prioritize safety and remain informed about best practices for firearm use. Thank you for your attention to these important guidelines.