

COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19® - COMPLETE SLIDE ASSEMBLY WITH THREADED BARREL FOR GLOCK 19

Complete, Fully Assembled Feature-Rich "Top Half" With Threaded & Ported Barrel Options Top off your next custom pistol build or upgrade with our Complete RMR Slide Assembly for Glock® 19 Gen3, available in three configurations. You can get your slide with a premium match-quality barrel, a ½"-28 tpi threaded barrel to accept a sound suppressor, or with a ported barrel that vents through a window in the top of the slide to counteract muzzle rise and help you keep the sights on the target for subsequent shots. This eliminates the need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. These slides come fully assembled with the barrel and all the internal small parts installed, making this RMR Slide the ideal upgrade for your factory Glock® 19 Gen3 pistol or the perfect "top half" for a brand-new custom gun built on a compatible frame from another manufacturer. It features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight reinforced polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or a backup "iron" sights when paired with a red dot sight. Fits Gen3 Glock® 19 pistols & clones Comes COMPLETE with barrel, front & rear sights, and small parts installed Built-in mounting slot for reflex sights with the Trijicon RMR footprint Optic slot cover plate & recoil spring assembly also included Slide machined from 416 stainless steel billet, with a Black Nitride finish Choice of Solid top slide with standard barrel or ½"-28 tpi threaded barrel, OR distinctive top Window slide with ported/compensated barrel Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, with a tough, extremely wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. The match-quality barrel is machined from premium 416R stainless steel alloy. The muzzle of the threaded barrel has standard ½"-28 tpi threads. The ported barrel has eight ports angled to provide just the right counterforce to muzzle rise. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirrored set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. We'll admit it: these serrations just look cool, too! Whether you're assembling a custom pistol to meet specific needs, or you're upgrading a factory Glock 19 for enhanced performance and versatility, a Brownells complete slide assembly helps you complete your project quickly and easily! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



Attributes

- Name: COMPLETE SLIDE ASSEMBLY WITH THREADED BARREL FOR GLOCK 19
- Manufacturer: BROWNELLS
- Product no.: 430111297
- Mfr. No.: G19-SATB
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 19
- Sights: RMR
- Style: Kit
- Delivery weight: 0.454kg
- UPC: 050806001510

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Complete Slide Assemblies for Glock 19](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per l'Assemblaggio Completo del Carrello per Glock 19](#)
- [Svenska: Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 19](#)

Safety Instruction Guide for Complete Slide Assemblies for Glock 19

Introduction

Thank you for choosing the Complete Slide Assembly for Glock 19. This product is designed to enhance your firearm's performance and versatility. However, it is essential to understand the safety guidelines and precautions to ensure safe and effective use. This guide provides comprehensive safety instructions in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Store your firearm and components in a secure location, out of reach of children and unauthorized users.
- Ensure you are familiar with local laws and regulations regarding firearm ownership and modifications.
- Inspect the slide assembly for any visible damage before installation and use. Do not use if damaged.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Never point your firearm at anything you do not intend to shoot.
- Ensure that your firearm is unloaded when assembling or disassembling components.

Specific Safety Precautions for Use

- Only use the Complete Slide Assembly with Glock 19 Gen3 pistols and compatible aftermarket frames.
- Ensure that the barrel is properly installed and secured before use.
- Be aware of the threaded barrel's compatibility with sound suppressors and ensure that they are correctly attached.
- When using the ported barrel, understand that it may produce more noise and muzzle blast than a standard barrel.
- Regularly check the mounting slot for reflex sights to ensure it is secure and free from obstructions.
- If using a red dot sight, ensure it is properly mounted and zeroed before shooting.
- Maintain a safe distance from others when firing, especially when using ported barrels.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a channel liner installation tool (recommended: #777100017).

2. Installation:

- Remove the factory slide from your Glock 19 Gen3.
- Install the channel liner into the slide assembly using the recommended tool.
- Attach the Complete Slide Assembly to the frame, ensuring it is aligned correctly.
- Secure the barrel and ensure it is locked in place.

3. Usage:

- Load your firearm only when ready to shoot.
- After loading, check the function of the slide and sights.
- Fire in a safe area, away from people and structures.

4. Maintenance:

- Regularly clean and lubricate the slide assembly according to the manufacturer's instructions.
- Inspect the barrel and slide for wear or damage after each use.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not dispose of firearms or firearm components in regular household waste.
- Contact a local waste management facility for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Complete Slide Assembly for Glock 19, please refer to the manufacturer's contact details provided with your product.

By following these safety guidelines and instructions, you can ensure safe and effective use of your Complete Slide Assembly for Glock 19. Thank you for prioritizing safety and responsible firearm ownership.

Guida alle Istruzioni di Sicurezza per l'Assemblaggio Completo del Carrello per Glock 19

Introduzione

Grazie per aver scelto l'Assemblaggio Completo del Carrello per Glock 19 di Brownells. Questo prodotto è progettato per migliorare le prestazioni e la versatilità della tua pistola. È fondamentale seguire attentamente le istruzioni di sicurezza e utilizzo per garantire un'esperienza sicura e soddisfacente.

Linee Guida Generali di Sicurezza

- Assicurati di leggere e comprendere tutte le istruzioni prima di utilizzare il prodotto.
- Conserva queste istruzioni in un luogo sicuro per future consultazioni.
- Utilizza il prodotto solo per gli scopi previsti e in conformità con le leggi locali.
- Controlla regolarmente il prodotto per eventuali segni di usura o danni.
- Non utilizzare il prodotto se presenta difetti o danni visibili.
- Tieni il prodotto lontano dalla portata dei bambini e di persone vulnerabili.

Precauzioni di Sicurezza Specifiche per l'Uso

- Indossa sempre occhiali protettivi e protezioni per le orecchie durante l'uso della pistola.
- Non puntare mai la pistola verso persone o animali, anche se pensi che sia scarica.
- Assicurati che la pistola sia scarica prima di effettuare qualsiasi manutenzione o installazione.
- Non modificare il prodotto in alcun modo che possa compromettere la sua integrità o sicurezza.
- Segui tutte le istruzioni relative al montaggio e all'uso della canna filettata e dei soppressori.

Istruzioni per l'Installazione e l'Uso

Installazione

1. **Preparazione:** Assicurati che la pistola sia completamente scarica. Rimuovi il caricatore e controlla la camera.
2. **Montaggio del Carrello:** Posiziona il carrello sul telaio della pistola, allineando i fori di montaggio.
3. **Fissaggio:** Utilizza le viti fornite per fissare il carrello al telaio. Segui le specifiche di coppia raccomandate per evitare danni.
4. **Installazione della Canna:** Inserisci la canna nell'apposito alloggiamento e assicurati che sia ben fissata.
5. **Montaggio dei Mirini:** Se necessario, installa i mirini anteriori e posteriori secondo le istruzioni specifiche incluse nel pacchetto.

Uso

- Prima di utilizzare la pistola, verifica che tutti i componenti siano correttamente installati e funzionanti.
- Effettua un controllo di sicurezza prima di ogni utilizzo, assicurandoti che non ci siano ostruzioni e che il meccanismo funzioni correttamente.
- Utilizza solo munizioni compatibili con il calibro 9 mm Luger.

Istruzioni per lo Smaltimento

- Non gettare il prodotto insieme ai rifiuti domestici. Segui le normative locali per lo smaltimento di prodotti di armamento e accessori.
- Porta il prodotto presso un centro di raccolta autorizzato per il corretto smaltimento.

Informazioni di Contatto per Ulteriore Supporto

Per quesiti o ulteriori informazioni sulla sicurezza del prodotto, ti invitiamo a contattare il tuo rivenditore locale o a consultare il sito web ufficiale di Brownells. Assicurati di avere il numero di modello e altre informazioni pertinenti a portata di mano.

Nota Importante

Si prega di notare che l'assemblaggio del carrello richiede un rivestimento del canale, che deve essere installato con uno strumento specifico. Raccomandiamo l'uso del #777100017 per una corretta installazione.

Seguendo queste istruzioni di sicurezza, puoi garantire un utilizzo sicuro e responsabile del tuo Assemblaggio Completo del Carrello per Glock 19.

Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 19

Introduktion

Tack för att du har valt Brownells COMPLETE SLIDE ASSEMBLY för din Glock 19. Denna produkt är designad för att förbättra prestandan och mångsidigheten hos din pistol. För att säkerställa en säker och korrekt användning av produkten följer här viktiga säkerhetsinstruktioner och riktlinjer.

Allmänna säkerhetsriktlinjer

- Använd alltid produkten i enlighet med tillverkarens anvisningar.
- Kontrollera produkten regelbundet för tecken på slitage eller skador.
- Förvara produkten på en säker plats, utom räckhåll för barn och andra obehöriga.
- Rapportera alla osäkra produkter eller incidenter till relevanta myndigheter.
- Håll dig informerad om eventuella återkallelser genom att besöka EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd skyddsglasögon och hörselskydd när du hanterar eller skjuter med pistolen.
- Se till att pistolen är avsäkrad innan du utför några justeringar eller installationer.
- Undvik att rikta pistolen mot andra människor eller djur, även om den är avsäkrad.
- Använd endast ammunition som är kompatibel med Glock 19 och den specifika slide assembly.
- Följ alltid lokala lagar och förordningar gällande vapenhantering och användning.

Instruktioner för installation och användning

1. Förberedelse av produkten:

- Kontrollera att alla delar är kompletta och i gott skick.
- Läs igenom installationsmanualen noggrant innan du påbörjar installationen.

2. Installation av slide assembly:

- Ta bort den befintliga slidan från din Glock 19 enligt tillverkarens anvisningar.
- Montera den nya slide assembly genom att följa stegen nedan:
 - Placera slidan på ramens spår.
 - Se till att alla interna delar är korrekt installerade.
 - Kontrollera att slidan glider smidigt på ramen.
- Använd ett kanalfoder för att säkerställa en korrekt passform. (Rekommenderat verktyg: #777100017)

3. Användning av pistolen:

- Efter installation, kontrollera att alla funktioner fungerar korrekt.
- Utför en säkerhetskontroll innan varje skjutning, inklusive att kontrollera att det inte finns några hinder i loppet.

Avfallshantering

- Avlägsna alla delar av produkten på ett miljövänligt sätt.
- Följ lokala föreskrifter för avfallshantering av vapenrelaterade produkter.
- Kontakta din lokala avfallshandlingsmyndighet för råd om hur du ska hantera oönskade eller skadade delar.

Kontaktinformation för ytterligare stöd

För frågor eller ytterligare support, vänligen hänvisa till den information som tillhandahålls av tillverkaren. Se till att alltid ha tillgång till korrekt och aktuell information.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en trygg och effektiv användning av din Brownells COMPLETE SLIDE ASSEMBLY för Glock 19. Tack för att du prioriterar säkerheten!