

COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19® - COMPLETE WINDOW SLIDE ASSEMBLY W/PORTED BARREL FOR GLOCK 19

Complete, Fully Assembled Feature-Rich "Top Half" With Threaded & Ported Barrel Options Top off your next custom pistol build or upgrade with our Complete RMR Slide Assembly for Glock® 19 Gen3, available in three configurations. You can get your slide with a premium match-quality barrel, a ½"-28 tpi threaded barrel to accept a sound suppressor, or with a ported barrel that vents through a window in the top of the slide to counteract muzzle rise and help you keep the sights on the target for subsequent shots. This eliminates the need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. These slides come fully assembled with the barrel and all the internal small parts installed, making this RMR Slide the ideal upgrade for your factory Glock® 19 Gen3 pistol or the perfect "top half" for a brand-new custom gun built on a compatible frame from another manufacturer. It features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight reinforced polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or a backup "iron" sights when paired with a red dot sight. Fits Gen3 Glock® 19 pistols & clones Comes COMPLETE with barrel, front & rear sights, and small parts installed Built-in mounting slot for reflex sights with the Trijicon RMR footprint Optic slot cover plate & recoil spring assembly also included Slide machined from 416 stainless steel billet, with a Black Nitride finish Choice of Solid top slide with standard barrel or ½"-28 tpi threaded barrel, OR distinctive top Window slide with ported/compensated barrel Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, with a tough, extremely wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. The match-quality barrel is machined from premium 416R stainless steel alloy. The muzzle of the threaded barrel has standard ½"-28 tpi threads. The ported barrel has eight ports angled to provide just the right counterforce to muzzle rise. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirrored set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. We'll admit it: these serrations just look cool, too! Whether you're assembling a custom pistol to meet specific needs, or you're upgrading a factory Glock 19 for enhanced performance and versatility, a Brownells complete slide assembly helps you complete your project quickly and easily! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



Attributes

- Name: COMPLETE WINDOW SLIDE ASSEMBLY W/PORTED BARREL FOR GLOCK 19
- Manufacturer: BROWNELLS
- Product no.: 430111298
- Mfr. No.: G19-SAPB
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 19
- Sights: RMR
- Style: Assembled
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 213mm
- UPC: 050806001527

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19](#)
- [Italiano: Guida alla Sicurezza per l'Assemblaggio Completo Slide per Glock 19](#)
- [Svenska: Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 19®](#)

Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 19

Introduction

Thank you for purchasing the Complete Slide Assemblies for Glock 19. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock 19 and its components before using the slide assembly.
- Always handle firearms with care and treat them as if they are loaded, even when you believe they are not.
- Keep your firearm and its components out of reach of children and unauthorized users.
- Wear appropriate eye and ear protection when using firearms.
- Regularly inspect your slide assembly and firearm for any signs of wear or damage.
- If you notice any irregularities or malfunctions, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Do not attempt to modify the slide assembly or any of its components. Unauthorized modifications can lead to malfunctions and unsafe conditions.
- Ensure that the slide assembly is compatible with your specific Glock 19 model (Gen3). Using incompatible parts can lead to serious injury or damage.
- When using a threaded barrel, ensure that any attachments, such as sound suppressors, are securely fastened before use.
- Be aware that the ported barrel may produce increased noise and muzzle flash compared to standard barrels.
- Always ensure that the firearm is pointed in a safe direction when loading, unloading, or handling.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and the magazine is removed.
- Remove the factory slide from the Glock 19 according to the manufacturer's instructions.
- Align the Complete Slide Assembly with the frame of the Glock 19.
- Carefully slide the assembly onto the frame until it is fully seated.
- Ensure that all components are properly installed and functioning before use.

2. Usage:

- Load the firearm according to the manufacturer's instructions.
- Always check that the firearm is in a safe condition before handling.
- Aim in a safe direction and be mindful of your surroundings while using the firearm.
- After use, clean the slide assembly and inspect for any wear or damage.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not dispose of firearms or firearm components in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding your Complete Slide Assembly, please refer to the manufacturer's website or contact their customer service directly.

Thank you for choosing the Complete Slide Assemblies for Glock 19. Adhering to these safety guidelines will help ensure a safe and enjoyable experience with your firearm.

Guida alla Sicurezza per l'Assemblaggio Completo Slide per Glock 19

Introduzione

Grazie per aver scelto l'Assemblaggio Completo Slide per Glock 19 di Brownells. Questo prodotto è progettato per migliorare le prestazioni della tua pistola e garantire un utilizzo sicuro. Questa guida fornisce istruzioni importanti per garantire la sicurezza durante l'uso, l'installazione e lo smaltimento del prodotto.

Linee Guida Generali sulla Sicurezza

- Prima di utilizzare il prodotto, leggere attentamente tutte le istruzioni e le avvertenze.
- Conservare queste istruzioni in un luogo sicuro per future consultazioni.
- Assicurarsi che il prodotto sia utilizzato solo da adulti responsabili e in conformità con le leggi locali sulla detenzione e l'uso delle armi.
- Non utilizzare il prodotto se presenta segni di danno o usura.
- Segnalare eventuali prodotti non sicuri o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizzare sempre occhiali protettivi e protezioni per le orecchie durante l'uso della pistola.
- Assicurarsi che l'arma sia scarica prima di eseguire qualsiasi operazione di installazione o manutenzione.
- Non puntare mai l'arma verso se stessi o altre persone, anche se si presume che sia scarica.
- Verificare che il sistema di montaggio del mirino sia sicuro prima di utilizzare il prodotto.
- Non modificare il prodotto in alcun modo, poiché ciò potrebbe compromettere la sicurezza e le prestazioni.

Istruzioni per l'Installazione e l'Uso

1. Preparazione:

- Assicurarsi che l'area di lavoro sia pulita e priva di distrazioni.
- Rimuovere l'arma dalla fondina e controllare che sia scarica.

2. Installazione del Slide:

- Rimuovere il vecchio slide dalla pistola seguendo le istruzioni del produttore.
- Posizionare il nuovo Assemblaggio RMR Slide sul telaio della Glock 19.
- Assicurarsi che il slide sia allineato correttamente e che tutti i componenti siano installati in modo sicuro.
- Utilizzare una piastra di copertura se non si sta montando un mirino reflex.

3. Controllo PostInstallazione:

- Dopo l'installazione, controllare che il sistema di montaggio del mirino sia sicuro.
- Eseguire un controllo funzionale per assicurarsi che il meccanismo di sparo funzioni correttamente.

4. Uso della Pistola:

- Seguire sempre le procedure di sicurezza standard durante l'uso della pistola.
- Utilizzare solo munizioni compatibili con la Glock 19 e il nuovo slide.

Istruzioni per lo Smaltimento

- Smaltire il prodotto in conformità con le normative locali riguardanti i materiali di scarto.
- Non gettare il prodotto in contenitori per rifiuti domestici se contiene parti metalliche o materiali pericolosi.
- Considerare il riciclaggio delle parti in acciaio inossidabile quando possibile.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori domande o supporto, contattare il rivenditore presso il quale è stato acquistato il prodotto o visitare il sito web ufficiale di Brownells per risorse aggiuntive.

Conclusione

Seguendo queste linee guida sulla sicurezza, puoi garantire un utilizzo sicuro e efficace dell'Assemblaggio Completo Slide per Glock 19. Ricorda sempre di rispettare le leggi locali e di adottare pratiche di sicurezza responsabili.

Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 19®

Introduktion

Tack för att du valt vår COMPLETE SLIDE ASSEMBLIES för Glock 19. Denna produkt är designad för att förbättra prestanda och användarvänlighet i din pistol. För att säkerställa en säker och effektiv användning av produkten, vänligen läs igenom dessa säkerhetsinstruktioner noggrant.

Allmänna säkerhetsriktlinjer

- Använd alltid produkten i enlighet med tillverkarens anvisningar.
- Kontrollera att produkten är i gott skick och fri från skador innan användning.
- Förvara produkten utom räckhåll för barn och andra otillåtna användare.
- Rapportera eventuella skador eller defekter på produkten till återförsäljaren.
- Håll dig informerad om eventuella återkallelser via EU:s Safety Gateplattform.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsglasögon och hörselskydd vid skjutning.
- Kontrollera att vapnet är avstängt och att inga patroner är laddade innan du installerar eller hanterar slidan.
- Använd produkten endast med kompatibla Glock 19 Gen3pistoler och kloner.
- Följ alltid lokala lagar och förordningar gällande vapen användning.

Instruktioner för installation och användning

1. Installation av slidan:

- Ta bort den gamla slidan från din Glock 19 Gen3.
- Placera den nya slidan på pistolen och se till att den sitter ordentligt.
- Kontrollera att alla interna smådelar är korrekt installerade.
- Om du använder en reflexikte, följ installationsanvisningarna för att montera den på den inbyggda monteringsloten.

2. Användning av slidan:

- Säkerställ att vapnet är korrekt laddat med ammunition av rätt kaliber (9 mm Luger).
- Följ alltid säkerhetsrutiner för skjutning och hantering av vapen.
- Använd den inbyggda täcksplåten om du inte monterar en rödpunktssikte.

3. Underhåll:

- Rengör slidan regelbundet för att säkerställa optimal funktion.
- Inspektera slidan och löpet för slitage och skador före varje användning.
- Smörj rörliga delar enligt tillverkarens rekommendationer.

Avfallshanteringsinstruktioner

- Kasta inte produkten eller dess delar i hushållsavfall.
- Följ lokala riktlinjer för avfallshantering av vapenrelaterade produkter.
- Kontakta din lokala avfallshanteringsmyndighet för information om korrekt avfallshantering.

Kontaktinformation för vidare support

För frågor eller ytterligare support, vänligen kontakta din återförsäljare eller besök tillverkarens webbplats för mer information.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en säker och effektiv användning av din COMPLETE SLIDE ASSEMBLY för Glock 19. Tack för ditt förtroende för vår produkt!

