

SLIDES WITH RMR CUT FOR GLOCK 19® - BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

Optic-Ready Enhanced Slide With Unique Ergonomic & Performance Upgrades

The Brownells RMR Slide for Glock® 19 Gen3 pistols is the ideal upgrade for your factory G19 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 19 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 19, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. Fits Gen3 Glock® 19 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Factory front/rear iron sights installed Optic slot cover plate & recoil spring assembly also included Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 19 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT
- Manufacturer: BROWNELLS
- Product no.: 430111305
- Mfr. No.: G19-SA
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 19
- Sights: RMR
- Style: Stripped
- Delivery weight: 0.454kg
- UPC: 050806001596

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den SLIDES WITH RMR CUT FÜR GLOCK 19® BROWNELLS SLIDE ASSEMBLY](#)
- [English: Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BRN SLIDE ASSEMBLY](#)
- [Italiano: Istruzioni di Sicurezza per il Prodotto](#)

Sicherheitshinweise für den SLIDES WITH RMR CUT FÜR GLOCK 19® BROWNELLS SLIDE ASSEMBLY

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des SLIDES WITH RMR CUT FÜR GLOCK 19® BROWNELLS SLIDE ASSEMBLY. Dieses Produkt ist speziell für die Verwendung mit Glock® 19 Gen3 Pistolen konzipiert und bietet zahlreiche Vorteile. Um eine sichere Nutzung zu gewährleisten, ist es wichtig, die folgenden Sicherheitshinweise und Anweisungen zu beachten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du das Produkt gemäß den Anweisungen verwendest, um Verletzungen oder Schäden zu vermeiden.
- Überprüfe regelmäßig den Zustand des Schlittens und der Waffe, um sicherzustellen, dass alles ordnungsgemäß funktioniert.
- Halte das Produkt und alle zugehörigen Teile außerhalb der Reichweite von Kindern.
- Achte darauf, dass alle Sicherheitsvorkehrungen beachtet werden, insbesondere beim Umgang mit Feuerwaffen.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwende den Schlitten nur mit kompatiblen Glock® 19 Gen3 Pistolen. Die Verwendung mit anderen Modellen kann zu Fehlfunktionen führen.
- Montiere das ReflexRedDotVisier gemäß den Anweisungen des Herstellers, um eine sichere und stabile Verbindung zu gewährleisten.
- Verwende die im Lieferumfang enthaltene PolymerAbdeckplatte, wenn kein RedDotVisier montiert ist, um den Schlitz zu schließen.
- Achte darauf, dass der Schlitten vor der Nutzung ordnungsgemäß montiert und gesichert ist.
- Vermeide es, den Schlitten während des Gebrauchs zu manipulieren, um unbeabsichtigte Schüsse zu verhindern.

Anweisungen für Installation und Nutzung

1. Vorbereitung:

- Stelle sicher, dass die Waffe entladen ist, bevor du mit der Installation beginnst.
- Überprüfe alle Teile auf Beschädigungen oder Mängel.

2. Installation des Schlittens:

- Entferne den alten Schlitten von deiner Glock® 19 Gen3.
- Setze den Brownells RMR Schlitten auf den Rahmen und achte darauf, dass er richtig sitzt.
- Ziehe die Schrauben fest, um sicherzustellen, dass der Schlitten sicher montiert ist.

3. Montage des ReflexRedDotVisiers:

- Befolge die Anweisungen des Herstellers des RedDotVisiers für die Montage.
- Stelle sicher, dass das Visier fest sitzt und keine Bewegung aufweist.

4. Überprüfung:

- Überprüfe vor jedem Gebrauch, ob der Schlitten und das Visier ordnungsgemäß montiert sind.
- Führe einen Funktionstest durch, um sicherzustellen, dass alles einwandfrei funktioniert.

Entsorgungsanweisungen

- Entsorge alle Verpackungsmaterialien und Teile gemäß den örtlichen Vorschriften für die Abfallentsorgung.
- Achte darauf, dass alle nicht mehr benötigten Teile sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder bei Fragen zu diesem Produkt wende dich bitte an den Hersteller oder einen autorisierten Fachhändler. Achte darauf, alle Sicherheitsrichtlinien zu befolgen und bei Unsicherheiten professionelle Hilfe in Anspruch zu nehmen.

Bitte beachte, dass die Sicherheit deiner Waffe und der Umgang mit ihr von höchster Bedeutung sind. Halte dich an die Anweisungen und Sicherheitsrichtlinien, um ein sicheres und effektives Schießen zu gewährleisten.

Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BRN SLIDE ASSEMBLY

Introduction

Thank you for choosing the SLIDES WITH RMR CUT FOR GLOCK 19® BRN SLIDE ASSEMBLY. This product is designed for use with Glock® 19 Gen3 pistols and provides enhanced performance and versatility. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure the product is compatible with your firearm model before installation.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is unloaded before beginning installation.
 - Use appropriate tools and follow the installation instructions carefully.
 - Do not force any components together; they should fit together smoothly.
- **Operational Precautions:**
 - Always check the chamber to confirm it is clear before handling.
 - When using a reflex sight, ensure it is securely mounted and properly zeroed.
 - Be aware of your surroundings and ensure a safe shooting environment.
- **Maintenance Precautions:**
 - Clean the slide and firearm regularly to prevent malfunctions.
 - Avoid using harsh chemicals that may damage the slide's finish.
 - Store the firearm and slide in a secure location when not in use.

Instructions for Installation and Usage

1. Installation:

- Remove the factory slide from your Glock® 19 Gen3 pistol.
- Align the Brownells RMR Slide with the frame, ensuring the mounting slot is positioned correctly for the reflex sight.
- Securely fasten the slide using the appropriate screws provided.
- Install the included cover plate if not using a reflex sight.
- Ensure the front and rear sights are properly aligned.

2. Usage:

- Load the firearm with the appropriate ammunition (9 mm Luger).
- Always keep the muzzle pointed in a safe direction.
- Engage the safety features of your firearm before handling.
- Practice safe shooting habits and follow all range rules.

3. PostUsage:

- After use, clean the slide and the firearm according to the manufacturer's recommendations.
- Store the firearm in a safe and secure manner.

Disposal Instructions

- Dispose of the product in accordance with local regulations for firearms and firearm components.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or support related to the SLIDES WITH RMR CUT FOR GLOCK 19® BRN SLIDE ASSEMBLY, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety instructions, you can ensure a safe and enjoyable experience with your new slide assembly. Always prioritize safety and responsible firearm handling. Thank you for your attention to these guidelines.

Istruzioni di Sicurezza per il Prodotto

Introduzione

Grazie per aver scelto la Slitta RMR di Brownells per Glock 19. Questo prodotto è progettato per migliorare le prestazioni della tua pistola Glock 19 e garantire un utilizzo sicuro. È importante seguire attentamente queste istruzioni di sicurezza per evitare incidenti e garantire un utilizzo corretto.

Linee Guida Generali di Sicurezza

- Assicurati di leggere e comprendere tutte le istruzioni prima di utilizzare il prodotto.
- Verifica che il tuo Glock 19 sia compatibile con la Slitta RMR prima dell'installazione.
- Non utilizzare la Slitta RMR se presenta danni visibili o segni di usura.
- Conserva la Slitta RMR in un luogo asciutto e sicuro, lontano dalla portata di bambini e persone non autorizzate.
- Segnala immediatamente eventuali prodotti difettosi o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizza solo mirini reflex compatibili con la forma del Trijicon RMR.
- Non montare la slitta su pistole diverse da quelle specificate.
- Non tentare di modificare o alterare la Slitta RMR in alcun modo.
- Assicurati che la piastra di copertura sia correttamente installata se non stai utilizzando un mirino.
- Durante l'installazione, utilizza strumenti appropriati e segui le istruzioni fornite.
- Indossa sempre occhiali protettivi durante l'installazione e l'uso della pistola.

Istruzioni per l'Installazione e l'Uso

1. Preparazione

- Assicurati che la pistola sia scarica e priva di munizioni prima di iniziare l'installazione.
- Rimuovi eventuali accessori esistenti dalla slitta originale.

2. Installazione della Slitta RMR

- Posiziona la Slitta RMR sulla slitta della tua Glock 19.
- Allinea la fessura pretagliata con il mirino reflex.
- Fissa la slitta utilizzando le viti fornite, assicurandoti che siano ben serrate.

3. Installazione della Piastra di Copertura

- Se non utilizzi un mirino, posiziona la piastra di copertura nella fessura.
- Assicurati che la piastra sia ben fissata per evitare movimenti.

4. Controllo Finale

- Controlla che la Slitta RMR e la piastra di copertura siano correttamente installate.
- Esegui un test di funzionamento per assicurarti che tutto funzioni come previsto.

5. Uso della Pistola

- Utilizza la pistola secondo le istruzioni del produttore.
- Controlla regolarmente la slitta e i suoi componenti per eventuali segni di usura o danni.

Istruzioni per lo Smaltimento

- Non gettare la Slitta RMR o i suoi componenti nell'ambiente.
- Segui le normative locali per lo smaltimento di prodotti metallici e accessori per armi.
- Contatta un centro di smaltimento autorizzato per informazioni su come smaltire il prodotto in modo sicuro.

Informazioni di Contatto per Ulteriore Supporto

Per qualsiasi domanda o chiarimento riguardante la Slitta RMR di Brownells, ti invitiamo a contattare il tuo rivenditore o consultare il sito web ufficiale di Brownells per ulteriori informazioni e supporto.

Grazie per aver scelto il nostro prodotto. La tua sicurezza è la nostra priorità.