

SLIDES WITH RMR CUT FOR GLOCK 19® - BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

Optic-Ready Enhanced Slide With Unique Ergonomic & Performance Upgrades

The Brownells RMR Slide for Glock® 19 Gen3 pistols is the ideal upgrade for your factory G19 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 19 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 19, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. Fits Gen3 Glock® 19 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Factory front/rear iron sights installed Optic slot cover plate & recoil spring assembly also included Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 19 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: BRN WINDOW SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT
- Manufacturer: BROWNELLS
- Product no.: 430111306
- Mfr. No.: G19-WSA
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 19
- Sights: RMR
- Style: Stripped
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 35mm
- Shipping length: 171mm
- UPC: 050806001602

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den SLIDES WITH RMR CUT FÜR GLOCK 19® BROWNELLS WINDOWED SLIDE ASSEMBLY](#)
- [English: Safety Instructions for SLIDES WITH RMR CUT FOR GLOCK 19® BRN WINDOW SLIDE ASSEMBLY](#)
- [Italiano: Guida di Sicurezza per l'Utilizzo della Slitta RMR di Brownells per Glock 19](#)

Sicherheitshinweise für den SLIDES WITH RMR CUT FÜR GLOCK 19® BROWNELLS WINDOWED SLIDE ASSEMBLY

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des SLIDES WITH RMR CUT FÜR GLOCK 19® von Brownells. Dieser verbesserte Schlitten bietet Ihnen einzigartige ergonomische und leistungssteigernde Upgrades. Um sicherzustellen, dass Sie das Produkt sicher und effektiv nutzen, lesen Sie bitte die folgenden Sicherheitshinweise sorgfältig durch.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt nur für den vorgesehenen Zweck verwendet wird.
- Überprüfen Sie vor der Verwendung stets, ob der Schlitten ordnungsgemäß installiert ist.
- Halten Sie das Produkt von Kindern und schutzbedürftigen Personen fern.
- Melden Sie unsichere Produkte oder Unfälle bei den zuständigen Behörden.
- Informieren Sie sich regelmäßig über Rückrufe und Sicherheitswarnungen über die EU Safety Gate Plattform.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie den Schlitten nur mit Glock® 19 Gen3 Pistolen und kompatiblen Klonen.
- Achten Sie darauf, dass alle Teile korrekt montiert sind, um Verletzungen zu vermeiden.
- Verwenden Sie die mitgelieferte PolymerAbdeckplatte, wenn kein RedDotVisier montiert ist.
- Verwenden Sie keine beschädigten oder abgenutzten Teile.
- Überprüfen Sie regelmäßig die Rückholfederbaugruppe auf Abnutzung.

Anweisungen zur Installation und Verwendung

1. Vorbereitung:

- Stellen Sie sicher, dass die Waffe entladen ist, bevor Sie mit der Installation beginnen.
- Reinigen Sie den Schlitten und den Rahmen der Waffe von Schmutz und Verunreinigungen.

2. Installation:

- Entfernen Sie den alten Schlitten von Ihrer Glock® 19 Gen3.
- Setzen Sie den neuen Brownells RMR Schlitten auf den Rahmen und stellen Sie sicher, dass er richtig sitzt.
- Befestigen Sie die Rückholfederbaugruppe gemäß den Anweisungen des Herstellers.

3. Verwendung:

- Überprüfen Sie vor jedem Schuss die korrekte Funktion des Schlittens.
- Nutzen Sie die StandardHöhen für Vorder und Rücksicht oder kombinieren Sie diese mit einem RedDotVisier.
- Achten Sie darauf, dass der Schlitten bei jedem Schuss reibungslos funktioniert.

Entsorgungsanweisungen

- Entsorgen Sie alle nicht mehr benötigten Teile gemäß den örtlichen Vorschriften für Elektroschrott und Metallabfälle.
- Stellen Sie sicher, dass gefährliche Materialien sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu Ihrem Produkt wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt erworben haben.

Wir wünschen Ihnen viel Freude und Sicherheit mit Ihrem neuen Brownells RMR Schlitten für Glock® 19!

Safety Instructions for SLIDES WITH RMR CUT FOR GLOCK 19® BRN WINDOW SLIDE ASSEMBLY

Introduction

Thank you for choosing the SLIDES WITH RMR CUT FOR GLOCK 19® BRN WINDOW SLIDE ASSEMBLY. This product is designed to enhance the performance and versatility of your Glock 19 Gen3 pistol. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the slide assembly by following all instructions and guidelines provided.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product.
- **Online Shopping:** When purchasing online, ensure that you are buying from a reputable source that meets safety requirements.
- **Special Consumer Focus:** This product is intended for adult users. Keep it out of reach of children and vulnerable individuals.
- **EU Contact Point:** For any safety inquiries, refer to the designated contact point provided by the retailer.
- **Rapid Alerts:** Stay updated on any safety alerts related to this product through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or handling the slide assembly.
- Inspect the slide assembly for any visible damage or defects before use.
- Use only compatible Glock 19 Gen3 pistols or frames when installing the slide.
- Ensure that the reflex sight is securely mounted in the precut slot to prevent movement during use.
- Do not attempt to modify or alter the slide assembly in any way, as this may compromise safety and performance.
- If you experience any malfunctions or issues while using the slide assembly, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory slide from the Glock 19 Gen3 pistol.
- Align the Brownells RMR Slide with the frame, ensuring that it fits securely.
- If using a reflex sight, install it in the precut slot according to the manufacturer's instructions.
- Replace the recoil spring assembly and ensure it is properly seated.
- Install the included cover plate if not using a reflex sight.
- Perform a function check to ensure proper operation before live fire.

2. Usage:

- Always practice safe firearm handling techniques.
- Use appropriate ammunition (9 mm Luger) as specified for the Glock 19.
- Regularly clean and maintain the slide assembly to ensure optimal performance.
- Familiarize yourself with the operation of the slide and any installed accessories before use.

Disposal Instructions

- Dispose of the slide assembly and any packaging materials in accordance with local regulations.
- Do not dispose of in regular household waste. Check for designated recycling or hazardous waste disposal sites.

Contact Information for Further Support

For any questions or concerns regarding the SLIDES WITH RMR CUT FOR GLOCK 19® BRN WINDOW SLIDE ASSEMBLY, please refer to the contact information provided by your retailer or manufacturer. Always ensure you have the latest information regarding safety and maintenance.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and versatility of your Brownells RMR Slide for Glock 19 Gen3!

Guida di Sicurezza per l'Utilizzo della Slitta RMR di Brownells per Glock 19

Introduzione

Grazie per aver scelto la Slitta RMR di Brownells per il tuo Glock 19. Questa guida fornisce informazioni importanti sulla sicurezza, l'installazione e l'uso del prodotto, in conformità con le normative europee sulla sicurezza dei prodotti. Si prega di leggere attentamente queste istruzioni prima di utilizzare il prodotto.

Linee Guida Generali di Sicurezza

- Assicurati che il prodotto sia utilizzato esclusivamente per il suo scopo previsto.
- Controlla regolarmente il prodotto per eventuali segni di usura o danni. Non utilizzare se danneggiato.
- Tieni il prodotto lontano dalla portata di bambini e animali domestici.
- Segnala eventuali prodotti non sicuri o incidenti alle autorità competenti.
- Controlla regolarmente il portale Safety Gate dell'UE per aggiornamenti sui richiami.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizza solo mirini reflex compatibili con la forma del Trijicon RMR.
- Non tentare di installare la slitta senza seguire le istruzioni fornite.
- Assicurati che la pistola sia scarica prima di procedere all'installazione della slitta.
- Evita di utilizzare la slitta in condizioni atmosferiche estreme che potrebbero compromettere le prestazioni.
- Non utilizzare il prodotto in modo improprio o per scopi non previsti.

Istruzioni per l'Installazione e l'Uso

1. Preparazione:

- Verifica che la pistola Glock 19 sia scarica.
- Rimuovi eventuali accessori esistenti dalla slitta.

2. Installazione della Slitta:

- Posiziona la slitta sulla parte superiore della pistola, allineando la fessura di montaggio con il telaio.
- Utilizza le viti fornite per fissare saldamente la slitta. Assicurati che sia ben bloccata in posizione.
- Se non stai montando un mirino, installa la piastra di copertura in polimero per riempire la fessura.

3. Verifica:

- Controlla che la slitta sia installata correttamente e che non ci siano movimenti indesiderati.
- Assicurati che i mirini anteriore e posteriore siano allineati correttamente.

4. Uso:

- Utilizza la pistola seguendo le buone pratiche di sicurezza per le armi da fuoco.
- Mantieni sempre la pistola puntata in una direzione sicura e fai attenzione al tuo bersaglio.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento di prodotti in plastica e metallo.
- Non gettare il prodotto nell'ambiente. Ricicla secondo le normative vigenti.

Informazioni di Contatto per Ulteriore Supporto

Per domande o ulteriori informazioni sulla Slitta RMR di Brownells, si prega di contattare il rivenditore presso il quale è stato acquistato il prodotto. Assicurati di avere a disposizione il numero di modello e la prova di acquisto.

Si prega di notare che queste istruzioni sono state redatte per garantire un uso sicuro e corretto del prodotto, in conformità con le normative dell'Unione Europea. Seguire queste linee guida contribuirà a garantire la tua sicurezza e quella degli altri.