

SLIDES WITH RMR CUT FOR GLOCK 17® - BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Enhanced Slide With Integral Red Dot Mounting Slot + Ergonomic/Performance Upgrades Our RMR Slide for Glock® 17 Gen3 pistols is just the ticket to upgrade for your factory G17 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 17 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 17, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit holsters for the standard Glock® 17. Fits Gen3 Glock® 17 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Optic slot cover plate & recoil spring assembly also included Factory front/rear iron sights installed Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G17 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 17 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: [BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111307
- Mfr. No.: G17-SA
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17

- Sights: RMR
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.454kg
- UPC: 050806001619

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT](#)
- [About Us](#)

Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 17 WITH RMR CUT

Introduction

Thank you for choosing the SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN SLIDE ASSEMBLY. This guide provides important safety information, installation instructions, and usage guidelines to ensure the safe and effective operation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the slide assembly is compatible with your specific Glock® model before installation.
- Always handle firearms with care and follow general firearm safety practices.
- Keep the slide and all firearm components away from children and unauthorized users.
- Regularly inspect the slide for any signs of wear or damage.
- Do not use the slide if it shows signs of wear, damage, or if it has been altered in any way.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or removing the slide.
- Use the slide only with compatible reflex sights that fit the Trijicon RMR footprint.
- When using the slide with a reflex sight, ensure that the sight is securely mounted.
- If using the window cutout feature, be aware that it may allow combustion gases to vent; ensure proper handling to maintain control during firing.
- Be cautious of the slide's serrations while handling, as they may be sharp.
- Follow the manufacturer's guidelines for the installation of the channel liner.

Instructions for Installation and Usage

1. Compatibility Check

- Verify that your Glock® model is a Gen3 Glock® 17 or a compatible clone.

2. Remove the Existing Slide

- Ensure the firearm is unloaded.
- Follow the manufacturer's instructions to safely remove the existing slide from the frame.

3. Install the Brownells RMR Slide

- Align the new slide with the frame.
- Carefully slide it into place until it is fully seated.
- Ensure that the slide moves freely and is properly aligned.

4. Mounting a Reflex Sight

- If using a reflex sight, remove the cover plate from the mounting slot.
- Follow the sight manufacturer's installation instructions to securely attach the sight.
- Replace the cover plate if not using a reflex sight.

5. Check Sights

- Ensure the factory installed front and rear sights are properly aligned.
- Adjust the sights as necessary for accuracy.

6. Final Inspection

- Doublecheck that all components are secure and properly installed.
- Conduct a function check to ensure the slide operates correctly.

Disposal Instructions

- Dispose of the slide assembly in accordance with local regulations.
- Do not dispose of the slide in regular household waste if it is damaged or no longer usable.
- Contact local authorities or waste management services for proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the SLIDES WITH RMR CUT FOR GLOCK 17® BROWNELLS BRN SLIDE ASSEMBLY, please refer to the manufacturer's website or customer service resources. Ensure you have the product details ready for assistance.

Thank you for your attention to these safety instructions. Enjoy your upgraded shooting experience with the Brownells RMR Slide for Glock® 17!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk