

ERGO ROLLER LEVER FOR RELOADING PRESSES - ERGO ROLLER LEVER FOR LYMAN CRUSHER II PRESS

Inline Fabrication manufactures several accessories to enhance your reloading experience. Each Ergo Roller lever is made specifically for a specific model of press to position you in the most ergonomic reloading position. The forward offset design of the ergonomic levers snug you into your press, positions you perfectly to see your powder charge before placing a bullet, keeps you from bending/leaning over time after time and keeps you comfortable through-out your reloading session. The roller handle is super smooth and a dream to use. The levers are lathe cut & threaded; then black powder coated. The roller bearing handle is very comfortable diameter to grip and a dream to use.



Attributes

- Name: ERGO ROLLER LEVER FOR LYMAN CRUSHER II PRESS
- Manufacturer: INLINE FABRICATION
- Product no.: 430112041
- Mfr. No.: LYL4
- Delivery weight: 1.247kg
- Shipping height: 102mm
- Shipping width: 152mm
- Shipping length: 457mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for ERGO ROLLER LEVER FOR RELOADING PRESSES](#)

Safety Instruction Guide for ERGO ROLLER LEVER FOR RELOADING PRESSES

Introduction

Thank you for choosing the ERGO ROLLER LEVER FOR RELOADING PRESSES, specifically designed for the Lyman Crusher II Press. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product. Please read this document carefully before using the lever.

General Safety Guidelines

- **Product Safety:** This product is designed to ensure safe use while reloading. Always follow the instructions provided in this guide.
- **Enhanced Recalls:** In the event of a safety concern, recall notices will be issued. Please monitor official channels for updates.
- **Online Shopping:** When purchasing this product online, ensure the seller complies with safety standards.
- **Special Consumer Focus:** Extra care should be taken when this product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, please refer to the designated EU contact for this product.
- **Rapid Alerts:** Stay informed about any safety alerts regarding this product through the Safety Gate system.

Specific Safety Precautions for Use

- Always inspect the lever for any damage before installation and use.
- Ensure that the press is securely mounted and stable before operating the lever.
- Use the lever only for its intended purpose as described in this guide.
- Avoid wearing loose clothing or accessories that may get caught in the press during operation.
- Keep the area around the press clean and free from obstructions.
- Do not exceed the recommended load limits of the press.
- Always keep hands and other body parts away from moving parts during operation.
- If you experience any discomfort while using the lever, stop immediately and reassess your posture and setup.

Instructions for Installation and Usage

Installation

1. Ensure the reloading press is turned off and unplugged.
2. Remove the existing lever from the press according to the manufacturer's instructions.
3. Align the Ergo Roller Lever with the mounting point on the press.
4. Securely attach the lever using the provided screws, ensuring it is tightened properly.
5. Check that the lever moves smoothly before proceeding to use.

Usage

1. Stand comfortably in front of the reloading press with your feet shoulderwidth apart.
2. Position yourself so that you can see the powder charge clearly.
3. Grasp the roller handle firmly with one hand.
4. Use a smooth, controlled motion to operate the lever, ensuring your other hand is clear of the press.
5. Monitor your posture throughout the reloading process to maintain comfort and avoid strain.

Disposal Instructions

- Dispose of the product responsibly, following local regulations for waste disposal.
- If the product is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the product in general waste if it contains components that can be recycled.

Contact Information for Further Support

For any inquiries or further assistance regarding the ERGO ROLLER LEVER FOR RELOADING PRESSES, please reach out to the designated EU contact point provided with your product packaging.

By following these safety instructions and guidelines, you can ensure a safe and effective reloading experience with your new Ergo Roller Lever. Your safety is our priority, and we appreciate your commitment to using our products responsibly.