

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS - QC ULTRAMNT TOP PLATE/BOLT FOR LEE BREECH LOCK CHALLENGR PRS

Inline Fabrication manufactures several accessories to enhance your reloading experience. One mount, countless uses! A challenge for the modern reloader is sometimes they have more presses, calibers, case prep tools or desktop gadgets than available bench space. Trying to work in a crowded, cramped space is not an enjoyable thing. This is where the Quick Change system comes in. By using 1 or 2 of the quick change Ultramounts, you can have one press mounted, but store the rest of your equipment up and out of the way on the wall using Inline's QC storage docks (sold separately). Maybe you bring your press into the house from the garage after reloading, take it to the weekend cabin, a buddies house, etc. It literally takes 30 seconds to remove it, stow it and swap it out with another. It has the ROCK solid rigidity of a fixed mount with the convenience and efficiency of quick change. These Quick Change Top Plates include the needed mounting hardware to bolt right up to your Quick Change Ultramount (Sold Separate). Also includes options for case prep tool Top Plates and popular vises for your gun building needs.
NOTE: SKU 430112070 (UTP5.1) QC kit for Lee Pro1000 press w/bin bracket is not for the new 2018 Lee Pro 1000 presses.



Attributes

- Name: QC ULTRAMNT TOP PLATE/BOLT FOR LEE BREECH LOCK CHALLENGR PRS
- Manufacturer: INLINE FABRICATION
- Product no.: 430112065
- Mfr. No.: UTP10.1
- Delivery weight: 1.474kg
- Shipping height: 305mm
- Shipping width: 64mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Quick Change Ultra Mount Top Plate & Bolt Kits Safety Instruction Guide](#)

Quick Change Ultra Mount Top Plate & Bolt Kits Safety Instruction Guide

Introduction

Thank you for choosing the Quick Change Ultra Mount Top Plate & Bolt Kits. This product is designed to enhance your reloading experience by providing a versatile and efficient mounting solution for your reloading presses and tools. To ensure your safety and the proper use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always read the product manual before use.
- Ensure that the product is suitable for your specific reloading press model.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before installation or use.
- Follow all local laws and regulations regarding reloading and firearms.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only the mounting hardware included with the Quick Change Ultra Mount.
- Do not exceed the weight limit specified for your reloading press and accessories.
- Ensure that the mounting surface is stable and secure before installation.
- Avoid using the product in wet or damp conditions to prevent rust and corrosion.
- Do not modify or alter the product in any way, as this may compromise safety.
- Always wear appropriate safety gear when reloading, including eye protection and gloves.

Instructions for Installation and Usage

Installation

1. **Select a Suitable Location:** Choose a stable and level surface for mounting your reloading press.
2. **Gather Tools:** You will need a drill, appropriate drill bits, and a wrench or screwdriver, depending on the mounting hardware provided.
3. **Mark Drill Holes:** Hold the Quick Change Ultra Mount in place and mark the drill holes on the mounting surface.
4. **Drill Holes:** Carefully drill holes at the marked locations, ensuring not to damage the surface.
5. **Attach the Mount:** Use the provided bolts and washers to securely attach the Ultra Mount to the surface.
6. **Check Stability:** Ensure that the mount is firmly attached and does not wobble.

Usage

1. **Mounting the Press:** Align your reloading press with the Quick Change Ultra Mount and secure it using the provided hardware.
2. **Storing Accessories:** Use Inline's QC storage docks (sold separately) to store additional equipment off the workbench.
3. **Changing Presses:** To swap out presses, simply release the locking mechanism, remove the press, and replace it with another. This process should take no more than 30 seconds.
4. **Regular Maintenance:** Periodically check the mount and hardware for wear and tear, and tighten any loose components.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste. Consider recycling options where available.
- Ensure that all components are disposed of properly to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the Quick Change Ultra Mount Top Plate & Bolt Kits, please refer to the manufacturer's website or customer support for assistance.

By following these safety instructions, you can ensure a safe and efficient reloading experience with your Quick Change Ultra Mount Top Plate & Bolt Kits. Thank you for your attention to safety.