

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS - TOP PLATE /BOLT FOR LYMAN BRASS SMITH VICTORY SNGL STG PRESS

Inline Fabrication manufactures several accessories to enhance your reloading experience. One mount, countless uses! A challenge for the modern reloader is sometimes they have more presses, calibers, case prep tools or desktop gadgets than available bench space. Trying to work in a crowded, cramped space is not an enjoyable thing. This is where the Quick Change system comes in. By using 1 or 2 of the quick change Ultramounts, you can have one press mounted, but store the rest of your equipment up and out of the way on the wall using Inline's QC storage docks (sold separate). Maybe you bring your press into the house from the garage after reloading, take it to the weekend cabin, a buddies house, etc. It literally takes 30 seconds to remove it, stow it and swap it out with another. It has the ROCK solid rigidity of a fixed mount with the convenience and efficiency of quick change. These Quick Change Top Plates include the needed mounting hardware to bolt right up to your Quick Change Ultramount (Sold Separate). Also includes options for case prep tool Top Plates and popular vises for your gun building needs. NOTE: SKU 430112070 (UTP5.1) QC kit for Lee Pro1000 press w/bin bracket is not for the new 2018 Lee Pro 1000 presses.



Attributes

- Name: TOP PLATE /BOLT FOR LYMAN BRASS SMITH VICTORY SNGL STG PRESS
- Manufacturer: INLINE FABRICATION
- Product no.: 430112075
- Mfr. No.: UTP5.1
- Delivery weight: 1.701kg
- Shipping height: 305mm
- Shipping width: 64mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS SAFETY INSTRUCTIONS](#)

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Quick Change Ultra Mount Top Plate & Bolt Kits for your Lyman Brass Smith Victory Single Stage Press. This product is designed to enhance your reloading experience by providing a reliable and efficient mounting solution. It is important to follow the safety instructions outlined in this guide to ensure safe usage and compliance with EU General Product Safety Regulations (GPSR).

General Safety Guidelines

- Always read and understand the entire instruction manual before using the product.
- Ensure that the product is used only for its intended purpose as specified in this guide.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear before use.
- If any part of the product is damaged or malfunctioning, discontinue use immediately and seek support.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that your work area is clean, dry, and welllit to minimize the risk of accidents.
- Use proper protective equipment, such as safety glasses and gloves, when handling tools and equipment.
- Avoid overloading the mount beyond its specified weight capacity to prevent accidents.
- Follow all manufacturer instructions regarding the assembly and use of the Quick Change system.
- Do not modify the product in any way, as this may compromise its safety and functionality.
- When swapping out presses, ensure that all components are securely fastened before use.

Instructions for Installation and Usage

1. Installation of the Quick Change Ultra Mount:

- Select a suitable location on your workbench that is stable and can support the weight of the press and accessories.
- Use the provided mounting hardware to securely attach the Ultra Mount to your workbench.
- Ensure that the mount is level and firmly fixed to prevent any movement during operation.

2. Attaching the Top Plate:

- Align the Top Plate with the Ultra Mount according to the provided instructions.
- Use the included bolts to fasten the Top Plate securely to the mount.
- Doublecheck that all bolts are tightened properly before proceeding.

3. Using the Quick Change System:

- To swap out presses, simply loosen the bolts on the Top Plate and remove the press.
- Store the removed press in a safe location to avoid damage.
- Attach a different press by aligning it with the Top Plate and tightening the bolts securely.

4. Case Prep Tool and Vise Options:

- If using additional Top Plates for case prep tools or vises, follow similar installation instructions as outlined above.

- Ensure that all tools are compatible with the Quick Change system before use.

Disposal Instructions

- Dispose of this product in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the product with household waste.
- Contact your local waste management authority for information on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Quick Change Ultra Mount Top Plate & Bolt Kits, please contact the manufacturer or your local retailer for assistance. Always keep this manual for future reference.

By following these safety instructions, you can ensure a safe and enjoyable reloading experience with your Quick Change Ultra Mount system. Thank you for your attention to safety and compliance.